

Office

Energy, Minerals and Natural Resources

June 19, 2008

District I

1625 N. French Dr., Hobbs, NM 88240

District II

1301 W. Grand Ave., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

RECEIVED

AUG 13 2010

HOBBSOCD

## OIL CONSERVATION DIVISION

1220 South St. Francis Dr.

Santa Fe, NM 87505

<b>SUNDRY NOTICES AND REPORTS ON WELLS</b> (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-025-27236
1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/>		5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
2. Name of Operator CHEVRON U.S.A. INC.		6. State Oil & Gas Lease No.
3. Address of Operator 15 SMITH ROAD, MIDLAND, TEXAS 79705		7. Lease Name or Unit Agreement Name VACUUM GLORIETA WEST UNIT ✓
4. Well Location Unit Letter J: 2310 feet from the SOUTH line and 2308 feet from the EAST line Section 25 Township 17-S Range 34-E NMPM County LEA		8. Well Number 35 ✓
11. Elevation (Show whether DR, RKB, RT, GR, etc.)		9. OGRID Number 4323 ✓
10. Pool name or Wildcat VACUUM GLORIETA		

## 12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

## NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐  
 TEMPORARILY ABANDON ☐ CHANGE PLANS ☐  
 PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐  
 DOWNHOLE COMMINGLE ☐

## SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐  
 COMMENCE DRILLING OPNS. ☐ P AND A ☐  
 CASING/CEMENT JOB ☐

OTHER: INTENT TO EXTEND TA STATUS ✓

OTHER:

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

CHEVRON U.S.A. INC. RESPECTFULLY ASKS FOR AN EXTENSION OF THE TA STATUS IN THE SUBJECT WELL. THE TA EXPIRES IN DECEMBER, 2010. THIS REQUEST IS BEING MADE BASED ON A POTENTIAL WELL RECOMPLETION PENDING THE PRODUCTION RESULTS OF TWO VGWU PLANNED UPHOLE RECOMPLETIONS. ONCE WE HAVE THE PRODUCTION RESULTS, THE PLAN IS TO POTENTIALLY FOLLOW UP WITH A RECOMPLETION. THIS WELL ALSO HAVE CVU POTENTIAL AS A REPLACEMENT PRODUCER WELL OR A MONITOR WELL.

PLEASE FIND ATTACHED, A COPY OF THE APPROVED C-103 DATED IN 2005 AND THE WELLBORE DIAGRAM.

Condition of Approval: Notify OCD Hobbs office 24 hours prior to running MIT Test & Chart

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE



TITLE

REGULATORY SPECIALIST

DATE 08-11-2010

Type or print name DENISE PINKERTON

E-mail address: [leakejd@chevron.com](mailto:leakejd@chevron.com)

PHONE: 432-687-7375

For State Use Only

APPROVED BY:



TITLE

STAFF MGR

DATE

8-19-10

Conditions of Approval (if any):

DISTRICT I

P.O. Box 1980, Hobbs, NM 88240

DISTRICT II

P.O. Box Drawer DD, Artesia, NM 88210

DISTRICT III

1000 Rio Brazos Rd., Aztec, NM 87410

**OIL CONSERVATION DIVISION**

P.O. Box 2088

Santa Fe, New Mexico 87504-2088

WELL API NO.	30-025-27236
5. Indicate Type of Lease	STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil / Gas Lease No.	B-1056-1
7. Lease Name or Unit Agreement Name	VACUUM GLORIETA WEST UNIT
8. Well No.	35
9. Pool Name or Wildcat	VACUUM GLORIETA
10. Elevation (Show whether DF, RKB, RT, GR, etc.)	3998' GR

**SUNDRY NOTICES AND REPORTS ON WELLS**  
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT (FORM C-101) FOR SUCH PROPOSALS.

1. Type of Well: OIL WELL ☒ GAS WELL ☐ OTHER ☐

2. Name of Operator  
CHEVRON USA INC

3. Address of Operator  
15 SMITH RD, MIDLAND, TX 79705

4. Well Location  
Unit Letter J : 2310 Feet From The SOUTH Line and 2308 Feet From The EAST Line  
Section 25 Township 17-S Range 34-E NMPM LEA COUNTY

11. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

**NOTICE OF INTENTION TO:**

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐  
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐  
PULL OR ALTER CASING ☐  
OTHER: ☐

**SUBSEQUENT REPORT OF:**

REMEDIAL WORK ☐ ALTERING CASING ☐  
COMMENCE DRILLING OPERATION ☐ PLUG AND ABANDONMENT ☐  
CASING TEST AND CEMENT JOB ☐  
OTHER: ☒ CHART FOR TA STATUS

12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

11-30-05: SET CIBP @ 5800' TEST CSG TO 600# FOR 30 MINS. (ORIGINAL CHART & COPY OF CHART ATTACHED).

PERFS: 5844-5948'

WELL IS TEMPORARILY ABANDONED.

This Approval of Temporary  
Abandonment Expires 12/14/2010

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Denise Pinkerton TITLE Regulatory Specialist

DATE 12/14/2005

TYPE OR PRINT NAME Denise Pinkerton

Telephone No. 432-687-7375

(This space for State Use)

APPROVED Chris Williams  
CONDITIONS OF APPROVAL, IF ANY:

TITLE OC DISTRICT SUPERVISOR/GENERAL MANAGER  
DATE

**DEC 16 2005**

**VGWU #35**  
**API No. 30-025-27236**

**Plugged and Abandoned**

**Well Location**

' FSL & ' FWL  
 Sec: 25  
 Twnshp: 17 S  
 Rng: 34 E  
 Lea County, NM  
 GL: KB:

DV Tool 4863

13 3/8" CSG set @ 1575'

8 5/8" CSG set @ 4850'

**HISTORY**

5/22/81 - Perf w/2 JSPF @ 6065,72,75,87,90,94  
 5/23/81 - Acidize w/1000 gal 20% NEFE  
 5/28/81 - Sqz perfs 6065-94  
 5/30/81 - Perf w/2 JSPF @ 6029,34,38,41,44,48,54  
 Acidize w/1000 gal 20% NEFE  
 6/17/81 - Perf w/2 JSPF @ 5980,83,86,6001,03  
 Acidize w/1000 gal 20% NEFE  
 5/4/00 - Sqz 5980-6054  
 5/9/00 - Perf Glorieta 5844-60,5865-82,5902-10,14-48  
 5/10/00 - Acidize w/7000 gal 15% NEFE  
 5/11/00 - Swab 6 Hours, No Oil  
 5/12/00 - Set CIBP @5800. TA

11/05- set CIBP 5800'  
 TA'd well

Top of Glorieta @ 5,897'

Open Perforations: 5,844'-5948'

Glorieta Marker @ 5,963'

Top of Paddock @ 6,021'

Top of cmt plug @ 5,995'

Sq Perforations: 5980'-6003'  
 Sq Perforations: 6029'-6054'  
 Sq Perforations 6065'-6094'

8/95 -Wtr entry 6030', pumped gel  
 5/5/00- DO 5960'

5-1/2" CSG set @ 6150'

