

Submit 3 Copies To Appropriate District  
Office  
District I  
1625 N. French Dr., Hobbs, NM 87949  
District II  
1301 W. Grand Ave., Artesia, NM 88210  
District III  
1000 Rio Brazos Rd., Aztec, NM 87410  
District IV  
1220 S. St Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy, Minerals and Natural Resources

Form C-103  
May 27, 2004

RECEIVED

AUG 19 2010

HOBBSOCD

Oil Conservation Division  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

WELL API NO. 30-025-05553
5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name: East Eumont Unit
8. Well Number 22
9. OGRID Number 192463
10. Pool name or Wildcat Eumont Yates 7Rvr Qn
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3672'
Pit or Below-grade Tank Application <input type="checkbox"/> or Closure <input type="checkbox"/> Pit type _____ Depth to Groundwater _____ Distance from nearest fresh water well _____ Distance from nearest surface water _____ Pit Liner Thickness: _____ mil Below-Grade Tank: Volume _____ bbls; Construction Material _____

SUNDRY NOTICES AND REPORTS ON WELLS  
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well:  
Oil Well ☐ Gas Well ☐ Other Injection ☒

2. Name of Operator  
OXY USA WTP Limited Partnership

3. Address of Operator  
P.O. Box 50250 Midland, TX 79710-0250

4. Well Location  
Unit Letter I; 1983 feet from the south line and 660 feet from the east line  
Section 4 Township 19S Range 37E NMPM County Lea

11. Elevation (Show whether DR, RKB, RT, GR, etc.)  
3672'

Pit or Below-grade Tank Application ☐ or Closure ☐

Pit type \_\_\_\_\_ Depth to Groundwater \_\_\_\_\_ Distance from nearest fresh water well \_\_\_\_\_ Distance from nearest surface water \_\_\_\_\_

Pit Liner Thickness: \_\_\_\_\_ mil Below-Grade Tank: Volume \_\_\_\_\_ bbls; Construction Material \_\_\_\_\_

12. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒

TEMPORARILY ABANDON ☐ CHANGE PLANS ☐

PULL OR ALTER CASING ☐ MULTIPLE COMPLETION ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐

COMMENCE DRILLING OPNS. ☐ PLUG AND ABANDONMENT ☐

CASING TEST CEMENT JOBS ☐

OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram or recompletion.

TD-3950' PBD-3910' Perfs-3750-3919' Pkr-3716'  
8-5/8" 24# csg @ 1650' w/900sx, 11" hole, TOC-Surf-Circ  
5-1/2" 14# csg @ 3950' w/550sx, 7-7/8" hole, TOC-\*774'-Calc  
\*10/93-Perf @ 1657' sqz 275sx-TOC-150'-TS  
1. RIH & Set CIBP @ 3700' M&P 25sx cmt to 3525'  
2. M&P 25sx cmt @ 2700-2625'  
3. M&P 25sx cmt @ 1700-1625' WOC-Tag  
4. Perf @ 150' sqz 60sx cmt to Surface - Verify  
10# MLF between plugs

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☐ , a general permit ☐ or an (attached) alternative OCD-approved plan ☐

SIGNATURE David Stewart TITLE Sr. Regulatory Analyst DATE 8/20/10

Type or print name David Stewart

E-mail address: david\_stewart@oxy.com  
Telephone No. 432-685-5717

For State Use Only

APPROVED BY Cathy W. Hill TITLE DISTRICT 1 SUPERVISOR DATE AUG 20 2010

Conditions of Approval, if any:


OXY USA WTP LP - Proposed  
East Eumont Unit #22  
API No. 30-025-05553

60sx @ 150' - Surface

25sx @ 1700-1625' WOC-Tag

25sx @ 2700-2625'

CIBP @ 3700' w/ 25sx



Perf @ 150'

11" hole @ 1650'  
8-5/8" csg @ 1650'  
w/ 900sx-TOC-Surf-Circ


10/93-Perf @ 1657'sqz 275sx-TOC-150'-TS

7-7/8" hole @ 3950'  
5-1/2" csg @ 3949'  
w/ 550sx-TOC-774'-Calc

Perfs @ 3750-3919'

TD-3950'

OXY USA WTP LP - Current  
East Eumont Unit #22  
API No. 30-025-05553



11" hole @ 1650'  
8-5/8" csg @ 1650'  
w/ 900sx-TOC-Surf-Circ

10/93-Perf @ 1657'sqz 275sx-TOC-150'-TS

7-7/8" hole @ 3950'  
5-1/2" csg @ 3949'  
w/ 550sx-TOC-774'-Calc

2-3/8" tbg w/ pkr @ 3716'

Perfs @ 3750-3919'

TD-3950'