

RECEIVED

Submit 3 Copies To Appropriate District Office

State of New Mexico

AUG 26 2010

Form C-103

March 4, 2004

District I

1625 N French Dr., Hobbs, NM 88240

District II

1301 W Grand Ave., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S St Francis Dr., Santa Fe, NM 87505

RECEIVED

AUG 20 2010

HOBBSON

CONSERVATION DIVISION

1220 South St. Francis Dr.

Santa Fe, NM 87505

WELL API NO.

30-025-31546

5. Indicate Type of Lease

STATE ☒ FEE ☐

6. State Oil & Gas Lease No.

B-7845

7. Lease Name or Unit Agreement Name

Lovington San Andres Unit (26748)

8. Well Number

80

9. OGRID Number

241333

10. Pool name or Wildcat

Lovington; Grayburg-San Andres (40586)

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS)

1. Type of Well:

Oil Well ☒ Gas Well ☐ Other ☐

2. Name of Operator

Chevron Midcontinent, L.P.

3. Address of Operator

#15 Smith Rd., Midland, TX 79705

4. Well Location

Unit Letter O : 1225 feet from the South line and 2485 feet from the East line

Section 36

Township 16-S

Range 36-E

NMPM

Lea

County

11. Elevation (Show whether DR, RKB, RT, GR, etc.)

Pit or Below-grade Tank Application (For pit or below-grade tank closures, a form C-144 must be attached)

Pit Location: UL O Sect 36 Twp 16-S Rng 36-E Pit type Steel Depth to Groundwater _____ Distance from nearest fresh water well Over 1000'

Distance from nearest surface water _____ Below-grade Tank Location UL _____ Sect _____ Twp _____ Rng _____ ;

1225 feet from the South line and 2485 feet from the East line (Steel Tank)

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒

TEMPORARILY ABANDON ☐ CHANGE PLANS ☐

PULL OR ALTER CASING ☐ MULTIPLE COMPLETION ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐

COMMENCE DRILLING OPNS. ☐ PLUG AND ABANDONMENT ☐

CASING TEST AND CEMENT JOB ☐

OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

1. Notify OCD 24 hrs prior to MI and RU.
2. RIH Tag CIBP@4596' and spot 25sx cement plug from 4596'-4400'.
3. Displace hole w/MLF, 9.5# Brine w/12.5# gel P/BBL.
4. Spot 35sx cement plug from 3200'-2900' (B.Salt est.).
5. Spot 25sx cement plug from 2325'-2125' (T.Salt est.).
6. Perf and squeeze 55sx cement plug from 1435'-1235' (shoe). WOC&TAG.
7. Spot 45sx cement plug from 400'-surface (Fr.Wtr./surface). WOC&TAG.
8. Install dryhole marker and clean location.

The Oil Conservation Division **Must be notified 24 hours prior to the beginning of plugging operations**

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☐, a general permit ☐ or an (attached) alternative OCD-approved plan ☐.

SIGNATURE M. Lee Roark TITLE Agent for Chevron USA, Inc. DATE 8-25-2010

Type or print name M. Lee Roark E-mail address: _____ Telephone No. 432-561-8600


(This space for State use)

APPROVED BY [Signature] TITLE DISTRICT 1 SUPERVISOR DATE _____

Conditions of approval, if any: _____

AUG 27 2010

LSAU #80
API No. 30-025-31546



PLUGGING & ABANDONMENT WORKSHEET (STRING CSNG)

OPERATOR: Chevron Midcontinent, L.P.

LEASENAME Lovington San Andres Unit

SECT 36 TWN 16S RNG 36E
FROM 1225 N(S) L 2485 E W L
TD: 5145' FORMATION @ TD _____
PBTD: FORMATION @ PBTD _____

MLF

8 5/8"
@ 1335'
TOC surface

MLF

MLF

MLF

5'1/2"
@ 5,145'
TDC @ surface

TD 5.145'

	SIZE	SET @	TOC	TOC DETERMINED BY
SURFACE	8 5/8"	1335'	surface	circulation
INTMED 1				
INTMED 2				
PROD	5 1/2"	5145'	surface	circulation
	SIZE	TOP	BOT	TOC DETERMINED BY
LINER 1				
LINER 2				
	CUT & PULL @		TOP	BOTTOM
INTMED 1			PERFS	4654' - 5090'
INTMED 2			OPENHOLE	
PROD				

* REQUIRED PLUGS DISTRICT I

RUSTLER (ANHYD)	
YATES	
QUEEN	3733'
GRAYBURG	4417'
SAN ANDRES	4621'
T. SALT est.	2225'
CAPTAIN REEF	
B. SALT est.	3100'
DELAWARE	
BELL CANYON	
CHERRY CANYON	
BRUSHY CANYON	
BONE SPRING	
CHLORIETA	
BLINEBRY	
TUBB	
DRINKARD	
ABO	
WC	
PENN	
STRAWN	
ATOKA	
MORROW	
MISS	
DEVORIAN	

[illegible]