

Submit 3 Copies To Appropriate District
Office
District I
1625 N. French Dr., Hobbs, NM 87240
District II
1301 W. Grand Ave., Artesia, NM 88001
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

RECEIVED

AUG 30 2010

HOBBSOCD

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
May 27, 2004

OIL CONSERVATION DIVISION

1220 South St. Francis Dr.

Santa Fe, NM 87505

WELL API NO. 30-025-11013 ✓
5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/> ✓
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name: Myers Langlie Mattix Unit ✓
8. Well Number 130 ✓
9. OGRID Number 192463 ✓
10. Pool name or Wildcat Langlie Mattix 7Rvr Qn-GB ✓

11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3282'

Pit or Below-grade Tank Application ☐ or Closure ☐

Pit type _____ Depth to Groundwater _____ Distance from nearest fresh water well _____ Distance from nearest surface water _____

Pit Liner Thickness: _____ mil Below-Grade Tank: Volume _____ bbls; Construction Material _____

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well <input type="checkbox"/> Gas Well <input type="checkbox"/> Other <u>Injection</u>
2. Name of Operator OXY USA WTP Limited Partnership
3. Address of Operator P.O. Box 50250 Midland, TX 79710-0250
4. Well Location Unit Letter <u>A</u> : <u>647</u> feet from the <u>north</u> line and <u>660</u> feet from the <u>east</u> line Section <u>5</u> Township <u>24S</u> Range <u>37E</u> NMPM County <u>Lea</u>
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3282'

Pit or Below-grade Tank Application ☐ or Closure ☐

Pit type _____ Depth to Groundwater _____ Distance from nearest fresh water well _____ Distance from nearest surface water _____

Pit Liner Thickness: _____ mil Below-Grade Tank: Volume _____ bbls; Construction Material _____

12. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPLETION ☐
OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ PLUG AND ABANDONMENT ☐
CASING TEST AND CEMENT JOB ☐
OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

TD-3738' Perfs-3479-3658'
8-5/8" 32# csg @ 1180' w/950sx, 11" hole, TOC-Surf-Circ
5-1/2" 17# csg @ 3410' w/450sx, 7-7/8" hole, TOC-812'-Calc
4" " liner @ 3080-3738' w/ 125sx, TOC-3080'
1. RIH & Set CIBP @ 3430' w/ 10sx cmt
2. M&P 25sx cmt @ 3130-3000'
3. M&P 25sx cmt @ 2700-2550'
4. Perf @ 1230' sqz 40sx cmt to 1130' WOC-Tag
5. Perf @ 300' sqz 110sx cmt to Surface
Circ 10# MLF between plugs

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☐ , a general permit ☐ or an (attached) alternative OCD-approved plan ☐

SIGNATURE David Stewart TITLE Sr. Regulatory Analyst DATE 8/17/10

Type or print name David Stewart

E-mail address: david_stewart@oxy.com
Telephone No. 432-685-5717

For State Use Only

APPROVED BY [Signature] TITLE Staff Mgr DATE 8-31-10

Conditions of Approval, if any: THE OIL CONSERVATION DIVISION MUST
BE NOTIFIED 24 HOURS PRIOR TO THE
BEGINNING OF PLUGGING OPERATIONS.

OXY USA WTP LP - Proposed
Myers Langlie Mattix Unit #130
API No. 30-025-11013


110sx @ 300' - Surface

40sx @ 1230-1130' WOC-Tag

25sx @ 2700-2550'

25sx @ 3130-3000'

CIBP @ 3430 w/ 10sx



Perf @ 300'

Perf @ 1230'

Perfs @ 3479-3658'


TD-3738'

11" hole @ 1180'
8-5/8" csg @ 1180'
w/ 950sx-TOC-Surf-Circ

7-7/8" hole @ 3611'
5-1/2" csg @ 3410'
w/ 450sx-TOC-812'-Calc

4" liner @ 3080-3738'
w/ 125sx-TOC-3080'

OXY USA WTP LP - Current
Myers Langlie Mattix Unit #130
API No. 30-025-11013



11" hole @ 1180'
8-5/8" csg @ 1180'
w/ 950sx-TOC-Surf-Circ

2-3/8" tbg w/ pkr @ 3400'

7-7/8" hole @ 3611'
5-1/2" csg @ 3410'
w/ 450sx-TOC-812'-Calc

Perfs @ 3479-3658'

4" liner @ 3080-3738'
w/ 125sx-TOC-3080'

TD-3738'