

Submit 3 Copies To Appropriate District
Office
District I
1625 N French Dr., Hobbs, NM 87401
District II
1301 W. Grand Ave., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
May 27, 2004

RECEIVED
AUG 30 2010
HOBSOCD

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-025-11017
5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name: Myers Langlie Mattix Unit
8. Well Number 144
9. OGRID Number 192463
10. Pool name or Wildcat Langlie Mattix 7Rvr Qn-GB

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well <input type="checkbox"/> Gas Well <input type="checkbox"/> Other Injection <input checked="" type="checkbox"/>	7. Lease Name or Unit Agreement Name: Myers Langlie Mattix Unit
2. Name of Operator OXY USA WTP Limited Partnership	8. Well Number 144
3. Address of Operator P.O. Box 50250 Midland, TX 79710-0250	9. OGRID Number 192463
4. Well Location Unit Letter <u>G</u> : <u>1966</u> feet from the <u>north</u> line and <u>1980</u> feet from the <u>east</u> line Section <u>5</u> Township <u>24S</u> Range <u>37E</u> NMPM County <u>Lea</u>	10. Pool name or Wildcat Langlie Mattix 7Rvr Qn-GB
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3294'	
Pit or Below-grade Tank Application <input type="checkbox"/> or Closure <input type="checkbox"/> Pit type _____ Depth to Groundwater _____ Distance from nearest fresh water well _____ Distance from nearest surface water _____ Pit Liner Thickness: _____ mil Below-Grade Tank: Volume _____ bbls; Construction Material _____	

12. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPLETION ☐
OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ PLUG AND ABANDONMENT ☐
CASING TEST AND CEMENT JOB ☐
OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

TD-3687' Perfs-3410-3639'
7-5/8" 24# csg @ 1186' w/580sx, 9-7/8" hole, TOC-Surf-Circ ✓
4-1/2" 9.5# csg @ 3687' w/400sx, 6-3/4" hole, TOC-Surf-Calc ✓
1. RIH & Set CIBP @ 3360' w/ 35sx cmt to 3000'
2. M&P 25sx cmt @ 2670-2500'
3. M&P 25sx cmt @ 1240-1090' WOC-Tag
4. Perf @ 300' sqz 90sx cmt to Surface
Circ 10# MLF between plugs

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to NMOC guidelines ☐ , a general permit ☐ or an (attached) alternative OCD-approved plan ☐

SIGNATURE David Stewart TITLE Sr. Regulatory Analyst DATE 8/2/10
E-mail address: david_stewart@oxy.com
Type or print name David Stewart Telephone No. 432-685-5717

For State Use Only

APPROVED BY [Signature] TITLE Staff MGR DATE 8-31-10

Conditions of Approval, if any:

THE OIL CONSERVATION DIVISION MUST
BE NOTIFIED 24 HOURS PRIOR TO THE
BEGINNING OF PLUGGING OPERATIONS.


OXY USA WTP LP - Proposed
Myers Langlie Mattix Unit #144
API No. 30-025-11017

90sx @ 300'-Surface

25sx @ 1240-1090' WOC-Tag

25sx @ 2670-2500'

CIBP @ 3360' w/ 35sx to 3000'



Perf @ 300'

9-7/8" hole @ 1186'
7-5/8" csg @ 1186'
w/ 580sx-TOC-Surf-Circ


Perf @ 3064-3100' sqz w/ 150sx-1975

6-3/4" hole @ 3687'
4-1/2" csg @ 3687'
w/ 500sx-TOC-Surf-Calc
Perfs @ 3410-3639'

TD-3687'

OXY USA WTP LP - Current
Myers Langlie Mattix Unit #144
API No. 30-025-11017

9-7/8" hole @ 1186'
7-5/8" csg @ 1186'
w/ 580sx-TOC-Surf-Circ



2-3/8" tbg w/ pkr @ 3311'

Perf @ 3064-3100' sqz w/ 150sx-1975

6-3/4" hole @ 3687'
4-1/2" csg @ 3687'
w/ 500sx-TOC-Surf-Calc

Perfs @ 3410-3639'

TD-3687'