Subtitit 3 Copies To Appropriate District State of New Mexico	Form C-103
Subtitit 3 Copies To Appropriate District Office District I 1625 N French Dr , Hobbs, NM 88240 District II District II Resources	May 27, 2004 WELL API NO. ✓
District III	30-025-37426 5. Indicate Type of Lease
District III 1220 South St. Francis Dr.	STATE STATE FEE
1000 Rio Brazos Rd, Aztec, NM 87410 BBSOCD Santa Fe, NM 87505 1220 S St Francis Dr., Santa Fe, NM	6. State Oil & Gas Lease No.
87505 SUNDRY NOTICES AND REPORTS ON WELLS	E-3788 7. Lease Name or Unit Agreement Name
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR USE "APPLICATION FOR PERMIT" (FORM,C-101) FOR SUCH	Grouper State
PROPOSALS)	8. Well Number 1
2. Name of Operator	9. OGRID Number
Mack Energy Corporation 3. Address of Operator	13837 I 0. Pool name or Wildcat
P. O. Box 960 Artesia, NM 88211-0960	Anderson Ranch Queen
4. Well Location Unit Letter P 330 feet from the South line and 990 feet from the East line,	
Unit Letter P 330 feet from the South line and Section 14 Township 16S Range 32E	NMPM County Lea
I 1. Elevation (Show whether DR, RKB, RT, GR, etc.) 4278' GR	
Pit or Below-grade Tank Application or Closure	
Pit typeDepth GroundwaterDistance from nearest fresh water wellDistance from nearest surface water	
Pit Liner Thickness: mil Below-Grade Tank: Volume bb1s; Construction Material	
12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data	
NOTICE OF INTENTION TO: PERFORM REMEDIAL WORK PLUG AND ABANDON REMEDIAL WORK ALTERING CASING ALTERING CASING	
TENTONIA NEMEDIA LA TIONA	ILLING OPNS. P AND A
PULL OR ALTER CASING MULTIPLE COMPL CASING/CEMEN	Т ЈОВ
OTHER: OTHER	
13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.	
6/7/2010 RIH set CIBP @ 3650' w/ 35' cement cap.	
6/8/2010 Tagged cement @ 3620', circ hole w/ salt gel @ 3601'. Spot 50sk Class C 2% CaCl 2540', WOC & tag @ 2122', spot 40sk Class C 2% CaCl @ 1350'. Tagged cement @ 1040'. Set cement plug @ 96' to surface. Building dry hole marker.	
405k Class C 2/6 CaCl (w 1550). Tagged cement w 1040. Set cement plug (w 70 to surface). Burianing any more manner.	
Approved for plugging of well bore only.	
of C-103 (Subsection of Potatined pending receipt	RECEIVED
which may be found at OCD Web Page under Forms, www.cmnrd.state.nm.us/ocd.	
	SEP 0 1 2010
	HOBBSOCD
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines , a general permit or an (attached) alternative OCD-approved plan	
SIGNATURE Levy W. Shewell TITLE Production Clerk	DATE 8/31/2010
Type or print name Jerry W. Sherrell E-mail address: jerrys@mackenergycorp.com Telephone No. (575)748-1288	
For State Use Only	
APPROVED BY TITLE STAFF MAR DATE 9-2-10	
Conditions of Approval (if any):	

المراجعة الم