

Submit 3 Copies To Appropriate District
Office

District I

1625 N French Dr, Hobbs, NM 88240

District II

1301 W Grand Ave., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87400

District IV

1220 S St. Francis Dr., Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103

March 4, 2004

RECEIVED

SEP 03 2010

HOBBSOCD

CONSERVATION DIVISION

1220 South St. Francis Dr.

Santa Fe, NM 87505

WELL API NO. 30-025-31292
5. Indicate Type of Lease STATE ☒ FEE ☐
6. State Oil & Gas Lease No. B-7896
7. Lease Name or Unit Agreement Name Lovington Paddock Unit
8. Well Number 116
9. OGRID Number 241333
10. Pool name or Wildcat Lovington; Paddock

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A
DIFFERENT RESERVOIR USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH
PROPOSALS)

1. Type of Well:

Oil Well ☒ Gas Well ☐ Other ☒

2. Name of Operator

Chevron Midcontinent, L.P.

3. Address of Operator

#15 Smith Rd., Midland, TX 79705

4. Well Location

Unit Letter O : 155 feet from the South line and 1550 feet from the East line

Section 31

Township 16-S

Range 37-E

NMPM

Lea

County

11. Elevation (Show whether DR, RKB, RT, GR, etc.)

Pit or Below-grade Tank Application (For pit or below-grade tank closures, a form C-144 must be attached)

Pit Location: UL O Sect 31 Twp 16-S Rng 37-E Pit type Steel Depth to Groundwater Distance from nearest fresh water well Over 1000'

Distance from nearest surface water Below-grade Tank Location UL Sect Twp Rng ;

155 feet from the South line and 1550 feet from the East line (Steel Tank)

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒

TEMPORARILY ABANDON ☐ CHANGE PLANS ☐

PULL OR ALTER CASING ☐ MULTIPLE COMPLETION ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐

COMMENCE DRILLING ☐ PLUG AND ABANDONMENT ☐

CASING TEST AND CEMENT JOB ☐

OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed or recompletion.

1. Notify OCD 24 hrs. prior to MI and RU. 7. Spot 50sx cmt. plug from 400'-surface. (Fr.Wtr./surface) WOC&Tag.
2. RIH tag CIBP@5973' and spot 25sx cement plug from 5973'-5773' (Paddock). 8. Install dryhole marker.
3. Displace hole w/MLF, 9.5# Brine w/25# gel P/BBL.
4. Spot 25sx cement plug from 4800'-4600'. (S. Andres est.)
5. Spot 25sx cement plug from 3250'-3150' (B-Salt est.)
6. Perf and squeeze 95sx cement plug from 2150'-1778' (T-Salt est./shoe) WOC&Tag.

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☐, a general permit ☐ or an (attached) alternative OCD-approved plan ☐.

SIGNATURE M. Lee Roark TITLE Agent for Chevron USA, Inc. DATE 9-02-2010

Type or print name M. Lee Roark E-mail address: Telephone No. 432-561-8600

(This space for State use)

APPROVED BY [Signature] TITLE State Manager DATE 9-7-10

Conditions of approval, if any:

PLUGGING & ABANDONMENT WORKSHEET (STRING CSNG)

OPERATOR: Chevron Midcontinent L.P.

LEASENAME Lovington Paddock Unit

SECT 31 TWN 16S RNG 37E
FROM 155 N/S/L 1550 EWL
TD: 6500 FORMATION @ TD
PBTD: FORMATION @ PBTD

SECT 31 TWN 165 RNG 37E
FROM 155 N/O L 1550 CW L
TD: 6500 FORMATION @ TD
PBTD: FORMATION @ PBTD

TD: 6500 FORMATION @ TD
PBTD: FORMATION @ PBTD

PBTD: _____ FORMATION @ PBTD _____

	SIZE	SET @	TOC	TOC DETERMINED BY
SURFACE	8 5/8"	1878	surface	circulated
INTMED 1				
INTMED 2				
PROD	5 1/2"	6500'	surface	circulated
	SIZE	TOP	BOT	TOC DETERMINED BY
LINER 1				
LINER 2				
	CUT & PULL @	-	TOP	- BOTTOM
INTMED 1			PERFS	6013 - 6379
INTMED 2			OPENHOLE	-
PROD				

^a REQUIRED PLUGS DISTRICT I

RUSTLER (ANYFD)	
YATES	
QUEEN	
GRAYBURG	4412
SAN ANDRES	4628
T. Salt est.	
CAPTAN REEF	
B. Salt est.	
DELAWARE	
BELL CANYON	
CHERRY CANYON	
BRUSHY CANYON	
BONE SPRING	
GLORIETA	5988
BLINEBRY	
TUBB	
DRINKARD	
ABO	
WC	
PENN	
STRAWN	
ATOKA	
MORROW	
MISS	
DEVORIAN	

[illegible]

MLF

8 5/8"

@ 1878

TOC surface

MLF

MLF

NLF

5 1/2"

© 6500'

TOC @ surface

TD 6.500

LPU #116
API No. 30-025-31292

