

Submit 3 Copies To Appropriate District

Office
District I
1625 N. French Dr., Hobbs, NM 88210
District II
1301 W. Grand Ave., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources
RECEIVED
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505
SEP 03 2010
HOBBSOCD

Form C-103
May 27, 2004

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-041-10169 ✓
1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input checked="" type="checkbox"/>		5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/> ✓
2. Name of Operator OXY USA Inc. ✓		6. State Oil & Gas Lease No. E10047
3. Address of Operator P.O. Box 50250 Midland, TX 79710-0250		7. Lease Name or Unit Agreement Name: Todd Lower SA Unit ✓
4. Well Location Unit Letter <u>I</u> : <u>1980</u> feet from the <u>south</u> line and <u>660</u> feet from the <u>east</u> line Section <u>36</u> Township <u>7S</u> Range <u>35E</u> NMPM County <u>Roosevelt</u>		8. Well Number 369 ✓
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 4160'		9. OGRID Number 16696
Pit or Below-grade Tank Application <input type="checkbox"/> or Closure <input type="checkbox"/> Pit type _____ Depth to Groundwater _____ Distance from nearest fresh water well _____ Distance from nearest surface water _____ Pit Liner Thickness: _____ mil Below-Grade Tank: Volume _____ bbls; Construction Material _____		

12. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒
 TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
 PULL OR ALTER CASING ☐ MULTIPLE COMPLETION ☐
 OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
 COMMENCE DRILLING OPNS. ☐ PLUG AND ABANDONMENT ☐
 CASING TEST AND CEMENT JOB ☐
 OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

The Oil Conservation Division **Must be notified 24 hours prior** to the beginning of plugging operations

See Attachment

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☐ , a general permit ☐ or an (attached) alternative OCD-approved plan ☐

SIGNATURE David Stewart TITLE Sr. Regulatory Analyst DATE 9/2/10

Type or print name David Stewart

E-mail address: david_stewart@oxy.com
Telephone No. 432-685-5717

For State Use Only

APPROVED BY [Signature] TITLE STAFF MGR DATE 9-7-10

Conditions of Approval, if any:

TLSAU #369 - 30-041-10169

TD-4370' PBTD-4338' Perfs-4276-4325'

8-5/8" 24# @ 372' w/ 250sx, 11" hole, TOC-Surf-Circ

4-1/2" 9.5# csg @ 4370' w/ 200sx, 7-7/8" hole, TOC-3520'-TS

Circ Hole w/ 10# MLF and between plugs ✓

1. RIH & Set CIBP @ 4226' M&P 25sx cmt
2. Perf @ 3470' sqz 50sx cmt to 3335' WOC-Tag
3. Perf @ 2400' sqz 45sx cmt to 2275' WOC-Tag
4. Perf @ 2100' sqz 45sx cmt to 1980' WOC-Tag
5. Perf @ 1100' sqz 40sx cmt to 990' WOC-Tag
6. Perf @ 422' sqz 150sx cmt to Surface - Verify

OXY USA Inc. - Proposed
Todd LSA Unit #369
API No. 30-041-10169

150sx @ 422'-Surface-Verify

40sx @ 1100-990' WOC-Tag


45sx @ 2100-1980' WOC-Tag

45sx @ 2400-2275' WOC-Tag

50sx @ 3470-3335' WOC-Tag

CIBP @ 4226' w/ 25sx

PB-4338'



Perf @ 422'

Perf @ 1100'

Perf @ 2100'

Perf @ 2400'

Perf @ 3470'

Perfs @ 4276-4325'

11" hole @ 375'
8-5/8" csg @ 372'
w/ 250sx-TOC-Surf-Circ


7-7/8" hole @ 4370'
4-1/2" csg @ 4370'
w/ 200sx-TOC-3520'-TS

TD-4370'

OXY USA Inc. - Current
Todd LSA Unit #369
API No. 30-041-10169

11" hole @ 375'
8-5/8" csg @ 372'
w/ 250sx-TOC-Surf-Circ

PB-4338'



TD-4370'

Perfs @ 4276-4325'

7-7/8" hole @ 4370'
4-1/2" csg @ 4370'
w/ 200sx-TOC-3520'-TS