

Submit 3 Copies To Appropriate District

Office

District I

1625 N French Dr, Hobbs, NM 88248

District II

1301 W Grand Ave, Artesia, NM 88210

District III

1000 Rio Brazos Rd, Aztec, NM 87410

District IV

1220 S St Francis Dr, Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103

March 4, 2004

RECEIVED

SEP 10 2010

HOBBSCOCD

WELL API NO. 30-025-31264
5. Indicate Type of Lease STATE ☒ FEE ☐
6. State Oil & Gas Lease No. B-4119
7. Lease Name or Unit Agreement Name West Lovington Unit (26753)
8. Well Number 80
9. OGRID Number 241333
10. Pool name or Wildcat Lovington; Upper San Andres, West

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS)

1. Type of Well:

Oil Well ☒ Gas Well ☐ Other ☐

2. Name of Operator

Chevron Midcontinent, L P.

3. Address of Operator

#15 Smith Rd., Midland, TX 79705

4. Well Location

Unit Letter M : 156 feet from the South line and 15 feet from the West line

Section 4 Township 17-S Range 36-E NMPM Lea County

11. Elevation (Show whether DR, RKB, RT, GR, etc.)

Pit or Below-grade Tank Application (For pit or below-grade tank closures, a form C-144 must be attached)

Pit Location: UL M Sect 4 Twp 17-S Rng 36-E Pit type Steel Depth to Groundwater _____ Distance from nearest fresh water well Over 1000'

Distance from nearest surface water _____ Below-grade Tank Location UL _____ Sect _____ Twp _____ Rng _____ ;

156 feet from the South line and 15 feet from the West line (Steel Tank)

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒

TEMPORARILY ABANDON ☐ CHANGE PLANS ☐

PULL OR ALTER CASING ☐ MULTIPLE COMPLETION ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐

COMPLETION ☐ DRILLING OPNS. ☐ PLUG AND ABANDONMENT ☐

CASING ☐

OTHER: ☐

The Oil Conservation Division Must be notified 24 hours prior to the beginning of plugging operations

13. Describe proposed or completed operations. (Clearly state all pertinent details, and of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach _____ of proposed completion or recompletion.

1. Notify OCD 24 hrs. prior to MI and RU.
2. RIH tag CIBP@4657' and spot 25sx cement plug from 4657'-4467' (S.Andres).
3. Displace hole w/MLF, 9.5# Brine w/25# gel P/BBL.
4. Spot 25sx cement plug from 3150'-2950' (B-Salt est.)
5. Spot 25sx cement plug from 2150'-1950' (T-Salt est.)
6. Perf and squeeze 125sx cement plug from 465'-surface'. (shoe/Fr.Wtr./surface) WOC&TAG
8. Install dryhole marker.

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to NMOC guidelines ☐ a general permit ☐ or an (attached) alternative OCD-approved plan ☐.

SIGNATURE M. Lee Roark TITLE Agent for Chevron USA, Inc. DATE 9-09-2010

Type or print name M. Lee Roark E-mail address: _____ Telephone No. 432-561-8600

(This space for State use)

APPROVED BY [Signature] TITLE STAFF WGR DATE 9-13-10

Conditions of approval, if any:

PLUGGING & ABANDONMENT WORKSHEET (STRING CSNG)

OPERATOR Cherron Midcontinent L.P.

LEASENAME West Lovington Unit

WELL # 80
 SECT 4 TWN 17S RNG 36E
 FROM 156 N15L 15 E11L
 TD: 5230 FORMATION @ TD
 PBTD: FORMATION @ PBTD

8 5/8
 @ 365
 TOC surface

MLF

MLF

MLF

5 1/2
 @ 5230
 TOC surface

TD 5230

	SIZE	SET @	TOC	TOC DETERMINED BY	
SURFACE	8 5/8	365	surface	circulated	
INTMED 1					
INTMED 2					
PROD	5 1/2	5230	surface	circulated	
	SIZE	TOP	BOT	TOC	DETERMINED BY
LINER 1					
LINER 2					
CUT & PULL @			TOP - BOTTOM		
INTMED 1			PERFS	4717 - 5143	
INTMED 2			OPENHOLE	-	
PROD					

* REQUIRED PLUGS DISTRICT I

RUSTLER (ANYTD)	
YATES	
QUEEN	3771'
GRAYBURG	4459'
SAN ANDRES	4469'
T. SALT est.	2050'
CAPTAN REEF	
B. SALT est.	3050'
DELAWARE	
BELL CANYON	
CHERRY CANYON	
BRUSHY CANYON	
BONE SPRING	
GLORIETA	
BLINEBRY	
TUBB	
DRINKARD	
ABO	
WC	
PENN	
STRAWN	
ATOKA	
MORROW	
LEES	
DEVORIAN	

PLUG	TYPE	SACKS	DEPTH
	PLUG	CMNT	
EXAMPLES			
PLUG #1	OH	25 SXS	9850'
PLUG #2	SHOE	50 SXS	8700'-8800'
PLUG #3	CIBP/35'		5300'
PLUG #3	CIBP	25 SXS	5300'
PLUG #4	STUB	50 SXS	4600'-4700'
PLUG #7	RETNR SQZ	200 SXS	400'
PLUG #8	SURF	10 SXS	0-10'
PLUG #1	CIBP	25sx	4657'-4467'
PLUG #2	B. SALT est.	25sx	3150'-2950'
PLUG #3	T. SALT est.	25sx	2150'-1950'
PLUG #4	shoe	125sx	465'-surface
PLUG #5	Fr. Wtr.		
PLUG #6	surface		
PLUG #7			
PLUG #8			
PLUG #9			
PLUG #10			
PLUG #			
PLUG #			
PLUG #			
PLUG #			

WLU #80
API No. 30-025-31264

8-5/8" 24# set @ 365'
CMT w/ 300 sks
CIRC

Well Location
156' FSL & 15' FWL
Unit Letter M
Section 4
Township 17-S
Range 36-E
Lea County, New Mexico
Elev: 3882' GR

CIBP @4657'
Perf 4717'-5143'

5-1/2" 15.5# CSG - set @ 5230'
CMT w/ 1500 sks
CIRC

TD = 5230