

Office

Energy, Minerals and Natural Resources

June 19, 2008

District I

1625 N. French Dr., Hobbs, NM 88240

District II

1301 W. Grand Ave., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

RECEIVED

OIL CONSERVATION DIVISION

AUG 12 2010 1220 South St. Francis Dr.

Santa Fe, NM 87505

HOBBSOCD

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-025-11485
1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/>		5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>
2. Name of Operator B C Operating, Inc		6. State Oil & Gas Lease No.
3. Address of Operator P O Box 50820 Midland, TX 79710		7. Lease Name or Unit Agreement Name South Langlie Jal Unit
4. Well Location Unit Letter <u>N</u> : <u>660'</u> feet from the <u>South</u> line and <u>2310'</u> feet from the <u>West</u> line Section <u>7</u> Township <u>25S</u> Range <u>37E</u> NMPM Lea County		8. Well Number <u>7</u>
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3132 DR		9. OGRID Number 160285
		10. Pool name or Wildcat Jalmat Tansill Yates Seven Rivers

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒
 TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
 PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
 DOWNHOLE COMMINGLE ☐

OTHER ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
 COMMENCE DRILLING OPNS. ☐ P AND A ☐
 CASING/CEMENT JOB ☐

OTHER ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

1. RIH w/ CIBP. Set at 3200'. Spot 25 sx and.

1. RIH w/ CIBP set @ 2724', circulate plugging mud, spot 25 sx on top.

2. Spot 25 sx @ 1453'.

3. Spot 25 sx @ 1155'. Perf at 1155'. SPZ w/ 25 SX WOC & TAG.

5. Circulate 15 sx from 60' to surface. Perf at 400'. Circ. cnt to surface inside & outside 5 1/2" csg.

6. Cut off wellhead and anchors, clean location.

THE OIL CONSERVATION DIVISION MUST
BE NOTIFIED 24 HOURS PRIOR TO THE
BEGINNING OF PLUGGING OPERATIONS.

Spud Date:

10/6/59

Rig Release Date:

10/9/59

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE

Tami Parker

TITLE

Regulatory Analyst

DATE 8/10/10

Type or print name

Tami Parker

E-mail address:

tparker@blackoakres.com

PHONE: (432) 684-9696

For State Use Only

APPROVED BY:

Maurice Whitaker

TITLE

Compliance Officer

DATE

9/15/2010

Conditions of Approval (if any):

CMT

Logwell P44

LOG ZERO = 8' A.G.L.

GL = 3124'

15 st cmt
60' - 0'

SOUTH LANGLE JAL UNIT, # 7

(Formerly DALBERT, WINTERS "B", # 3)

JALMAT (OIL) POOL

LEA CO., NEW MEXICO

CRC

12/2/76

Anhydrite 1072

Yates 2831

7. hrs 3069

8 5/8", 24" from

0-1105.

(Cmt'd. w/ 150 s.s.)

HOLE SIZES

0-1105, 12 1/4"

1105-3361, 7 7/8"

25 st cmt, 1165'

25 st cmt Plug @ 1453'

CIBP @ 2724' with 25 st cmt on top

2874' 1959

"YATES" - 8 SETS OF PERFS, 102'-2041'

3068'

5 1/2", 14" L. 0-3260'

(Cmt'd. w/ 200 s.s.)

1175

CO fill 3300-61', grad OH

w/ 40,000 gals. gelled wtr +

37,000# 20/40 Sand + 10,000#

10/20 Sand

TD: 3361'