7	,
Submit 3 Copies To Appropriate District Office District I Energy, Minerals and Natural Resources	Form C-103 May 27, 2004
12ISUIGE I	WELL API NO.
1625 N. French Dr., Hobbs, NM 85240.  District II 1301 W. Grand Ave., Artesia, NM 88210  1220 South St. Francis Dr.	30-025-36572 <
District III 1220 SOULD St. Francis Dr.	5. Indicate Type of Lease  STATE  FEE  4.
1000 Rio Brazos Rd., Aztec, NM 8 TP 3 0 2010 Santa Fe, NM 87505 District IV	
1220 S St. Francis Dr , Santa Fe. NOSSOSOCD	6. State Oil & Gas Lease No.
SUNDRY NOTICES AND REPORTS ON WELLS  (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH	7. Lease Name or Unit Agreement Name: Resler B
PROPOSALS.)  1. Type of Well:  Oil Well  Gas Well  Other	8. Well Number
2. Name of Operator	9. OGRID Number
OXY USA Inc.	16696
3. Address of Operator	10. Pool name or Wildcat
P.O. Box 50250 Midland, TX 79710-0250  4. Well Location	Langlie Mattix 7Rvr Qn-GB
Unit Letter P: 660 feet from the south line and	feet from the <u>east</u> line
Section 20 Township 23S Range 37E	
11. Elevation (Show whether DR, RKB, RT, GR, etc. 3313'	c.)
Pit or Below-grade Tank Application or Closure	Procedure of the contract was not the second and second and second and second as the contract of the contract
Pit type Depth to Groundwater Distance from nearest fresh water well Distance from nearest surface water	
Pit Liner Thickness: mil Below-Grade Tank: Volumebbls; Constructio	n Material
NOTICE OF INTENTION TO:  PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒ REMEDIAL WORK  TEMPORARILY ABANDON ☐ CHANGE PLANS ☐ COMMENCE DRILLII  PULL OR ALTER CASING ☐ MULTIPLE ☐ CASING TEST AND	SEQUENT REPORT OF:  ALTERING CASING  NG OPNS. PLUG AND ABANDONMENT
COMPLETION CEMENT JOB	
OTHER: OTHER:	
13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.	
TD-3700' PBTD-3636' Perfs-3223-3230' 3483-8-5/8" 24# csg @ 1122' w/675sx, 12-1/4" hole, T 4-1/2" 11.6# csg @ 3700' w/1100sx, 7-7/8" hole, 1. RIH & Set CIBP @ 3180' w/ 25sx cmt 2. M&P 25sx cmt @ 2600-2350' WOC-Tag 3. M&P-25sx cmt @ 1225-975' WOC-Tag - Per @ //7 4. Perf @ 300' sqz 110sx cmt to Surface Circ 10# MLF between plugs	77, -5% X55X Division Must be notified Oil Conservation to the beginning of plugging operations hours prior to the beginning of plugging operations
I hereby certify that the information above is true and complete to the best of my know grade tank has been/will be constructed or closed according to NMOCD guidelines , a general permit	
ş ·	ory Analyst DATE 9/29/10
Type or print name David Stewart E-mail address:	david_stewart@oxy.com Telephone No. 432-685-5717
For State Use Only ADDROVED BY  AND DISTRICT 18	UPERVISOR OCT 0 1 2010
APPROVED BY TITLE TITLE Conditions of Approval, if any:	DATE

OXY USA Inc. - Proposed Resler B #3 30-025-36572

110sx @ 300'-Surface


Perf @ 300'

12-1/4" hole @ 1122' 8-5/8" csg @ 1122' w/ 675sx-TOC-Surf-Csg

25sx @ 1225-975' WOC-Tag

25SX @ 2600-2350' WOC-Tag

CIBP @ 3180' w/ 25sx




Perfs @ 3223-3230'

Perfs @ 3483-3495'

7-7/8" hole @ 3700' 4-1/2" csg @ 3700' w/ 1100sx-TOC-Surf-Calc

PB-3636'

OXY USA Inc. - Current Resler B #3 30-025-36572



12-1/4" hole @ 1122' 8-5/8" csg @ 1122' w/ 675sx-TOC-Surf-Csg

Perfs @ 3223-3230'

Perfs @ 3483-3495'

7-7/8" hole @ 3700' 4-1/2" csg @ 3700' w/ 1100sx-TOC-Surf-Calc

PB-3636'