

Submit To Appropriate District Office Two Copies District I 1625 N French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505				Form C-105 July 17, 2008				
4 Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)		SWD-1198		1. WELL API NO. 30-025-37799 ✓						
		2. Type of Lease ☒ STATE ☐ FEE ☐ FED/INDIAN								
		3. State Oil & Gas Lease No. V-2443								
WELL COMPLETION OR RECOMPLETION REPORT AND LOG										
5. Lease Name or Unit Agreement Name Lotus SWD ✓				6. Well Number: 12 ✓						
7. Type of Completion: ☐ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☒ OTHER RECOMPLETION - SWD										
8. Name of Operator Yates Petroleum Corporation ✓				9 OGRID 025575						
10 Address of Operator 105 South Fourth Street, Artesia, NM 88210				11. Pool name or Wildcat SWD; Delaware ✓						
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	B	32	22S	32E		330	North	2310	East	Lea
BH:										
13. Date Spudded RC 5/6/10		14. Date T.D. Reached 7/22/06		15. Date Rig Released NA		16. Date Completed (Ready to Produce) 9/23/10		17. Elevations (DF and RKB, RT, GR, etc.) 3553' GR 3570'KB		
18 Total Measured Depth of Well 8600'			19. Plug Back Measured Depth 6720'		20. Was Directional Survey Made? No		21. Type Electric and Other Logs Run None			
22. Producing Interval(s), of this completion - Top, Bottom, Name 5754'-6500' Delaware (Injection)										
23. CASING RECORD (Report all strings set in well)										
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED
REFER TO ORIGINAL COMPLETION										
24. LINER RECORD						25. TUBING RECORD				
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	SIZE	DEPTH SET	PACKER SET			
					2-7/8"	5654'	5654'			
26. Perforation record (interval, size, and number) 6480'-6500' (21) 5802'-5816' (15) 6096'-6106' (11) 6450'-6458' (9) 5870'-5880' (11) 6390'-6410' (21) 5910'-5930' (21) 6334'-6340' (7) 5952'-5958' (7) 6300'-6306' (7) 5970'-5980' (11) 6260'-6270' (11) 6010'-6020' (11) 5754'-5766' (13) 6050'-6060' (11)					27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC. DEPTH INTERVAL AMOUNT AND KIND MATERIAL USED 6260'-6500' 2500g 7-1/2% HCL acid w/100 ball sealers, Frac w/a 25# borate x-linked guar gel, total load 1921 bbls, total prop 197,001# 5754'-6106' Frac w/a 25# borate x-linked guar gel, total load 1916 bbls, total prop 211,106#					
28. PRODUCTION										
Date First Production 9/24/10 1 st Injection		Production Method (Flowing, gas lift, pumping - Size and type pump)				Well Status (Prod. or Shut-in) SWD				
Date of Test	Hours Tested	Choke Size	Prod'n For Test Period	Oil - Bbl	Gas - MCF	Water - Bbl.	Gas - Oil Ratio			
Flow Tubing Press.	Casing Pressure	Calculated 24-Hour Rate	Oil - Bbl.	Gas - MCF	Water - Bbl.	Oil Gravity - API - (Corr.)				
29 Disposition of Gas (Sold, used for fuel, vented, etc.)							30. Test Witnessed By			
31. List Attachments None										
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.										
33. If an on-site burial was used at the well, report the exact location of the on-site burial:										
Latitude _____ Longitude _____ NAD 1927 1983										
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief										
Signature <u>Tina Huerta</u>		Printed Name <u>Tina Huerta</u>		Title <u>Regulatory Compliance Supervisor</u>			Date <u>October 7, 2010</u>			
E-mail Address <u>tinah@yatespetroleum.com</u>										

EG 10-14-10

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico		Northwestern New Mexico	
T. Anhy	T. Canyon	T. Ojo Alamo	T. Penn A"
T. Salt	T. Strawn	T. Kirtland	T. Penn. "B"
B. Salt	T. Atoka	T. Fruitland	T. Penn. "C"
T. Yates	T. Miss (Lower)	T. Pictured Cliffs	T. Penn. "D"
T. 7 Rivers	T. Devonian	T. Cliff House	T. Leadville
T. Queen	T. Silurian	T. Menefee	T. Madison
T. Grayburg	T. Montoya	T. Point Lookout	T. Elbert
T. San Andres	T. Simpson	T. Mancos	T. McCracken
T. Glorieta	T. McKee	T. Gallup	T. Ignacio Otzte
T. Paddock	T. Ellenburger	Base Greenhorn	T. Granite
T. Blinbry	T. Gr. Wash	T. Dakota	
T. Tubb	T. Delaware Sand	T. Morrison	
T. Drinkard	T. Bone Springs	T. Todilto	
T. Abo	T. Rustler	T. Entrada	
T. Wolfcamp	T.	T. Wingate	
T. Penn (Upper)	T.	T. Chinle	
T. Cisco (Bough C)	T.	T. Permian	

OIL OR GAS SANDS OR ZONES

No. 1, from.....to.....
 No. 2, from.....to.....

No. 3, from.....to.....
 No. 4, from.....to.....


IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

LITHOLOGY RECORD (Attach additional sheet if necessary)

From	To	Thickness In Feet	Lithology	From	To	Thickness In Feet	Lithology
			REFER TO ORIGINAL COMPLETION				



Charles Huddleston
Don Dewing

WFT 575-631-7663

LOTUS ALT STATE #12

6-3-10

8:00 AM

Recorder
CALIBRATED-----
6-2-10
AMERICAN
METER
Hobbs
WM