

Submit 3 Copies To Appropriate District
Office
District I
1625 N French Dr., Hobbs, NM 87240
District II
1301 W. Grand Ave., Artesia, NM 88201
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
May 27, 2004

RECEIVED CONSERVATION DIVISION

OCT 14 2010

HOBBSOCD

1220 South St. Francis Dr.

Santa Fe, NM 87505

WELL API NO. 30-025-05681
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No. A-1469
7. Lease Name or Unit Agreement Name: East Eumont Unit
8. Well Number 59
9. OGRID Number 192463
10. Pool name or Wildcat Eumont Yates 7Rvr Qn

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input checked="" type="checkbox"/>	2. Name of Operator OXY USA WTP Limited Partnership
3. Address of Operator P.O. Box 50250 Midland, TX 79710-0250	4. Well Location Unit Letter <u>N</u> : <u>660</u> feet from the <u>south</u> line and <u>1980</u> feet from the <u>west</u> line Section <u>22</u> Township <u>19S</u> Range <u>37E</u> NMPM County <u>Lea</u>
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3624'	
Pit or Below-grade Tank Application <input type="checkbox"/> or Closure <input type="checkbox"/> Pit type _____ Depth to Groundwater _____ Distance from nearest fresh water well _____ Distance from nearest surface water _____ Pit Liner Thickness: _____ mil Below-Grade Tank: Volume _____ bbls; Construction Material _____	

12. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

- PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPLETION ☐
OTHER: ☐

SUBSEQUENT REPORT OF:

- REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING ☐ PLUG AND ABANDONMENT ☒
CASING TEST ☐ CEMENT JOB ☐
OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram. Estimated date of completion

TD-3971' Perfs/OH-3835-3879' 3895-3971' CIBP-3735'
8-5/8" 24# csg @ 1522' w/900sx, 12-1/4" hole, TOC-Surf-Circ
5-1/2" 15.5# csg @ 3895' w/350sx, 7-7/8" hole, TOC-1870'-TSL
1. RIH & Tag CIBP @ 3735' M&P 25sx cmt to 3560'
2. M&P 25sx cmt @ 2775-2645'
3. Perf @ 1580' sqz 60sx to 1425' WOC-Tag
4. Perf @ 300' sqz 110sx cmt to Surface - Verify
10# MLF between plugs

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☐ , a general permit ☐ or an (attached) alternative OCD-approved plan ☐

SIGNATURE David Stewart TITLE Sr. Regulatory Analyst DATE 10/13/10
E-mail address: david_stewart@oxy.com
Telephone No 432-685-5717

Type or print name David Stewart

For State Use Only

APPROVED BY [Signature] TITLE STAFF MGR DATE 10-18-10
Conditions of Approval, if any:


OXY USA WTP LP - Proposed
East Eumont Unit #59
API No. 30-025-05681

110sx @ 300' - Surface

60sx @ 1580-1425' WOC-Tag

25sx @ 2775-2645'

25sx @ 3735-3560'
7/92-CIBP @ 3735'



Perf @ 300'

Perf @ 1580'

< 1870 TOC

✓

✓

12-1/4" hole @ 1527'
8-5/8" csg @ 1527'
w/ 900sx-TOC-Surf-Circ


7-7/8" hole @ 3971'
5-1/2" csg @ 3895'
w/ 350sx-TOC-1870'-TS

Perfs @ 3835-3879'
OH @ 3895-3971'

TD-

OXY USA WTP LP - Current
East Eumont Unit #59
API No. 30-025-05681

12-1/4" hole @ 1527'
8-5/8" csg @ 1527'
w/ 900sx-TOC-Surf-Circ



7/92-CIBP @ 3735'

7-7/8" hole @ 3971'
5-1/2" csg @ 3895'
w/ 350sx-TOC-1870'-TS

Perfs @ 3835-3879'
OH @ 3895-3971'

TD-