

**District I**  
1625 N. French Dr., Hobbs, NM 88240

**District II**  
1301 W. Grand Ave., Artesia, NM 88210

**District III**  
1000 Rio Brazos Rd., Aztec, NM 87410

**District IV**  
1220 S. St. Francis Dr., Santa Fe, NM  
87505

**OIL CONSERVATION DIVISION**  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

WELL API NO. 30-025-20063
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No. VA-0628
7. Lease Name or Unit Agreement Name Central EK Queen Unit
8. Well Number Tract 13 Well No. 1 131
9. OGRID Number 020497
10. Pool name or Wildcat EK Queen- Seven Rivers-Yates

## SUNDRY NOTICES AND REPORTS ON WELLS

**(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)**

1. Type of Well: Oil Well ☐ Gas Well ☒ Other ☐ Water Injection Well ☐

2. Name of Operator  
Seely Oil Company

3. Address of Operator  
815 W. 10<sup>th</sup> St., Fort Worth, Texas 76102

#### 4. Well Location

**Unit Letter G: 1650 feet from the North line and 1980 feet from the East line.**

**Section 7 Township 18S Range 34E NMPM Lea County**

11. Elevation (Show whether DR, RKB, RT, GR, etc.)

## 12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

**NOTICE OF INTENTION TO:**

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒

TEMPORARILY ABANDON ☐ CHANGE PLANS ☐

PULL OR ALTER CASING ☐ MULTIPLE COMPLETION ☐

OTHER: ☐

**SUBSEQUENT REPORT OF:**

REMEDIAL WORK ☐ ALTERING CASING ☐

COMMENCE DRILLING OPNS. ☐ PLUG AND ABANDONMENT ☐

**CASING TEST AND CEMENT JOB** ☐

OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

1. Move in and rig up completion unit. Remove well equipment.
2. Set CIBP @ 4320'. Spot 35' cmt. on top of plug.
3. 25 sx @ 3100' (tag plug)
4. 25 sx @ 1700' (tag plug)
5. 25 sx @ 280' — WHERE IS CSG SHOE?
6. 10 sx @ 30' — PERF + SQZ 50' THE COMMIS
7. Remove wellhead and erect dry hole marker. IN HOURS PRIOR TO PLUGGING

3804

360' 5. 25 SX @ 280' WHERE IS 50' THE COMMISSION MUST BE NOTIFIED 24  
6. 10 SX @ 30' PERF + SQZ 50' HOURS PRIOR TO THE BEGINNING OF  
7. Remove wellhead and erect dry hole marker. DRILLING OPERATIONS FOR THE G-103

7. Remove wellhead and erect dry hole marker. ~~PLUGGING OPERATIONS FOR THE C-103~~  
NEED SCHEMATIC BUT TO BE APPROVED.

NEED SCHEMATIC

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

**SIGNATURE** *Danish Poocha*

**TITLE:** Executive Vice President

DATE: 2/12/04

Type or print name David L. Henderson

**E-mail address: [dhenderson@seelyoil.com](mailto:dhenderson@seelyoil.com)**

**Telephone No. 817-332-1377**

**(This space for State use)**

APPROVED BY Harry W. Wink ORIGINAL SIGNED BY \_\_\_\_\_  
TITLE \_\_\_\_\_

**Conditions of approval, if any:**

ORIGINAL SIGNED BY  
GARY W. WINK  
OC FIELD REPRESENTATIVE II/STAFF MANAGER

DATE FEB 28 2001

# PLUGGING & ABANDONMENT WORKSHEET (2 STRING CSNG)

**OPERATOR** Seely Oil Company  
**LEASENAME** Central EK Queen Unit  
**WELL #** 131  
**SECT** 7 **TWN** 18S **RNG** 34E  
**FROM** 1650' **N/S L** 1980' **E/W L**  
**TD:** 4413' **FORMATION @ TD** Queen  
**PBTD:** 4412' **FORMATION @ PBTD** Queen

13 3/8"  
 @ 330'  
 TOC Surface

4 1/2"  
 @ 4413'  
 TOC 2500' (est)

TD 4413'

	SIZE	SET @	TOC	TOC DETERMINED BY	
SURFACE	13 3/8"	330'	Surface	Circulation	
INTMED 1					
INTMED 2					
PROD	4 1/2"	4413'	2500'	Estimated	
	SIZE	TOP	BOT	TOC	DETERMINED BY
LINER 1					
LINER 2					
CUT & PULL @			TOP - BOTTOM		
INTMED 1			PERFS	-	
INTMED 2			OPENHOLE	-	
PROD					

## \*REQUIRED PLUGS DISTRICT I

RUSTLER (ANHYD)	1730'	*
YATES	3150'	
QUEEN	4330'	
GRAYBURG		
SAN ANDRES		
CAPTIAN REEF		*
DELAWARE		
BELL CANYON		
CHERRY CANYON		
BRUSHY CANYON		
BONE SPRING		
GLORIETA		*
BLINEBRY		
TUBB		
DRINKARD		
ABO		
WC		
PENN		
STRAWN		
ATOKA		
MORROW		
MISS		
DEVONIAN		

PLUG	TYPE PLUG	SACKS CMNT	DEPTH
EXAMPLES			
PLUG #1	OH	35 SXS	6400'
PLUG #2	SHOE	50 SXS	5350'-5450'
PLUG #3	CIBP/35'		4800'
PLUG #3	CIBP	25 SXS	4800'
PLUG #4	STUB	50 SXS	3600'-3700'
PLUG #5	REINR SQZ	200 SXS	400'
PLUG #6	SURF	10 SXS	0-10'
PLUG #1	CIBP	25 sxs	4320'
PLUG #2	Yates	25 sxs	3100'
PLUG #3	Rustler	25 sxs	1700'
PLUG #4	Shoe	25 sxs	380'
PLUG #5	Surf	20 sxs	0-60'
PLUG #6			
PLUG #7			
PLUG #8			
PLUG #9			
PLUG #10			
PLUG #			
PLUG #			

