Submit 3 Copies To Appropriate District Office	State of New Mexico		Form C-103 Revised June 10, 2003
District I 1625 N. French Dr., Hobbs, NM 88240 Energy, Minerals and Natural Resources		WELL API NO.	
District II			30-025-20579
1301 W. Grand Ave., Artesia, NM 88210 District III 1220 South St. Francis Dr.		5. Indicate Type of Lease	
1000 Rio Brazos Rd., Aztec, NM 87410 Santa Fe NM 87505		STATE FEE 6. State Oil & Gas Lease No.	
District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505		OG-2414	
SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A			7. Lease Name or Unit Agreement Name
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH			Central EK Queen Unit
PROPOSALS.) 1. Type of Well:		8. Well Number	
Oil Well Gas Well Other Water Injection Well		Tract 4 Well No. 1	
2. Name of Operator Seely Oil Company		9. OGRID Number 020497	
3. Address of Operator		10. Pool name or Wildcat	
815 W. 10 th St., Fort Worth, Texas 76102		Ek Queen- Seven Rivers-Yates	
4. Well Location FEB 2 7 RECT			
Unit Letter F: 1650 feet from the North line and 2176 feet from the West line.			
Section 7 Township		Lea County	
	11. Elevation (Show whether DR	, RKB, RT, GR, etc.,	
12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data			
		SEQUENT REPORT OF:	
PERFORM REMEDIAL WORK	PLUG AND ABANDON	REMEDIAL WOR	ALTERING CASING
TEMPORARILY ABANDON	CHANGE PLANS	COMMENCE DRILLING OPNS. PLUG AND ABANDONMENT	
PULL OR ALTER CASING	MULTIPLE COMPLETION	CASING TEST AN CEMENT JOB	
OTHER:		OTHER:	
13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.			
13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion. 1. Move in and rig up completion unit. Remove well equipment. 2. Set CIBP @ 4320'. 3. Load hole w/ mud laden fluid & spot 3 sx cmt. on plug. IF SPOTTED Z5 5 1000 sqqoH 25 sx @ 3100' (tag plug) 5. 25 sx @ 3100' (tag plug) 6. 25 sx @ 394' — TAG THIS IF IT'S SHOE PLUG 7. 10 sx @ surface 7. PERF+ SQZ 50' buth IN 8. Clean location and erect dry hole marker. NEED SCHEMATIC 1 hereby certify that the information above is true and complete to the best of my knowledge and belief.			
I hereby certify that the information above is true and complete to the best of my knowledge and belief.			
SIGNATURE Vant DATE: 2/12/04			
Type or print name David L. Henderson E-mail address: dhenderson@seelyoil.com Telephone No. 817-332-1377			
(This space for State use)			
ORIGINAL SIGNED 87			
APPPROVED BY	GARY W. WITTLE OC FIELD REPRESEN	TATIVE HISTAFF M	ANAGES DATE
Conditions of approval, if any:		TAXILL - 14 - 1	FEB 2 3 2004
THE COMMISSION MUST BE NOTIFIED 24 HOURS PRIOR TO THE BEGINNING OF PLUGGING OPERATIONS FOR THE C-103 TO BE APPROVED.			

PLUGGING & ABANDONMENT WORKSHEET (2 STRING CSNG) Seely Oil Company **OPERATOR** LEASENAME Central EK Queen Unit WELL # 41 34E TWN RNG SECT 18S 1650' N/S L EW L **FROM** 2176 TD: 4421 FORMATION @ TD Queen FORMATION @ PBTD Queen PBTD: 4419 SET @ SIZE TOC TOC DETERMINED BY 7 5/8" 7 5/8" 384 ¹ SURFACE Surface Circulation INTMED 1 **@** 384**'** TOC Surface **INTMED 2** 4 1/3" PROD 44191 3000° Estimated TOC DETERMINED B SIZE TOP BOT LINER 1 LINER 2 CUT & PULL @ TOP - BOTTOM INTMED 1 PERFS INTMED 2 OPENHOLE PROD *REOUIRED PLUGS DISTRICT I 4 1/11 PLUG TYPE SACKS DEPTH 3110 RUSTLER (ANHYD) **@** 4419**'** PLUG CMNT YATES 4313' **TOC** 3000'_(est) EXAMPLES OUEEN 35 SXS 6400 PLUG#1 OН GRAYBURG SHOE 50 SXS 5350'-5450' PLUG#2 SAN ANDRES CIBP/35' 4800 PLUG#3 CIBP 25 SXS 4800' CAPITAN REEF PLUG#3 3600'-3700' PLUG#4 STUB 50 SXS PLUG#5 RETNR SOZ 200 SXS 400' DELAWARE **SURF** 10 SXS 0-10' PLUG#6 BELL CANYON CIBP 4320**'** 25 sxs PLUG#1 CHERRY CANYON PLUG# 2 Yates sxs 3100**'** BRUSEY CANYON Rustler25 1700° PLUG#3 SXS BONE SPRING PLUG#4 Shoe 25 434 sxs 10 sxs 0-10 Surf PLUG#5 GLORIETA PLUG#6 BLINEBRY PLUG#7 TUBB PLUG#8 DRINKARD PLUG#9 **NBO** PLUG# 10 PLUG# wc PLUG# PENN NED STRAWN 4.2 ATOKA **JORROW** 0 TD 4421' **(133** DEVONIAN