Submit To Appropriate District Office State of New Mexico Two Copies District I Energy, Minerals and Natural Resources									Form C-105 July 17, 2008										
1625 N. French Dr., Hobbs, NM 88240										ŀ	1. WELL API NO.								
District II 1301 W. Grand Avenue, Artesia, NM 88210 District III Oil Conservation Division										-	30-025-38673 2. Type of Lease								
1000 Rio Brazos Rd., Aztec. NM 870BBSOCD 1220 South St. Francis Dr.											STATE TEE FED/INDIAN								
1220 S. St. Francis Dr., Santa Fe, NM 87505 Santa Fe, NM 87505										3. State Oil &					entering the important space of the				
WELL COM LETION ON NECOTIAL EL HONNEL ON NADECO										5. Lease Name or Unit Agreement Name									
									5. Lease Name or Unit Agreement Name Roberts 6. Well Number:										
C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)									001										
7. Type of Completion: ☑ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER																			
8. Name of Operator Read & Stevens, Inc.										_	9. OGRID 18917								
10. Address of Operator P. O. Box 1518, Roswell, NM 88202-1518										11. Pool name or Wildcat Nadine; Abo, West									
12.Location	Unit Ltr		Section	T	Towns	hip	Range	Lot			Feet from t	the	N/S Line Feet from the E/W Line County						
Surface:	C	\dashv	9		20S		38E			\dashv	430		North	1650		We	est	Lea	
BH:							JOE			\neg	150	1	1401111			+		Lou	
13. Date Spudded 05/07/2010	0 0	6/01	D. Reacl		1	5. Date Rig Released 06/07/2010				16. Date Completed (Re 07/19/201			010			17. Elevations (DF and RKB, RT, GR, etc.) 3572' GR			
18. Total Measure 7495'						19. Plug Back Measured Depth 7484'				20. Was Directional						Type Electric and Other Logs Run X-HRLA-NGT			
22. Producing Interval(s), of this completion - Top, Bottom, Name 7386' - 7434'																			
23.							ING REC	ORI				ring							
CASING SII 8 5/8"	ZE	<u> </u>	WEIGHT						HOLE SIZE				CEMENTING RECORD			AMOUNT PULLED Circ 280 sxs			
8 5/8" 5 1/2"		ļ	<u>32#</u> 17#		1548' 7495'				12 1/4" 7 7/8"				815 sxs 1845 sxs			Circ 280 sxs			
J 1/2		 	1/7	<u>†</u>	-		770	+		<u> </u>	/ 6		1070 300	<u>, </u>			<u> </u>	(3	
								\Box						_					
24. SIZE	TOP		Твотт		LINER RECORD TOM SACKS CEMEN			CNT				25. SIZ.					PACKE	D CET	
SIZE	101		BOTTOM		I O IVI	SACKS CEIVIE		DIVI	DERELLIN		<u></u>	DIEL .		1	3111100	1	FACIL	K SE1	
	1			<u> </u>						_				<u> </u>					
26. Perforation		nterva	ıl, size, a	nd num	iber)	per)							RACTURE, CEMENT, SQUEEZE, ETC.						
7386'-743						7386'-7434'			AMOUNT AND KIND MATERIAL USED 3000 Gals 15% NeFe HCI										
17 holes total					7380-7434						3000 04	10 1	3/0 1	NCI C I	.101				
		·· <u></u>																	
28.											TION								
Date First Produc 07/09/201		_	_ P	roduction			owing, gas lift, pi	umping	z - Size	e and	d type pump))	Well Status	•		-in)			
						owing							Producing						
Date of Test		s Teste	ed	Choke Size			Prod'n For Test Period		I I		I	as - MCF		Water - Bbl.		Gas - O			
08/02/2010	1				2/64"								39 44				496		
Flow Tubing Press. 40		g Pres	ssure		r Rate Oil - Bbl.				1 1		Water - Bbl.		1	Oil Gravity - API <i>- (Corr.)</i> 41.4					
	1	-0-	1 C				28		$\bot \bot$		139	\perp	44	20.7	Į.				
29. Disposition of Gas (Sold, used for fuel, vented, etc.) Sold									30. Test Witnessed By Will Palmer										
31. List Attachments Inclination Report, Logs																			
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.																			
33. If an on-site b	urial was	used	at the we	ell, repo	ort the e	xact loc	ation of the on-s	ite bur	rial:										
I kanahu gantit	C. Abrat t	Lain	Commen	···· ol		- [],1	Latitude	f				1 10	Longitude	<u> </u>	·	1	NAI	D 1927 1983	
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief Printed Name David Luna Title Operations Engineer Date 8/3/2010																			
operations Engineer																			
E-mail Addres	<u>ss an</u>	<u>ına(</u>	<i>w</i> reao	<u>ı-stev</u>	ens.c	<u>om</u>							1						

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeast	tern New Mexico	Northy	Northwestern New Mexico					
T. Anhy	T. Canyon	T. Ojo Alamo	T. Penn A"					
T. Salt	T. Strawn	T. Kirtland	T. Penn. "B"					
B. Salt	T. Atoka	T. Fruitland	T. Penn. "C"					
T. Yates 2812'	T. Miss	T. Pictured Cliffs_	T. Penn. "D"					
T. 7 Rivers 3072'	T. Devonian	T. Cliff House	T. Leadville					
T. Queen 3624'	T. Silurian	T. Menefee	T. Madison					
T. Grayburg 4033'	T. Montoya	T. Point Lookout	T. Elbert					
T. San Andres 4181'	T. Simpson	T. Mancos	T. McCracken_					
T. Glorieta 5502'	T. McKee	T. Gallup	T. Ignacio Otzte					
T. Paddock	T. Ellenburger	Base Greenhorn_	T.Granite					
T. Blinebry 5953'	T. Gr. Wash_	T. Dakota						
T.Tubb 6460'	T. Delaware Sand	T. Morrison						
T. Drinkard 6612'	T. Bone Springs	T.Todilto						
T. Abo 7058'	T	T. Entrada						
T. Wolfcamp	T.	T. Wingate						
T. Penn	T	T. Chinle						
T. Cisco (Bough C)	Т	T. Permian_						
			OIL OR GAS					

			SANDS OR ZONE
No. 1, from	to	No. 3, from	to
			to
,		ANT WATER SANDS	
Include data on rate of water	er inflow and elevation to which	ch water rose in hole.	
No. 1, from	to	feet	• • • • • • • • • • • • • • • • • • • •
No. 2, from	to	feet	
		feet	

LITHOLOGY RECORD (Attach additional sheet if necessary)

From	То	Thickness In Feet	Lithology	From	То	Thickness In Feet	Lithology
7390	7460	70'	Dolomite				
		·					