

Office

Energy, Minerals and Natural Resources

May 27, 2004

District I

1625 N. French Dr., Hobbs, NM 88240

District II

1301 W. Grand Ave., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

RECEIVED

NOV 29 2010

OIL CONSERVATION DIVISION

1220 South St. Francis Dr.

Santa Fe, NM 87505

WELL API NO.

30-025-25972

5. Indicate Type of Lease

STATE ☐ FEE ☒

6. State Oil & Gas Lease No.

7. Lease Name or Unit Agreement Name:

J.L. Isbell

8. Well No. 5Y

9. OGRID Number

218856

10. Pool name or Wildcat

COOPER; SANTA ROSA (GAS)

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☐ Gas Well ☒ Other

2. Name of Operator

O. H. B. Inc.

3. Address of Operator

PO Box 1987, San Angelo, TX 76902

4. Well Location

Unit Letter A : 340 feet from the North line and 330 feet from the East line
Section 15 Township 24-S Range 36-E NMPM County Lea

11. Elevation (Show whether DR, RKB, RT, GR, etc.)

3382.6

Pit or Below-grade Tank Application ☐ or Closure ☐

Pit type _____ Depth to Groundwater _____ Distance from nearest fresh water well _____ Distance from nearest surface water _____

Pit Liner Thickness: _____ mil Below-Grade Tank: Volume _____ bbls; Construction Material _____

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPLETION ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☐
CASING/CEMENT JOB ☐OTHER: ☐OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

1. MIRU plugging equipment. Rig up NU BOP. → 645 TD

2. RIH tag TD @ 610'. Spot 25 sx plug @ 610-370. WOC & Tag. circulate hole w/ mud laden fluid.

3. Spot 20 sx plug @ 60' to surface. → 645 TD

4. Cut off well head and weld on Dry Hole Marker.

The Oil Conservation Division **Must be notified**
24 hours prior to the beginning of plugging operations.I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☒, a general permit ☐ or an (attached) alternative OCD-approved plan ☐.

SIGNATURE

TITLE

President

DATE

11-19-10

Type or print name

Oran H. Berry III

E-mail address:

t.berry@3-m-energy.com

Telephone No.

3256588539

For State Use Only

APPROVED BY

TITLE

STAFF MEMBER



DATE

11-30-10

Conditions of Approval (if any):

O. W. B., Inc. J. L. Isbell, Well No. 5Y

340' FNL & 330' FEL
UNIT LETTER A, T-24-S, R-36-E NMPM
Lea County, NM
API # 30-025-25572
OBRIEN # 218856
SPUD DATE 6-7-78
TD DATE 6-20-78
ELEVATION 3382.6'



OPEN HOLE
610' TO TD OF
645'

5 1/2" CASING SET
@ 610'

CIRCULATED
350 SX
TO SURFACE

46 0780