Submit 3 Copies To Appropriate District State of New Mexico Office Energy, Minerals and Natural Resources	Form C-103
District I Energy, Winerars and Waturar Resources	June 19, 2008 WELL API NO.
1625 N. French Dr., Hobbs, NM 8724 District II 1301 W. Grand Ave., Artesia, NM 88210 1301 W. Grand Ave., Artesia, NM 88210	30-025-04322 5. Indicate Type of Lease
1301 W. Grand Ave., Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 874DEC 152010 District IV District IV	STATE FEE 🖾 🖊
District IV 1220 S. St. Francis Dr., Santa Fe, NMOBBSOCD 87505	6. State Oil & Gas Lease No.
SUNDRY NOTICES AND REPORTS ON WELLS	7. Lease Name or Unit Agreement Name:
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)	Eunice Monument South Unit
1. Type of Well: Image: Constraint of the second secon	8. Well Number
2. Name of Operator	9. OGRID Number
XTO Energy, Inc.	005380
 Address of Operator 200 N. Loraine, Ste. 800 Midland, TX 79701 Well Location 	10. Pool name or Wildcat Eunice Monument: Grayburg-San Andres
Unit Letter P: 660 feet from the South line and	660 feet from the East line
Section 25 Township 20S Range 36E	NMPM County Lea
11. Elevation (Show whether DR, RKB, RT, GR, et 3543' GL	c.)
12. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data	
	SEQUENT REPORT OF:
PERFORM REMEDIAL WORK PLUG AND ABANDON REMEDIAL WORK	
PULL OR ALTER CASING MULTIPLE COMPL CASING/CEMENT J	OB
OTHER: OTHER: Acid stir	nulation & RWTP
 Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion. 	
8/20/10 - MIRU PU, POOH w/rods, pmp, RU scan equip & POOH w/125 jts tbg that show wear	
8/23/10 - MI & rack 130jts WS, RIH w/notch collar, 9jts WS, 5-1/2" scraper & 112 jts WS, tag fill @ 3971' tstd tbg to 5500psig below slips POOH w/tbg and scraper	
8/24/10 - RIH w/notch collar & WS, PU pmp trk, dump 400# 20/40 mesh sd, wait 2 hrs, tag sd & 3903',	
dump 3sxs "C" cmt on sd, RD, RIH w/5-1/2" treating pkr, set due to split in 5-1/2" csg just below ground level, POOH w/	
cont'd on next page	
Spud Date: Rig Release Date:	
I hereby certify that the information above is true and complete to the best of my knowledge and belief.	
SIGNATURE TOLE Regulator patty urias@xtc	ry Analyst DATE <u>12/14/10</u>
Type or print name <u>Patty Urias</u> E-mail address:	
APPROVED BY THE STAFF ME DATE/2-16-10	
APPROVED BY TITLE TITLETTRETTRETTRETTRETTRE TITLETTRE TITLE TITLETTRE TITLE TITLE TTRE TITLE TTRE TITLE TTRE TTRE TTRE TTRE TTRE TTRE TTRE T	DATE/2-16-10

Eunice Monument South Unit #125 C-103 cont'd

- 8/25/10 RIH w/5-1/2"RBP & 46jts WS, set RBP @ 1505', RU pmp trk, circ well clean, dump 50# sd on RBP, POOH w/tbg, perform hot work permit, patch 5-1/2" csg leak, RIH w/setting tool & 46jts WS, circ sd off RBP, rel RBP, POOH, RIH w/5-1/2" tens pkr, set pkr @ 3622', L&T TCA to 450psig for 15min w/no loss
- 8/26/10 CO2 foam acdz Grayburg OH fr 3725-3915' w/8000gls 20% acid/tol & 120tons 75% foam guality CO2, flushed w/40bbls FW
- 8/31/10 MI & rack 100jts 2-7/8" 6.5# J-55 EUE 8rd prod tbg, start in hole w/prod equip
- 9/01/10 RIH w/2-7/8" BPMA, 2-7/8" perf sub, 2-7/8" NS, 2-7/8" 6.5# J55 prod tbg, ND BOP, set TAC w/18000#tens. NU WH, RIH w/2.5"x1.5"x24'x3' RXBC w/4' GA, RHBC, 7/8:" stblz Sub, 156 7/8" N-97 rods, & 1-1/2"x26' SMPR, SWO & HWO, RDMO PU.

EUNICE MONUMENT SOUTH UNIT #125

.

