
Conditions of Approval (if any

North Vacuum ABO Unit #145 ELEV: GL: 4035' DF: 4048' KB: 4049' ZERO-14' AGL 121/4" HOLE 12/03/10: 2-3/8" TK-70 IPC TBG, 2 - 2-3/8" IPC SUBS (2' & 10"), 262 JTS 4.7#, TK-70, EUE, 8RD IPC TBG, SEAL ASSEMBLY, BAKER N PERM PKR DEPTH @ 8540'. 8-5/8", 23# J55 ST&C CSG. SET @ 1620' W/ 800 SX. CL H 8% GEL CMT. + 200 SX. CL H NEAT CMT. ALL CMT. W/ 2% CACL. CMT. CIRC. TOC @ 2560' BY TS 7-7/8" HOLE BAKER MODEL N PKR. @ 8540'. ABO PERFS: 8575', 87', 89', 92', 94', 99', 8605', 07', 14', 17', 19', 36', 38', 42', 45', 47', 51', 53', 55', 57', 59', 1 JSPF. 21 HOLES. + 8586'-90', 92'-94', 98'-8600', 05'-07', 17'-19', 36'-42', 46'-48', 49-51', 54'-57', 1 JSPF 34 HOLES, TTL- 55 HOLES 5%", 17# & 15.5# J55 LT&C & ST&C 8RD CSG SET @ 8750' W/ 2900 SX. TILW W/ ½# FLOCELE IN 1^{5†} 1000 SX. + 200 SX. CL C NEAT. CMT DID NOT CIRC. TOC @ 2560' (TS).

TD @ 8750'



Ation of the second

JAI PASKET

JAI BOSGUSZ

400 731 30 Air. # 11853 Upl. 11-03-10

REC'DIMIDIAND
DEC 07 1010