nergy, Minerals and Natural Resources Department

Bill Richardson

Governor

Jim Noel Cabinet Secretary Karen W. Garcia **Deputy Cabinet Secretary** Mark Fesmire Division Director Oil Conservation Division



16-Dec-10

CHEVRON USA INC. HCR 60 BOX 423 LOVINGTON, NM 88260

CHEVRON US A INC 15 SMITH ROAD MIDLAND TX 79705-

> LETTER OF VIOLATION and SHUT-IN DIRECTIVE Failed Mechanical Integrity Test

Dear Operator:

The following test(s) were performed on the listed dates on the following well(s) shown below in the test detail section.

The test(s) indicates that the well or wells failed to meet mechanical integrity standards of the New Mexico Oil Conservation Division. To comply with guidelines established by the U.S. Environmental Protection Agency, the well(s) must be shut-in immediately until it is successfully repaired. The test detail section which follows indicates preliminary findings and/or probable causes of the failure. This determination is based on a test of your well or facility by an inspector employed by the Oil Conservation Division. Additional testing during the repair operation may be necessary to properly identify the nature of the well failure.

Please notify the proper district office of the Division at least 48 hours prior to the date and time that the well(s) will be retested so the test may be witnessed by a field representative.

MECHANICAL INTEGRITY TEST DETAIL SECTION

WEST VACUUM UNIT No.027

30-025-02206-00-00 Active Injection - (All Types) K-34-17S-34E

Test Date:

11/30/2010

Permitted Injection PSI:

Actual PSI:

Test Reason:

5-year Test

Test Result:

Repair Due:

Test Type:

FAIL TYPE: Other Internal Failure

3/30/2011

Std. Annulus Pres. Test

FAIL CAUSE:

Comments on MIT:

OPERATOR CONCEDES WELL WILL NOT SUSTAIN MECHANICAL INTEGRITY FAILED PRE-TEST-OPERATOR IN VIOLATION OF NMOCD RULE 19.15.26.11****

VACUUM GLORIETA WEST UNIT No.087

30-025-21637-00-00

Active Oil (Producing)

J-36-17S-34E

3/30/2011

Test Date: Test Reason: 11/15/2010

Permitted Injection PSI:

Actual PSI:

Test Type:

Annual IMIT

Test Result:

Repair Due:

Bradenhead Test FAIL TYPE: Other Internal Failure

WELL IS SHUT IN; INTERMEDIATE IS CURRENTLY TIED TO TANK AND IS BEING BLED Comments on MIT:

DOWN****OPERATOR IN VIOLATION OF NMOCD RULE 19.15.26.11******

Oil Conservation Division * 1625 N. French Drive * Hobbs, New Mexico 88240 Phone: 505-393-6161 * Fax: 505-393-0720 * http://www.emnrd.state.nm.us

NORTH VACUUM ABO WEST UNIT No.004

30-025-23735-00-00

Active Injection - (All Types)

N-15-17S-34E

Test Date:

11/17/2010

Permitted Injection PSI:

Actual PSI:

Test Reason:

Annual IMIT

Test Result:

Repair Due:

Test Type:

Bradenhead Test

FAIL TYPE: Other Internal Failure

3/30/2011

Comments on MIT:

SURFACE CASING SHOWS SALT WATER WOULD NOT BLEED DOWN ***OPERATOR IN

FAIL CAUSE:

VIOLATION OF NMOCD RULE 19.15.26.11*****

NORTH VACUUM ABO WEST UNIT No.022

30-025-23916-00-00

Active Injection - (All Types)

N-27-17S-34E

Test Date:

11/2/2010

Permitted Injection PSI:

Actual PSI:

Repair Due: 3/30/2011

Test Reason:

Operator Reported

Test Result:

Test Type: Std. Annulus Pres. Test FAIL TYPE: Other Internal Failure

FAIL CAUSE:

Comments on MIT:

OPERATOR CONCEDES WELL WILL NOT SUSTAIN MECHANICAL INTEGRITY*** ***OPERATOR

IN VIOLATION OF NMOCD RULE 19.15.26.11****

NORTH VACUUM ABO WEST UNIT No.014

Active Oil (Producing)

Active Injection - (All Types)

30-025-23944-00-00 B-28-17S-34E

Test Date:

11/17/2010

Permitted Injection PSI:

Actual PSI:

3/30/2011 Repair Due:

Test Reason:

Annual IMIT

Test Result:

FAIL CAUSE:

Test Type: Bradenhead Test FAIL TYPE: Other Internal Failure

Comments on MIT:

****OIL ON SURFACE CASING*****OPERATOR IN VIOLATION OF NMOCD RULE 19.15.26.11****

30-025-24313-00-00 E-2-18S-34E

Test Date:

Test Date:

Test Reason:

11/23/2010

Permitted Injection PSI:

Actual PSI:

Test Reason: Test Type:

5-year Test Std. Annulus Pres. Test

VACUUM GRAYBURG SAN ANDRES UNIT No.029

Test Result:

Repair Due: 3/30/2011

Comments on MIT:

FAIL TYPE: Other Internal Failure

Test Result:

FAIL CAUSE:

***CASING HAS A STRONG VACUUM: WELL WOULD NOT PRESSURE UP FOR PRESSURE TEST-

WELL FAILED PT ****OPERATOR IN VIOLATION OF NMOCD RULE 19.15.26.11******

VACUUM GRAYBURG SAN ANDRES UNIT No.046

30-025-24364-00-00 H-2-18S-34E

Active Injection - (All Types)

11/10/2010 Permitted Injection PSI: **Actual PSI:**

Repair Due: FAIL CAUSE:

Test Type:

Bradenhead Test

FAIL TYPE: Other Internal Failure

3/30/2011

FAILED BHT COMMUNICATION BETWEEN TUBING AND CASING: *****OPERATOR IN Comments on MIT: VIOLATION OF NMOCD RULE 19.15.26.11******

NORTH VACUUM ABO WEST UNIT No.002

Annual IMIT

30-025-24679-00-00

Active Injection - (All Types)

F-15-17S-34E

Test Date:

11/2/2010

Permitted Injection PSI:

Actual PSI:

3/30/2011

3/30/2011

Test Reason:

Operator Reported

19.15.26.11*****

Test Result:

Repair Due:

Std. Annulus Pres. Test FAIL TYPE: Other Internal Failure Test Type: **FAIL CAUSE: Comments on MIT:**

OPERATOR CONCEDES WELL WILL NOT SUSTAIN MECHANICAL INTEGRITY*** ***OPERATOR

IN VIOLATION OF NMOCD RULE 19.15.26.11****

CENTRAL VACUUM UNIT No.081

Active Injection - (All Types)

30-025-25708-00-00 L-36-17S-34E

Test Date:

11/4/2010

Permitted Injection PSI:

Actual PSI:

Test Reason: Annual IMIT **Test Result:**

Repair Due:

Test Type: Bradenhead Test FAIL TYPE: Other Internal Failure FAIL CAUSE: **Comments on MIT:** OPERATOR CONCEDES DOWNHOLE FAILURE *****OPERATOR IN VIOLATION OF NMOCD RULE **CENTRAL VACUUM UNIT No.044**

30-025-25719-00-00

Active Injection - (All Types)

D-31-17S-35E

Test Date:

11/2/2010

Permitted Injection PSI:

Actual PSI:

Test Reason:

Operator Reported

Test Result:

Repair Due:

Test Type:

Std. Annulus Pres. Test

FAIL TYPE: Other Internal Failure

3/30/2011 FAIL CAUSE:

Comments on MIT: OPERATOR CONCEDES WELL WILL NOT PASS MECHANICAL INTEGRITY TEST; ****OPERATOR IN VIOLATION OF NMOCD RULE 19.15.26.11******

CENTRAL VACUUM UNIT No.113

30-025-25798-00-00

3/30/2011

Active Injection - (All Types)

L-6-18S-35E

Test Date: Test Reason: 11/2/2010

Permitted Injection PSI:

Actual PSI:

Repair Due:

Test Type:

Annual IMIT

Test Result:

Bradenhead Test

FAIL TYPE: Other Internal Failure

FAIL CAUSE:

Comments on MIT:

*****PRESSURE ON CASING 1150# DID NOT ATTEMPT TO BLEED***REQUIRED OPERATOR TO

SHUT IN IMMEDIATELY***** ****OPERATOR IN VIOLATION OF NMOCD RULE

19.15.26.11*****

CENTRAL VACUUM UNIT No.013

Active Injection - (All Types)

30-025-25810-00-00 H-25-17S-34E

Test Date:

11/22/2010

Permitted Injection PSI:

Actual PSI:

Test Reason: **Annual IMIT** Test Result:

3/30/2011 Repair Due:

Test Type: Comments on MIT:

Std. Annulus Pres. Test

FAIL TYPE: Other Internal Failure

FAIL CAUSE:

*****WELL FAILED PT DURING PRETEST- ALSO FAILED 2ND PRESSURE TEST**** OPERATOR IN

VIOLATION OF NMOCD RULE 19.15.26.11******

CENTRAL VACUUM UNIT No.046

30-025-25818-00-00

Active Injection - (All Types)

Permitted Injection PSI: Actual PSI: A-31-17S-35E

Test Date: Test Reason:

Comments on MIT:

11/4/2010 Annual IMIT

Test Result:

Repair Due:

3/30/2011

Bradenhead Test Test Type:

FAIL TYPE: Other Internal Failure

FAIL CAUSE:

CASING SHOWS PRESSURE; BLED DOWN TO 0; IMMEDIATELY BUILDS BACK UP**** OPERATOR MUST SHOW WELL SUSTAINS MECHANICAL INTEGRITY; OCD REQUESTS PRESSURE TEST CHART BE PERFORMED ON SAID WELL. ****OPERATOR IN VIOLATION OF NMOCD RULE

19.15.26.11****

CENTRAL VACUUM UNIT No.137

30-025-25998-00-00

D-6-18S-35E

Active Injection - (All Types)

Test Date: 11/2/2010 **Permitted Injection PSI:**

Actual PSI:

Test Reason: **Annual IMIT Test Result:**

3/30/2011 Repair Due:

Bradenhead Test FAIL TYPE: Other Internal Failure Test Type: FAIL CAUSE: Comments on MIT: BHT FAILURE; *****800# ON CASING/ OPERATOR HAS WELL SHUT IN PENDING

EVALUATION****OPERATOR IN VIOLATION OF NMOCD RULE 19.15.26.11******

30-025-26001-00-00

Active Injection - (All Types)

M-36-17S-34E

Test Date:

11/9/2010 **Annual IMIT** **Permitted Injection PSI:**

Actual PSI:

Test Reason:

Test Result:

Repair Due: 3/30/2011

Bradenhead Test Test Type:

CENTRAL VACUUM UNIT No.143

CENTRAL VACUUM UNIT No.141

FAIL TYPE: Other Internal Failure

FAIL CAUSE:

FAILED BHT DUE TO EXCESSIVE PRESSURE ON CASING STRING 1200 PSI- OPERATOR IN VIOLATION OF NMOCD RULE 19.15.26.11***

30-025-26787-00-00

Active Injection - (All Types)

Actual PSI:

A-6-18S-35E

Test Date: Test Reason:

11/2/2010 Annual IMIT

Permitted Injection PSI:

Repair Due:

Test Result: Test Type: Bradenhead Test FAIL TYPE: Communication Between **FAIL CAUSE:**

Comments on MIT:

3/30/2011

COMMUNICATION BETWEEN CASING AND INTERMEDIATE STRING; OPERATOR HAS WELL SHUT IN PENDING WORKOVER *****OPERATOR IN VIOLATION OF NMOCD RULE

19.15.26.11*****

CENTRAL VACUUM UNIT No.145

30-025-26789-00-00

Active Injection - (All Types)

N-31-17S-35E

Test Date:

11/4/2010

Permitted Injection PSI:

Actual PSI:

Test Reason:

Annual IMIT

Test Result:

Repair Due:

Test Type: Bradenhead Test FAIL TYPE: Other Internal Failure 3/30/2011

Comments on MIT:

CASING DID NOT BLEED DOWN****WELL FAILED BHT***OPERATOR IN VIOLATION OF

FAIL CAUSE:

NMOCD RULE 19.15.26.11*****

CENTRAL VACUUM UNIT No.146

Active Injection - (All Types)

30-025-26790-00-00 G-31-17S-35E

Test Date:

11/4/2010

Permitted Injection PSI:

Actual PSI:

3/30/2011

Test Reason:

Annual IMIT

Test Result:

Repair Due:

Test Type:

FAIL CAUSE:

Bradenhead Test

FAIL TYPE: Other Internal Failure

Comments on MIT:

CASING WOULD NOT BLEED DOWN****WELL FAILED BHT****OPERATOR IN VIOLATION OF NMOCD RULE 19.15.26.11****

CENTRAL VACUUM UNIT No.160

Active Injection - (All Types)

30-025-27970-00-00 E-36-17S-34E

Test Date:

11/4/2010

Permitted Injection PSI:

Actual PSI:

3/30/2011 Repair Due:

Test Reason:

5-year Test

Test Result:

Test Type: **Comments on MIT:**

Std. Annulus Pres. Test

FAIL TYPE: Other Internal Failure

FAIL CAUSE:

OPERATOR CONCEDES WELL WILL NOT SUSTAIN MECHANICAL INTEGRITY FAILED PRE-

TEST-OPERATOR IN VIOLATION OF NMOCD RULE 19.15.26.11****

VACUUM GRAYBURG SAN ANDRES UNIT No.122

30-025-30721-00-00 H-1-18S-34E

Test Date:

11/10/2010

Active Injection - (All Types) **Permitted Injection PSI:**

Actual PSI:

Test Reason:

Annual IMIT

Test Result:

Repair Due:

Test Type:

Std. Annulus Pres. Test

FAIL TYPE: Other Internal Failure

3/30/2011 **FAIL CAUSE:**

Comments on MIT:

****PER OPERATOR FAILED PRE TEST *****

VACUUM GLORIETA WEST UNIT No.072Y

30-025-30779-00-00

Active Oil (Producing)

E-36-17S-34E

Test Date: Test Reason:

11/15/2010 Annual IMIT **Permitted Injection PSI:**

Actual PSI:

Test Type:

Test Result:

Repair Due: FAIL CAUSE:

Bradenhead Test FAIL TYPE: Other Internal Failure Comments on MIT:

****WELL IS SHUT IN PENDING WORKOVER *****

30-025-31702-00-00

Active Injection - (All Types)

Test Date: 11/2/2010

VACUUM GLORIETA WEST UNIT No.052

Permitted Injection PSI:

N-25-17S-34E

3/30/2011

Test Reason:

Operator Reported

Test Result: F

Repair Due:

Actual PSI:

Test Type:

Std. Annulus Pres. Test

FAIL TYPE:

3/30/2011

FAIL CAUSE:

OPERATOR CONCEDES WELL WILL NOT SUSTAIN MECHANICAL INTEGRITY*** ****OPERATOR Comments on MIT: IN VIOLATION OF NMOCD RULE 19.15.26.11*****

VACUUM GLORIETA WEST UNIT No.011

Active Injection - (All Types)

30-025-31837-00-00 B-25-17S-34E

Test Date:

11/2/2010

Operator Reported

Permitted Injection PSI:

Actual PSI:

Test Reason: **Test Result:** Repair Due: Test Type: Std. Annulus Pres. Test FAIL TYPE: Other Internal Failure

3/30/2011 **FAIL CAUSE:**

Comments on MIT:

OPERATOR CONCEDES WELL WILL NOT SUSTAIN MECHANICAL INTEGRITY*** ***OPERATOR

IN VIOLATION OF NMOCD RULE 19.15.26.11***

VACUUM GLORIETA WEST UNIT No.091

30-025-31873-00-00

Active Injection - (All Types)

I-35-17S-34E

Test Date:

11/15/2010

Permitted Injection PSI:

Actual PSI:

Test Reason:

Annual IMIT

Test Result:

Repair Due:

Test Type:

Bradenhead Test

FAIL TYPE: Other Internal Failure

3/30/2011

Comments on MIT:

SHUT IN HAS SMALL CASING LEAK ****OPERATOR IN VIOLATION OF NMOCD RULE

FAIL CAUSE:

19.15.26.11****

CENTRAL VACUUM UNIT No.200

Active Injection - (All Types)

30-025-32805-00-00 C-6-18S-35E

Test Date: **Test Reason:** 11/9/2010

Permitted Injection PSI:

Actual PSI: Repair Due:

3/30/2011

Test Type:

Annual IMIT Bradenhead Test **Test Result:**

FAIL CAUSE:

Comments on MIT:

FAIL TYPE: Other Internal Failure

****CASING WOULD NOT BLEED DOWN-FAILED BHT****OPERATOR IN VIOLATION OF NMOCD RULE 19.15.26.11*****

NORTH VACUUM ABO WEST UNIT No.032

30-025-34094-00-00 D-27-17S-34E

Test Date:

11/17/2010

Active Oil (Producing) **Permitted Injection PSI:**

Actual PSI:

3/30/2011

Test Reason:

Annual IMIT

Test Result:

Repair Due:

Test Type: **Comments on MIT:**

Bradenhead Test

FAIL TYPE: Other Internal Failure

FAIL CAUSE:

*****SALT WATER ON SURFACE***** OPERATOR IN VIOLATION OF NMOCD RULE

19.15.26.11*****

VACUUM GRAYBURG SAN ANDRES UNIT No.249

30-025-35563-00-00 F-1-18S-34E

Active Injection - (All Types)

Test Date:

11/2/2010

Permitted Injection PSI:

Actual PSI: Repair Due:

3/30/2011

Test Reason: Test Type:

Operator Reported

Test Result:

FAIL CAUSE:

Comments on MIT:

Std. Annulus Pres. Test FAIL TYPE: Other Internal Failure

OPERATOR CONCEDES WELL WILL NOT SUSTAIN MECHANICAL INTEGRITY*** ***OPERATOR

IN VIOLATION OF NMOCD RULE 19.15.26.11****

CENTRAL VACUUM UNIT No.260

30-025-37233-00-00 C-31-17S-35E

Active Injection - (All Types)

Test Date:

11/4/2010

Permitted Injection PSI:

Actual PSI:

Annual IMIT **Test Result:** Test Reason:

3/30/2011 Repair Due:

Test Type:

Bradenhead Test

FAIL TYPE: Other Internal Failure

FAIL CAUSE:

Comments on MIT:

CASING DID NOT BLEED DOWN****FAILED BHT****OPERATOR IN VIOLATION OF NMOCD

RULE 19.15.26.11****

CENTRAL VACUUM UNIT No.238

30-025-38849-00-00

P-36-17S-34E

Active Injection - (All Types)

11/4/2010 Test Date: Test Reason:

Permitted Injection PSI:

BHT***OPERATOR IN VIOLATION OF NMOCD RULE 19.15.26.11*****

Actual PSI:

Test Type:

Annual IMIT

Test Result:

3/30/2011 Repair Due:

Bradenhead Test FAIL TYPE: Other Internal Failure FAIL CAUSE: COMMUNICATION BETWEEN INTERMEDIATE AND PRODUCTION CASING; ***WELL FAILED Comments on MIT:

December 16, 2010 Page 6

In the event that a satisfactory response is not received to this letter of direction by the "Repair Due:" date shown above, or if the well(s) are not immediately shut-in, further enforcement will occur. Such enforcement may include this office applying to the Division for an order summoning you to a hearing before a Division Examiner in Santa Fe to show cause why you should not be ordered to permanently plug and abandon this well. Such a hearing may result in imposition of CIVIL PENALTIES for your violation of OCD rules.

Sincerely,

Hobbs OCD District Office

COMPLIANCE OFFICER
Note: Pressure Tests are performed prior to initial injection, after repairs and otherwise, every 5 years; Bradenhead Tests are performed annually.
Information in Detail Section comes directly from field inspector data entries - not all blanks will contain data. "Failure Type" and "Failure Cause" and any Comments are not to be interpreted as a diagnosis of the condition of the wellbore. Additional testing should be conducted by the operator to accurately determine the nature of the actual failure. * Significant Non-Compliance events are reported directly to the EPA, Region VI, Dallas, Texas.





015H14150977 \$1.56 12117/10 Malled Frem88240

CHEVRON USA INC. ATTN: COMPLIANCE/REGULATIONS 15 SMITH ROAD MIDLAND, TX 79705

RVATION DIVISION NCH DRIVE Γ 88240



\$1.55

CHEVRON USA INC. HCR 60 BOX 423 LOVINGTON, NM 88260