Submit 3 Copies To Appropriate District Office State of New Mexico Minerals and Natural Resources		Form C-103 June 19, 2008	
District I		PI NO.	
District III 1301 W. Grand Ave., Artesia, NM 872102 0 20 QIL CONSERVATION DIVISION District III 1000 Rio Brazos Rd., Aztec, NM 87419BSOCD District IV Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505		30-025-34137 e Type of Lease	
		ATE X FEE	
1220 S. St. Francis Dr., Santa Fe, NM		il & Gas Lease No.	
SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A		Name or Unit Agreement Name:	
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)			
1. Type of Well: Oil Well Gas Well Other		umber 696	
2. Name of Operator		9. OGRID Number	
XTO Energy, Inc. 3. Address of Operator		005380 name or Wildcat	
200 N. Loraine, Ste. 800 Midland, TX 79701 4. Well Location		onument: Grayburg-San Andres	
Unit Letter F: 2523 feet from the North line and 1456 feet from the West line			
Section 10 Township 21S Range 36E NMPM County Lea			
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3584' GL			
12. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data			
NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF:			
PERFORM REMEDIAL WORK PLUG AND ABANDON REMEDIAL WORK ALTERING CASING			
FEMPORARILY ABANDON		☐ P AND A ☐	
PULL OR ALTER CASING MULTIPLE COMPL	OMPL CASING/CEMENT JOB		
DOWNHOLE COMMINGLE			
OTHER:	OTHER: Peactivate and con	v well to injection X	
OTHER: Reactivate and conv well to injection 13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date			
of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.			
(Administrative Order WFX-871)			
12/08/10 - MIRU PU, ND WH, NU BOP 12/09/10 - MI & rack 137jts WS, RIH w/6-1/8" bit, 6 4-1/2" DCs & 107jts WS, tag CIBP @ 3700 & DO CIBP,			
circ well clean, RD 12/10/10 - RIH w/notch collar, 6jts WS, 7"csg scraper & 118 jts WS, POOH, RIH w/sonic hammer & wash OH			
fr 3745-3900' w/120bbls 9# brine, unable to break circ, sonic hammer OH w/3500gls 20% 90/10 acid, flush w/40bbls 9# binre			
cont'd on next page			
Spud Date: Rig Rele	ase Date:		
I hereby certify that the information above is true and complete to the best of my knowledge and belief.			
SIGNATURE TITLE Regulatory Analyst DATE 12/17/10 patty urias@xtoenergy.com			
Type or print name Patty Urias E-mail address: PHONE 432-620-4318			
For State Use Only			
APPROVED BY			

Eunice Monument South Unit #696 C-103 cont'd

12/13/10 - RU swab, made 28 runs in 7 hrs, POOH w/WS and sonic hammer tool.

12/14/10 – RIH w/7" inj pkr & 114jts 2-3/8" 4.7# TK-70 EUE 8rd IPC tbg, set pkr @ 3695', RU pmp trk, L&T TCA to 350psig for 30min w/no loss, RD.

12/15/10 – RU pmp trk, circ TCA w/110 bbls pkr fluid, ND Bop, NU WH, press TCA to 320 psig w/ no loss, witnessed by Mark Whitaker of OCD, press tbg to 2100psig & pump out plug, EIR @ 4pbm w/150psig, RDMO PU

MIT chart attached

EUNICE MONUMENT SOUTH UNIT #696

ELEV: GL: 3584' KB: 3590'



