

Submit to Appropriate District Office Five Copies District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources <div style="font-size: 2em; opacity: 0.5; transform: rotate(-15deg); position: absolute; top: 0; left: 0;">RECEIVED</div> <div style="font-size: 1.5em; position: absolute; top: 0; left: 50%;">OIL CONSERVATION DIVISION</div> <div style="position: absolute; top: 0; left: 20%;">JAN 07 2011</div> <div style="position: absolute; top: 0; left: 10%;">HOBBSOCD</div> 1220 South St. Francis Dr. Santa Fe, NM 87505				Form C-105 July 17, 2008			
		1. WELL API NO.		30-025-34846					
		2. Type Of Lease		<input checked="" type="checkbox"/> STATE <input type="checkbox"/> FEE <input type="checkbox"/> FED/INDIAN					
		3. State Oil & Gas Lease No.							
WELL COMPLETION OR RECOMPLETION REPORT AND LOG									
4. Reason for filing:				5. Lease Name or Unit Agreement Name					
<input checked="" type="checkbox"/> COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) <input checked="" type="checkbox"/> C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)				Eunice Monument South Unit					
9. Type of Completion				6. Well Number					
<input type="checkbox"/> NEW WELL <input type="checkbox"/> WORKOVER <input type="checkbox"/> DEEPENING <input type="checkbox"/> PLUGBACK <input type="checkbox"/> DIFFERENT RESERVOIR <input checked="" type="checkbox"/> OTHER Reactive well				596					
8. Name of Operator				9. OGRID Number					
XTO Energy Inc.				005380					
10. Address of Operator				11. Pool name or Wildcat					
200 N. Loraine, Ste. 800 Midland, TX 79701				Eunice Monument; Grayburg-San Andres					
12. Location	Unit Letter	Section	Township	Range	Lot				
Surface:	L	5	21S	36E					
BH:									
13. Date Spudded	14. Date T.D. Reached	15. Date Rig Released	16. Date Completed (Ready to Produce)		17. Elevations (DF & RKB, RT, GR, etc.)				
3/26/00	7/1/00		12/29/10		3575' GL				
18. Total Measured Depth of Well		19. Plug Back Measured Depth	20. Was Directional Survey Made		21. Type Electric and Other Logs Run				
4065'		3926'	No						
22. Producing Interval(s), of this completion - Top, Bottom, Name									
3722-3923' Grayburg-San Andres									
23. CASING RECORD (Report all strings set in well)									
CASING SIZE	WEIGHT LB./FT.	DEPTH SET	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED				
Same as Original									
24. LINER RECORD			25. TUBING RECORD						
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	PACKER SET				
26. Perforation record (interval, size, and number)			27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.						
New perfs 3764-3923' (66 holes)			DEPTH INTERVAL AMOUNT AND KIND MATERIAL USED						
3722-3764'			3722-3923' 4000qls 20% 90/10 acid, flush w/						
3791-3901'			60bb1s FW						
28. PRODUCTION									
Date First Production		Production Method (Flowing, gas lift, pumping - Size and type pump)			Well Status (Prod. or Shut-in)				
1/3/11		110HP, 144stg TD1250pmp			Producing				
Date of Test	Hours Tested	Choke Size	Prod'n For Test Period	Oil - Bbl.	Gas - MCF				
1/4/11	24			0	17				
Flow Tubing Press.	Casing Pressure	Calculated 24-Hour Rate	Oil - Bbl.	Gas - MCF	Water - Bbl.				
			0	17	1714				
29. Disposition of Gas (Sold, used for fuel, vented, etc.)				30. Test Witnessed By					
sold									
31. List Attachments									
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.									
33. If an on-site burial was used at the well, report the exact location of the on-site burial:									
Latitude		Longitude		NAD: 1927 1983					
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief									
Signature		Printed Name		Title					
		Patty Uras		Regulatory Analyst					
E-mail address				Date					
patty.urias@xtoenergy.com				1/6/11					

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico		Northeastern New Mexico	
T. Anhy	T. Canyon	T. Ojo Alamo	T. Penn. "B"
T. Salt	T. Strawn	T. Kirtland-Fruitland	T. Penn. "C"
B. Salt	T. Atoka	T. Pictured Cliffs	T. Penn. "D"
T. Yates	T. Miss	T. Cliff House	T. Leadville
T. 7 Rivers	T. Devonian	T. Menefee	T. Madison
T. Queen	T. Silurian	T. Point Lookout	T. Elbert
T. Grayburg	T. Montoya	T. Mancos	T. McCracken
T. San Andres	T. Simpson	T. Gallup	T. Ignacio Otzte
T. Glorieta	T. McKee	Base Greenhorn	T. Granite
T. Paddock	T. Ellenburger	T. Dakota	T.
T. Blinebry	T. Gr. Wash	T. Morrison	T.
T. Tubb	T. Delaware Sand	T. Todilto	T.
T. Drinkard	T. Bone Springs	T. Entrada	T.
T. Abo	T.	T. Wingate	T.
T. Wolfcamp		T. Chinle	T.
T. Penn	T.	T. Permian	T.
T. Cisco (Bough C)	T.	T. Penn "A"	T.

**OIL OR GAS
SANDS OR ZONES**

No. 1, from to
No. 2, from to
No. 3, from to
No. 4, from to

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from to feet

No. 2, from to feet

No. 3, from to feet

LITHOLOGY RECORD (Attach additional sheet if necessary)

From	To	Thickness in Feet	Lithology

From	To	Thickness in Feet	Lithology

Eunice Monument South Unit #596

