

Submit 3 Copies To Appropriate District Office

District I

1625 N. French Dr., Hobbs, NM 88240

District II

1301 W. Grand Ave., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-103
Revised June 10, 2003

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30 029 20779
1. Type of Well: Oil Well <input type="checkbox"/> Gas Well <input checked="" type="checkbox"/> Other Injection		5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
2. Name of Operator McGowan Working Partners, Inc.		6. State Oil & Gas Lease No. B-2317
3. Address of Operator P O Box 55809, Jackson MS 39296-5809		7. Lease Name or Unit Agreement Name M E Hale No. 11
4. Well Location Unit Letter <u>K</u> : <u>1980</u> feet from the <u>South</u> line and <u>2310</u> feet from the <u>west</u> line Section <u>35</u> Township <u>17S</u> Range <u>34E</u> NMPM County <u>Lea</u>		8. Well Number 11
11. Elevation (Show whether DR, RKB, RT, GR, etc.)		9. OGRID Number
		10. Pool name or Wildcat Vacuum - San Anders

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

- PERFORM REMEDIAL WORK ☒ PLUG AND ABANDON ☐
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPLETION ☐
OTHER: ☐

SUBSEQUENT REPORT OF:

- REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ PLUG AND ABANDONMENT ☐
CASING TEST AND CEMENT JOB ☐
OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Proposal to complete well in Yates Sand as sand was already.

Run in hole with bit to CIBP at 4875' to check bottom. Pull out of hole and run packer to 2800'. Test casing to 500 psi and pull out of hole. Perforate Yates 2995 - 3010'; 3025 - 3036' 3040 - 3050' and 3090 - 3100'. Run in hole with packer. Spot acid. Set packer and Acidize perfs with 2000 gallons 15% HCL. Swab Yates perfs and analyze for economical production. If economical, run tubing and rod pump. If uneconomical, set CIBP at 2900' and pressure test casing to T&A for future possible use. Perforate Yates for Yates produce.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Glenn Hepner TITLE Regulatory Officer DATE February 23, 2004

Type or print name Glenn Hepner E-mail address: glenn@mcgowanwp.com Telephone No. 601-982-3444

(This space for State use)

APPROVED BY Chris Williams DISTRICT SUPERVISOR/GENERAL MANAGER DATE FEB 24 2004
Conditions of approval, if any: