

District I

1625 N. French Dr., Hobbs, NM 88240

District II

1301 W. Grand Ave., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-103

June 19, 2008

WELL API NO. 30-025-27984
5. Indicate Type of Lease STATE ☐ FEE ☒
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name Post
8. Well Number #1
9. OGRID Number
10. Pool name or Wildcat: South King Devonian

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☐ Gas Well ☐ Other XX-SWD

2. Name of Operator
State of New Mexico formerly Platinum Exploration Inc.

3. Address of Operator
1625 N. French Drive Hobbs, New Mexico 88240

4. Well Location
Unit Letter N: _____ 990 feet from the _____ SOUTH line and _____ 1650 feet from the _____ WEST line
Section 1 Township 14S Range 37E NMPM LEA County

11. Elevation (Show whether DR, RKB, RT, GR, etc.)

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK ☐	PLUG AND ABANDON ☒	REMEDIAL WORK ☐	ALTERING CASING ☐
TEMPORARILY ABANDON ☐	CHANGE PLANS ☐	COMMENCE DRILLING OPNS. ☐	P AND A ☐
PULL OR ALTER CASING ☐	MULTIPLE COMPL ☐	CASING/CEMENT JOB ☐	
DOWNHOLE COMMINGLE ☐			
OTHER: ☐		OTHER: ☐	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

See Attached Plugging Procedure.

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE

Mary Brown

TITLE

Compliance Officer

DATE

12/7/2010

Type or print name

E-mail address:

PHONE:

For State Use Only

APPROVED BY

E. J. [Signature]

TITLE

STAFF MGR

DATE

12-7-2010

Conditions of Approval (if any):

State of New Mexico formerly Platinum Exploration, Inc.

Post #1 API 30-025-27984

Section 1-T14S-R37E

SPECIAL NOTE—Mud Laden Fluid will consist of 9.5# brine with 12.5# Salt Gel per BBL (25 sacks of gel/ per 100 BBLS Brine). All cement plugs will be 25 sacks of cement or 100', whichever is greater. **Unless otherwise specified in the approved procedure**, cement plugs shall consist of class "C" for depths to 7500'. Class "H" will be used for plugs deeper than 7500'.

1. MIRU plugging unit. Lay down production equipment.
2. Cap CIBP w/25 sxs cmt @9350' (Existing CIBP).
3. Check for Possible casing leak.
4. Load hole w/ MLF. Perf @ 6050' Sqz 25 sxs cmt . (Glorieta plug). WOC and TAG.
5. Perf @4700'. Sqz 35 sxs cmt. (8 5/8"Shoe). WOC and TAG.
6. Perf @ 3200'. Sqz 25 sxs cmt. (BOS plug.) WOC and TAG.
7. Perf @ 2200'. Sqz 25 sxs cmt. (TOS plug). WOC and TAG.
8. Perf @466'. Sqz 100 sxs cmt. (13 3/8" shoe). WOC and TAG.
9. Perf @ 60'. Sqz 60 sxs cmt, circ to surface. Inside and outside.
10. Cut off wellhead and install below grade plate as marker. (Agriculture area).

S-E

FEE

PLUGGING & ABANDONMENT WORKSHEET

(3 STRING CSNG)

OPERATOR STATE OF NEW MEXICO FORMERLY PLATINUM
LEASENAME POST

30-025-27984

WELL # 1

SECT N

TWN

RNG

37E

FROM

990

M/S L

1650

M/W L

TD:


12867

FORMATION @ TD

PBTD:

12830

FORMATION @ PBTD

SOUTH
KING
DEVONIAN

	SIZE	SET @	TOC	TOC DETERMINED BY	
SURFACE	13 3/8	416	SURF	CIRC	
INTMED 1	8 5/8	4650	2160	TS	
INTMED 2					
PROD	5 1/2	12865	8280	TS / OBL	
	SIZE	TOP	BOT	TOC	DETERMINED BY
LINER 1					
LINER 2					
	CUT & PULL @			TOP - BOTTOM	
INTMED 1			PERFS	-	
INTMED 2			OPENHOLE	-	
PROD					

500 SX
2000 SX
1300 SX

* REQUIRED PLUGS DISTRICT I

RUSTLER (ANYED)	2200
YATES	3165
QUEEN	
GRAYBURG	
SAN ANDRES	4601
CARTAN REEF	
DELAWARE	
BELL CANYON	
CHERRY CANYON	
BERRY CANYON	
BONE SPRING	
OLORITA	6100
BLINERY	
TUBS	7310
ORISKANY	
ARO	8030
WC	
PERR	
STRAWN	
ATOKA	11423
MORROW	11607
ATOKA	
DEVONIAN	12698

PLUG	TYPE	SACKS	DEPTH
PLUG	PLUG	CMNT	
EXAMPLES			
PLUG #1	OH	25 SXS	9850'
PLUG #2	SHOE	50 SXS	8700'-8800'
PLUG #3	CIBP/35'		5300'
PLUG #4	CIBP	25 SXS	5300'
PLUG #5	STUB	50 SXS	4600'-4700'
PLUG #6	REINR SQZ	200 SXS	400'
PLUG #7	SURF	10 SXS	0-10'
PLUG #1	CAP CIBP	25 SX	9350
PLUG #2	GLR	25 SX	6050
PLUG #3	SHOE	35 SX	4700
PLUG #4	ROS	25 SX	3200
PLUG #5	TOS	25 SX	2200
PLUG #6	Shoe	100 SX	4660
PLUG #7	SURFACE	60 SX	60'
PLUG #8			
PLUG #9			
PLUG #10			
PLUG #			
PLUG #			

Perf
Perf
Perf
Perf
Perf
Perf
Perf
Perf
woc's taINSTALL
BELOW
GRADE (4'
PLATE
AGRICULTURE
AREA6/5/2009
FAILED PIT!560#/340# in 6 min
3 attempts