

Submit 3 Copies To Appropriate District
Office
District I
1625 N. French Dr., Hobbs, NM 87240
District II
1301 W. Grand Ave., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87400
District IV
1220 S. St. Francis Dr., Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103

June 19, 2008

RECEIVED
JAN 06 2011
HOBSUCD

OIL CONSERVATION DIVISION

1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-025-04511
5. Indicate Type of Lease STATE ☒ FEE ☐
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name: Eunice Monument South Unit
8. Well Number 197
9. OGRID Number 005380
10. Pool name or Wildcat Eunice Monument; Grayburg-San Andres
11. Elevation (Show whether DR, RKB, RT, GR, etc.)

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH
PROPOSALS.)

1. Type of Well: Oil Well ☐ Gas Well ☐ Other Injection ☒	7. Lease Name or Unit Agreement Name: Eunice Monument South Unit
2. Name of Operator XTO Energy, Inc.	8. Well Number 197
3. Address of Operator 200 N. Loraine. Ste. 800 Midland, TX 79701	9. OGRID Number 005380
4. Well Location Unit Letter F : 1980' feet from the North line and 1980' feet from the West line Section 5 Township 21S Range 36E NMPM County Lea	10. Pool name or Wildcat Eunice Monument; Grayburg-San Andres
11. Elevation (Show whether DR, RKB, RT, GR, etc.)	

12. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☐
CASING/CEMENT JOB ☐

OTHER: ☐ OTHER: Clean out & acid stim; RWTI ☒

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

3/29/10 - MIRU, ND WH, NU BOP, work pkr up hole, POOH pkr & 117jts IPC tbg
3/30/10 - RIH w/notch collar & 126jts WS, tag fill @ 3972, POOH, RU WL & dump 3 sxs Class "C" cmt w/
2% CaCl, plug back to 3750', RD, RIH w/sonic hammer tool to 3600', SDON
3/31/10 - RU & sonic hammer wash Grayburg OH fr 3775-3950' w/2500gls 20% 90/10 acid RD, SWI for 2hrs,
RU swab, made 20 runs in 5 hrs, RD
4/01/10 - POOH & LD 2-7/8" WS, MI & rack 120jts tbg, unable to get good test, RD & SWI

cont'd on next page

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Patty Urias TITLE Regulatory Analyst DATE 1/4/11
Type or print name Patty Urias E-mail address: patty_urias@xtoenergy.com PHONE 432-620-4318

For State Use Only

APPROVED BY [Signature] TITLE Staff Mgr DATE 1-12-2011
Conditions of Approval (if any):

Eunice Monument South Unit #197
C103 cont'd


4/5/10 – RU pmp trk, Press TCA to 400psg for 30min w/no loss, RD, RIH w/7" 20-26# inj pkr, 7"x
2-3/8" SS T-2 on/off tool w/1.781 prof nipl, 109jts 2-3/8" 4.7#, TK70 EUE 8rd IPC tbq,
2-3/8"x10' TK-70 sub, 2-3/8"x6' TK-70 sub & 1jt 2-3/8" TK-70 IPC tbq. RDMO and
RWTI.


ARR @ 3589' TOP P.H. @ 3680'

MIT CHART ATTACHED

Eunice Monument South Unit #197

ELEV: GL: 3567
KB: 3578'





GRAPHIC CONTROLS CORPORATION
BUFFALO, NEW YORK

EMSA# 197WID

API 3002 504511
4-5-10

BR 2221

Sec. 5
Town. 21 S
Range 36 E

ITG 0940 197
Parker Energy
4-5-2010
Charles Muen

RECEIVED

JAN 08 2011

HOBBSDCO