

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED OMB NO. 1004-0135 Expires: July 31, 2010

	SUNDRY NOTICES AND REPORTS ON WELLS		, (, ((U	11
Do	SUNDRY NOTICES AND REPORTS ON WELLS not use this form for proposals to drill or to re-enter and the state of	Br	5	()	1	7

Lease Serial No. NMLC060329

Do not use the abandoned we	6. If Indian, Allottee or Tribe Name						
SUBMIT IN TRI	7. If Unit or CA/Agree	ement, Name and/or No					
Type of Well					8. Well Name and No		
🔁 Oil Well 🔲 Gas Well 🔲 Otl		HT FEDERAL 005					
Name of Operator CIMAREX ENERGY CO. OF	9. API Well No. 30-025-39975						
3a. Address 600 N. MARIENFELD ST., ST MIDLAND, TX 79701	E. 600	3b. Phone No Ph: 432-62 Fx: 432-62		e)	10. Field and Pool, or Exploratory MALJAMAR; YESO-WEST		
4. Location of Well (Footage, Sec., 7	., R., M., or Survey Description)				11. County or Parish, and State		
Sec 18 T17S R32E SWNW 2	310FNL 990FWL /				LEA COUNTY,	NM /	
12. CHECK APPI	ROPRIATE BOX(ES) TO	INDICATE	NATURE OF	NOTICE, R	EPORT, OR OTHE	R DATA	
TYPE OF SUBMISSION		OF ACTION					
Notice of Intent	□ Acidize	□ Dee	pen	□ Produc	tion (Start/Resume)	☐ Water Shut-Off	
-	Alter Casing	cture Treat Reclama		ation	☐ Well Integrity		
☐ Subsequent Report	Casing Repair	□ Nev	Construction	☐ Recom	plete	Other	
☐ Final Abandonment Notice	☐ Change Plans	n Plug	g and Abandon		rarily Abandon		
	Convert to Injection	Plug	g Back	Water I	Disposal		
testing has been completed. Final At determined that the site is ready for final At determined that the site is ready for final Cimarex has changed plans reattached revised BOP diagram A 13-5/8" 5000 PSI working property one set of pipe rams and a 50 accumulator with floor and renneeded. A kelly cock will be in safety valve in the open position BOP unit will be hydraulically while drilling and the blind ram pressure or temperature is expense.	egarding the BOP. Please ns. ressure BOP tested to 3000 00# annular type preventer note operating stations and astalled and maintained in con will be available on the respectated. BOP will be nippers will be operated when our present of the pres	see revised O psi consist r. A choke I auxiliary poperable coning floor. I and up and I to finde di	ting of one set of manifold and 12 ower system. Rendition and a di operated at leasuring trips. No a	on below, and of blind rams to gallon totating head rill string stronge a data thousand	d s and d as y		
14. Thereby certify that the foregoing is	true and correct. Electronic Submission #99 For CIMAREX ENER	9428 verified GY CO. OF	by the BLM Wel	Il Information nt to the Hob	n System bs		
Name (Printed/Typed) NATALIE I	E KRUEGER		Title REGULATORY IS				
Signature (Electronic S	ubmission)		Date 12/22/2	010		VAV.	
	THIS SPACE FOR	R FEDERA	·		SEROVED		
Approved Dy			T::1		AN 1 0 0011		
Approved By	d Americal of this continue	Title	J/	AN 1 2 2011	Date		
Conditions of approval, if any, are attached ertify that the applicant holds legal or equivalent would entitle the applicant to condu	itable title to those rights in the state operations thereon.	ubject lease	Office		<i>JJMF</i> LEY W. INGRAM		
itle 18 U.S.C. Section 1001 and Title 43 States any false, fictitious or fraudulent s	U.S.C. Section 1212, make it a cr tatements or representations as to	rime for any po any matter w	erson knowingly an ithin its jurisdiction	d willfühy សេក ı.	rake m'any department o	ragendy of the United	

Additional data for EC transaction #99428 that would not fit on the form

32. Additional remarks, continued

running of production casing, the well will be equipped with a 5000 psi BOP system tested to 3000 psi.

BOPS will be tested by an independent service company to 250 psi low and 3000 psi high. Hydril will be tested to 250 psi low and 3000 psi high.



