

### м**ж** 1

.

# Jones, Brad A., EMNRD

From:	Lane, Myke [Myke.Lane@Williams.Com]
Sent:	Tuesday, November 17, 2009 8:04 AM
То:	Jones, Brad A., EMNRD
Cc:	Powell, Brandon, EMNRD; Meador, Tasha ; Lucero, Christopher
Subject:	Request for Closure Plan Review - Rosa 180

Brad:

We need to take the following below grade tank out of service, and we would like to close this existing BGT. We request your review to allow closure.

WELLSITE	API	FMT	SEC	TWN	RNG	
			9			
Rosa #180	3004529898	BLANCO MV	(N)	31N	06W	

Please contact me if there are any problems or you request additional information. Thanks for your consideration

Michael K. (Myke) Lane, PE EH&S Team Leader - San Juan Basin Operations 721 S. Main/PO Box 640. Aztec, NM 87410 (505) 634-4219(off): -4205(fax): 330-3198(cell)

"The problems we face cannot be resolved at the same level of thinking as that which gave rise to them!"---shared with me by Brent Hale

This inbound email has been scanned for malicious software and transmitted safely to you using Webroot Email Security.

District I       State of New Mexico         1625 N. French Dr., Hobbs, NM 88240       Energy Minerals and Natural Resources         District II       District III         1301 W. Grand Avenue, Artesia; NM 88210       Department         District III       Oil Conservation Division         1000 Rio Brazos Road, Aztec, NM 87410       1220 South St. Francis Dr.         1220 S. St. Francis Dr., Santa Fe, NM 87505       1.203	Form C-144 July 21, 2008 For temporary pits, closed-loop systems, and below-grade tanks, submit to the appropriate NMOCD District Office. For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.			
Pit, Closed-Loop System, Below-Grade T				
Proposed Alternative Method Permit or Closure P	lan Application			
<ul> <li>Type of action:</li> <li>Permit of a pit, closed-loop system, below-grade tank, of Closure of a pit, closed-loop system, below-grade tank, of Modification to an existing permit</li> <li>Closure plan only submitted for an existing permitted or below-grade tank, or proposed alternative method</li> </ul>	or proposed alternative method			
Instructions: Please submit one application (Form C-144) per individual pit, closed-loop syste	em, below-grade tank or alternative request			
Please be advised that approval of this request does not relieve the operator of liability should operations result in environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable go	n pollution of surface water, ground water or the			
	ID #: <u>120782</u>			
Address: PO Box 640 Aztec, NM 87410				
Facility or well name: ROSA UNIT #180				
	it Number:			
Section Township Range County SAN J				
Section         91         1000000000000000000000000000000000000				
$\square \underline{Pit}: Subsection F or G of 19.15.17.11 NMAC$				
Temporary: Drilling Workover				
Lined Unlined Liner type: Thicknessmil LLDPE HDPE PVC Ot	han			
String-Reinforced				
	Dimensions: I x W x D			
Liner Seams: Welded Factory Other Volume:bbl				
3. Closed-loop System: Subsection H of 19.15.17.11 NMAC				
Type of Operation: DP&A Drilling a new well Workover or Drilling (Applies to activities whi	ch require prior approval of a permit or notice of			
intent)				
□ Lined □ Unlined Liner type: Thicknessmil □ LLDPE □ HDPE □ PVC □	Other			
Liner Seams: Welded Factory Other				
4. Below-grade tank: Subsection I of 19.15.17.11 NMAC				

Volume: <u>120</u> bbl	Type of fluid: <u>PRODUCED WATER</u>
Tank Construction material: FIBERG	LASS TANK w/BANDED 20-mil HDPE SECONDARY LINER
Secondary containment with leak detection	Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off
Visible sidewalls and liner 📋 Visible sidewall	s only D Other
Liner type: Thickness mil 🔲 HDF	PE PVC Other

# Alternative Method:

5.

Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks)

Chain link, six feet in height, two strands of barbed wire at top (*Required if located within 1000 feet of a permanent residence, school, hospital, institution or church*)

Four foot height, four strands of barbed wire evenly spaced between one and four feet

Alternate. Please specify\_

Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)

Screen Netting Other\_

10.

Monthly inspections (If netting or screening is not physically feasible)

Signs: Subsection C of 19.15.17.11 NMAC

12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers

Signed in compliance with 19.15.3.103 NMAC

#### Administrative Approvals and Exceptions:

Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.

Please check a box if one or more of the following is requested, if not leave blank:

Administrative approval(s): Requests must be submitted to the appropriate division district or the Santa Fe Environmental Bureau office for consideration of approval.

Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

Siting Criteria (regarding permitting): 19.15.17.10 NMAC

Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above-grade tanks associated with a closed-loop system.

Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No
<ul> <li>Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).</li> <li>Topographic map; Visual inspection (certification) of the proposed site</li> </ul>	Yes No
<ul> <li>Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.</li> <li>(Applies to temporary, emergency, or cavitation pits and below-grade tanks)</li> <li>Visual inspection (certification) of the proposed site; Aerial photo; Satellite image</li> </ul>	☐ Yes ☐ No ☐ NA
<ul> <li>Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.</li> <li>(Applies to permanent pits)</li> <li>Visual inspection (certification) of the proposed site; Aerial photo; Satellite image</li> </ul>	Yes No
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	🗋 Yes 🗌 No
<ul> <li>Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended.</li> <li>Written confirmation or verification from the municipality; Written approval obtained from the municipality</li> </ul>	🗌 Yes 🗌 No
<ul> <li>Within 500 feet of a wetland.</li> <li>US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site</li> </ul>	🗌 Yes 🗍 No
<ul> <li>Within the area overlying a subsurface mine.</li> <li>Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division</li> </ul>	🗌 Yes 🗌 No
<ul> <li>Within an unstable area.</li> <li>Engineering measures incorporated into the design; NM Bureau of Geology &amp; Mineral Resources; USGS; NM Geological Society; Topographic map</li> </ul>	🗌 Yes 🗌 No
Within a 100-year floodplain. - FEMA map	Yes No

14.					
<u>Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachn</u> Instructions: Each of the following items must be attached to the application. Please ind					
<ul> <li>attached.</li> <li>Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC</li> <li>Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC</li> <li>Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC</li> <li>Design Plan - based upon the appropriate requirements of 19.15.17.12 NMAC</li> <li>Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC</li> </ul>					
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the and 19.15.17.13 NMAC					
Previously Approved Design (attach copy of design) API Number:	or Permit Number:				
12.         Closed-loop Systems Permit Application Attachment Checklist:       Subsection B of 19.15         Instructions: Each of the following items must be attached to the application. Please inta attached.         Geologic and Hydrogeologic Data (only for on-site closure) - based upon the required Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon th	licate, by a check mark in the box, that the documents are ments of Paragraph (3) of Subsection B of 19.15.17.9				
<ul> <li>Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC</li> <li>Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.</li> <li>Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the a and 19.15.17.13 NMAC</li> </ul>	appropriate requirements of Subsection C of 19.15.17.9 NMAC				
Previously Approved Design (attach copy of design) API Number:					
Previously Approved Operating and Maintenance Plan API Number:      above ground steel tanks or haul-off bins and propose to implement waste removal for close					
Permanent Pits Permit Application Checklist:       Subsection B of 19.15.17.9 NMAC         Instructions:       Each of the following items must be attached to the application. Please inal         attached.       Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection         Siting Criteria Compliance Demonstrations - based upon the appropriate requirement         Climatological Factors Assessment         Certified Engineering Design Plans - based upon the appropriate requirements of 19.         Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NM         Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NM         Quality Control/Quality Assurance Construction and Installation Plan         Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.15.         Freeboard and Overtopping Prevention Plan - based upon the appropriate requirement         Nuisance or Hazardous Odors, including H <sub>2</sub> S, Prevention Plan         Emergency Response Plan         Oil Field Waste Stream Characterization         Monitoring and Inspection Plan         Erosion Control Plan         Erosion Control Plan	B of 19.15.17.9 NMAC ts of 19.15.17.10 NMAC 15.17.11 NMAC nents of 19.15.17.11 NMAC fAC uirements of 19.15.17.11 NMAC .17.12 NMAC ts of 19.15.17.11 NMAC				
Proposed Closure:       19.15.17.13 NMAC         Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.         Type:       Drilling         Workover       Emergency         Cavitation       P&A         Permanent Pit       Below-grade Tank         Closed-loop System         Alternative         Proposed Closure Method:       Waste Excavation and Removal         Waste Removal (Closed-loop systems only)         On-site Closure Method (Only for temporary pits and closed-loop systems)         In-place Burial       On-site Trench Burial         Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)					
15.					
Waste Excavation and Removal Closure Plan Checklist:(19.15.17.13 NMAC) Instructclosure plan. Please indicate, by a check mark in the box, that the documents are attachedProtocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NConfirmation Sampling Plan (if applicable) - based upon the appropriate requirementDisposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttinSoil Backfill and Cover Design Specifications - based upon the appropriate requirementRe-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.1Site Reclamation Plan - based upon the appropriate requirements of Subsection G of	ed. NMAC s of Subsection F of 19.15.17.13 NMAC ngs) ents of Subsection H of 19.15.17.13 NMAC 5.17.13 NMAC				

.

Kenter State					
Instructions: Please indentify the facility or facilities for the disposal of liquids, dr. facilities are required.	illing fluids and drill cuttings. Use attachment if n	nore than two			
Disposal Facility Name: D	Disposal Facility Permit Number:				
Disposal Facility Name: D					
Will any of the proposed closed-loop system operations and associated activities occu Yes (If yes, please provide the information below) No	ur on or in areas that will not be used for future serv	vice and operations?			
Required for impacted areas which will not be used for future service and operations         Soil Backfill and Cover Design Specifications based upon the appropriate requirements of Subsection I and Re-vegetation Plan - based upon the appropriate requirements of Subsection I and Site Reclamation Plan - based upon the appropriate requirements of Subsection	equirements of Subsection H of 19.15.17.13 NMAC of 19.15.17.13 NMAC	C			
<sup>17.</sup> Siting Criteria (regarding on-site closure methods only): 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the clo provided below. Requests regarding changes to certain siting criteria may require considered an exception which must be submitted to the Santa Fe Environmental E demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC for	administrative approval from the appropriate distr Bureau office for consideration of approval. Justij	ict office or may be			
Ground water is less than 50 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data c	obtained from nearby wells	☐ Yes ☐ No ☐ NA			
Ground water is between 50 and 100 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS; Data c	obtained from nearby wells	☐ Yes ☐ No ☐ NA			
Ground water is more than 100 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data of	obtained from nearby wells	☐ Yes ☐ No ☐ NA			
<ul> <li>Within 300 feet of a continuously flowing watercourse, or 200 feet of any other signi lake (measured from the ordinary high-water mark).</li> <li>Topographic map; Visual inspection (certification) of the proposed site</li> </ul>	ficant watercourse or lakebed, sinkhole, or playa	🗌 Yes 🗌 No			
Within 300 feet from a permanent residence, school, hospital, institution, or church in - Visual inspection (certification) of the proposed site; Aerial photo; Satellite in		🗌 Yes 🗌 No			
Within 500 horizontal feet of a private, domestic fresh water well or spring that less t watering purposes, or within 1000 horizontal feet of any other fresh water well or spr - NM Office of the State Engineer - iWATERS database; Visual inspection (ce	ing, in existence at the time of initial application.	🗌 Yes 🗌 No			
Within incorporated municipal boundaries or within a defined municipal fresh water adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approval	-	🗌 Yes 🗌 No			
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual	inspection (certification) of the proposed site	🗌 Yes 🗌 No			
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Mining a	nd Mineral Division	🗌 Yes 🗌 No			
<ul> <li>Within an unstable area.</li> <li>Engineering measures incorporated into the design; NM Bureau of Geology &amp; Society; Topographic map</li> </ul>	& Mineral Resources; USGS; NM Geological	Yes No			
Within a 100-year floodplain. - FEMA map		🗌 Yes 🛄 No			
<ul> <li><sup>18.</sup></li> <li><u>On-Site Closure Plan Checklist</u>: (19.15.17.13 NMAC) <i>Instructions: Each of the j</i> by a check mark in the box, that the documents are attached.</li> <li>Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of S</li> <li>Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of S Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad Protocols and Procedures - based upon the appropriate requirements of 19.15.1</li> <li>Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of S Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill Soil Cover Design - based upon the appropriate requirements of Subsection H</li> </ul>	rements of 19.15.17.10 NMAC ubsection F of 19.15.17.13 NMAC ropriate requirements of 19.15.17.11 NMAC I) - based upon the appropriate requirements of 19.1 .7.13 NMAC rements of Subsection F of 19.15.17.13 NMAC ubsection F of 19.15.17.13 NMAC Il cuttings or in case on-site closure standards cannot	5.17.11 NMAC			

Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC
 Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC
 Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

Operator Application Certification:			
I hereby certify that the information submitted with this application is tru	e, accurate and complete to the best of my knowledge and belief.		
Name (Print):	Title:EH&S SPECIALIST		
Signature: Kally C. Jerkus	Date: <u>2/5/2009</u>		
e-mail address:holly.perkins@williams.com	Telephone:505-634-4209		
20. <u>OCD Approva</u> l: Permit Application (including closure plan) X Cl			
OCD Representative Signature:	Approval Date: 11/19/09		
Title: Fourmental Figuret	OCD Permit Number:		
	n prior to implementing any closure activities and submitting the closure report. lays of the completion of the closure activities. Please do not complete this		
<ul> <li>22.</li> <li>Closure Method:</li> <li>Waste Excavation and Removal On-Site Closure Method</li> <li>If different from approved plan, please explain.</li> </ul>	Alternative Closure Method 🔲 Waste Removal (Closed-loop systems only)		
Instructions: Please indentify the facility or facilities for where the liqu two facilities were utilized.	Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: ids, drilling fluids and drill cuttings were disposed. Use attachment if more than		
Disposal Facility Name:			
Disposal Facility Name:	Disposal Facility Permit Number:		
Were the closed-loop system operations and associated activities performe Yes (If yes, please demonstrate compliance to the items below)			
Required for impacted areas which will not be used for future service and         Site Reclamation (Photo Documentation)         Soil Backfilling and Cover Installation         Re-vegetation Application Rates and Seeding Technique	operations:		
24. Closure Report Attachment Checklist: Instructions: Each of the follo	wing items must be attached to the closure report. Please indicate, by a check		
mark in the box, that the documents are attached.         Proof of Closure Notice (surface owner and division)         Proof of Deed Notice (required for on-site closure)         Plot Plan (for on-site closures and temporary pits)         Confirmation Sampling Analytical Results (if applicable)         Waste Material Sampling Analytical Results (required for on-site closure)         Disposal Facility Name and Permit Number	losure)		
<ul> <li>Soil Backfilling and Cover Installation</li> <li>Re-vegetation Application Rates and Seeding Technique</li> </ul>			
Site Reclamation (Photo Documentation) On-site Closure Location: Latitude	Longitude NAD: 1927 1983		
25.			
<b>Operator Closure Certification:</b> I hereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.			
Name (Print):	Title:		
Signature:	Date:		
e-mail address:	Telephone:		

#### Williams Production Co., LLC San Juan Basin: New Mexico Assets Below-Grade Tank Removal Closure Plan

In accordance with Rule 19.15.17.13 NMAC, the following plan describes the general closure requirements of below-grade tanks (BGT) on Williams Production Co, LLC (WPX) locations in the San Juan Basin of New Mexico. This is WPX's standard closure procedure for all BGTs regulated under Rule 19.15.17 NMAC and operated by WPX. For those closures which do not conform to this standard closure plan, a separate well/pit specific closure plan will be developed and utilized.

## **Closure Conditions and Timing:**

Pursuant to 19.15.17.13 (A) NMAC, WPX will initiate closure of any BGT should any one of these conditions occur:

- The Division requires closure because of imminent danger to fresh water, public health or the environment.
- The integrity of the BGT fails. Notification will be within 48 hours to the Division and closure will be schedule as specified in 19.15.17.12 (A)(5) NMAC.
- WPX chooses to take the BGT out-of-service due to operational needs. Closure under these conditions will be closed within 60 days of cessation of the BGT's operation.
- BGTs installed prior to June 16, 2008 that do not meet the requirements under 19.15.17.11.1(6) NMAC and WPX chooses not to retrofit or upgrade. Closure under these conditions will be completed within five years (by June 16, 2013).

### General Plan Requirements:

- 1. Prior to initiating any BGT Closure except in the case of an emergency, WPX will review County Tax Records for the current surface owner of record. The surface owner of record will be notified of the intent to closure the BGT by certified mail and a copy of this notification will be included in the closure report. In the case of an emergency, the surface owner of record will be notified as soon as practical.
- 2. Notice of Closure will be given to the Aztec District office between 72 hours and one week of the scheduled closure via email or phone. The notification of closure will include the following:
  - a. Operators Name (WPX)
  - b. Well Name and API Number
  - c. Location (USTR)
- 3. All piping will be rerouted to an alternative produced water storage/disposal location (e.g. surface tanks, temporary frac tank, ...). The well will be temporarily shutin until the rerouting is completed.
- 4. All produced water will be removed from the BGT following discharge-pipe rerouting. Produced water will be disposed at one of the following NMOCD approved facilities depending on the proximity of the BGT site: Rosa Unit SWD #1 (Order: SWD-916, API: 30-039-27055), Rosa Unit #94 (Order: SWD-3RP-1003-0, API: 30-039-23035), Jillson Fed. SWD #001 (Order: R10168/R10168A, API: 30-039-25465), Middle Mesa SWD #001 (Order: SWD-350-0, API: 30-045-27004) and/or Basin Disposal (Permit: NM-01-0005).
- 5. Solids and sludges will be shoveled and /or vacuumed out for disposal at Envirotech (Permit Number NM-01-0011).
- 6. WPX will obtain prior approval from NMOCD to dispose, recycle, reuse, or reclaim the BGT and provide documentation of the disposition of the BGT in the closure report. Steel materials will be recycled or reused as approved by the Division. Fiberglass tanks will be empty, cut up or shredded, and EPA cleaned for disposal as solid waste. Liners materials will be cleaned without soils or contaminated material for disposal as

solid waste. Fiberglass tanks and liner materials will meet the conditions of paragraph 1 subsection D of 19.15.9.712 NMAC. Disposal will be at a licensed disposal facility, presently San Juan Regional Landfill operated by Waste Management under NMED Permit SWM-052426.

- 7. Any equipment associated with the BGT that is no longer required for some other purpose, following the closure will be removed from the location.
- 8. Following removal of the tank and any liner material, a five-point composite sample will be taken of the excavation and tested per 19.15.17.13(E)(4) NMAC as identified in Table 1. Grab samples will be collected from any area that is wet, discolored or showing other evidence of a release. Results will be report to the Division following receipt from the lab on Form C-141.

Components	Testing Methods	Closure Limits (mg/Kg)
Benzene	EPA SW-846 Method 8021B or 8260B	0.2
BTEX	EPA SW-846 Method 8021B or 8260B	50
TPH	EPA SW-846 Method 418.1(1)	100
Chlorides	EPA SW-846 Method 300.1(1)	250(2)

	Table 1:	Closure	Criteria	for <b>BGTs</b>
--	----------	---------	----------	-----------------

<sup>(1)</sup> Method modified for solid waste.

<sup>(2)</sup> If background concentration of Chlorides greater than 250 mg/Kg, then higher concentration will be used for closure.

- 9. If the Division and/or WPX determine there is a release, WPX will comply with 19.15.3.116 NMAC and 19.15.1.19 NMAC.
- 10. Upon completion of the tank removal, the excavation will be backfilled with nonwaste earthen material compacted and covered with a minimum of one foot of top soil or background thickness whichever is greater and to existing grade. The surface will be recontoured to match the native grade and prevent ponding.
- 11. For those portions of the former pit area no longer required for production activities, WPX will seed the disturbed areas the first growing season after the pit is covered. Seeding will be accomplished via drilling on the contour whenever practical, or by other Division-approved methods. Vegetative cover will equal 70% of the native perennial vegetative cover (un-impacted) consisting of at least three native plant species, including at least one grass, but not including noxious weeds, and maintained that cover through two successive growing seasons. Repeat seeding or planting will be continued until successful vegetative growth occurs. Note: If a surface owner agreement requires reseeding or other surface restoration that do not meet the revegetation requirements of 19.15.17.13.1 NMAC then WPX will submit the proposed alternative with written documentation that the surface owner agrees to the alternative, for Division approval.
- 12. For those portions of the former pit area required for production activities, reseeding will be done at well abandonment, and following the procedure noted above.

#### **Closure Report:**

All closure activities will include proper documentation and will be submitted to OCD within 60 days of the BGT closure on a Closure Report using Division Form C-144. The Report will include the following:

- Proof of Closure Notice (surface owner & NMOCD)
- Backfilling & Cover Installation
- Site Diagram with coordinates
- Available Inspection reports

- Confirmation Sampling Analytical Results
- Disposal Facility Name(s) and Permit Number(s)
- Application Rate & Seeding techniques
- Photo Documentation of Reclamation