

Submit 3 Copies To Appropriate District
Office
District I
1625 N. French Dr., Hobbs, NM 87240
District II
1301 W. Grand Ave., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

RECEIVED

JAN 24 2011
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
May 27, 2004

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-025-06013
1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/>		5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>
2. Name of Operator OXY USA Inc.		6. State Oil & Gas Lease No.
3. Address of Operator P.O. Box 50250 Midland, TX 79710-0250		7. Lease Name or Unit Agreement Name: Bertie Whitmire
4. Well Location Unit Letter <u>F</u> : <u>1980</u> feet from the <u>north</u> line and <u>1980</u> feet from the <u>west</u> line Section <u>8</u> Township <u>20S</u> Range <u>37E</u> NMPM County <u>Lea</u>		8. Well Number 3
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3549' GR		9. OGRID Number 16696
10. Pool name or Wildcat Eunice Monument GBSA		
Pit or Below-grade Tank Application <input type="checkbox"/> or Closure <input type="checkbox"/> Pit type _____ Depth to Groundwater _____ Distance from nearest fresh water well _____ Distance from nearest surface water _____ Pit Liner Thickness: _____ mil Below-Grade Tank: Volume _____ bbls; Construction Material _____		

12. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPLETION ☐
OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ PLUG AND ABANDONMENT ☐
CASING TEST AND CEMENT JOB ☐
OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

See Attachment

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☐ , a general permit ☐ or an (attached) alternative OCD-approved plan ☐

SIGNATURE David Stewart TITLE Sr. Regulatory Analyst DATE 1/24/11
Type or print name David Stewart E-mail address: david_stewart@oxy.com Telephone No. 432-685-5717

For State Use Only

APPROVED BY El Buzah TITLE STAFF MGR DATE 1-25-2011

Conditions of Approval, if any:

THE OIL CONSERVATION DIVISION MUST
BE NOTIFIED 24 HOURS PRIOR TO THE
BEGINNING OF PLUGGING OPERATIONS.

TD-3880' PBD-3415' Perfs-3436-3438' CIBP-3415'

10-3/4" 32.75# csg @ 225' w/ 150sx, 13-7/8" hole, TOC-Surf-Circ
7-5/8" 22# csg @ 2328' w/ 750sx, 9-7/8" hole, *TOC-1561-TS
5-1/2" 17# csg @ 3817' w/ 175sx, 6-3/4" hole, TOC-1872'-Calc
*1937-Perf 7-5/8" csg @ 1554', sqz total 2150sx cmt, circ to surface

1. RIH & tag CIBP @ 3415'
2. M&P 25sx cmt @ 3415-3315'
3. M&P 25sx cmt @ 2700-2600'
4. Perf @ 2378'sqz 40sx cmt to 2278' WOC-Tag
5. Perf @ 1140'sqz 50sx cmt to 985' WOC-Tag
6. Perf @ 275'sqz 85sx cmt to Surface
10# MLF between plugs

OXY USA Inc. - Proposed
Bertie Whitmire #3
API No. 30-0235-06013

85sx @ 275'-Surface

50sx @ 1140-985'

40sx @ 2378-2278' WOC-Tag

25sx @ 2700-2600'


25sx @ 3415-3315'

1985 - CIBP @ 3415'

1976 - CIBP @ 3466'

1974-CIBP @ 3515'

1961-CIBP @ 3675' w/ 5sx



Perf @ 275'

Perf @ 1140'

*1937-Perf @ 1554'sqz 2150sx, Circ to Surf

Perf @ 2378'

Perfs @ 3436-3438'

Perfs @ 3488-3490'

Perfs @ 3531-3583'

Perfs @ 3760-3800'


13-7/8" hole @ 225'
10-3/4" csg @ 225'
w/ 150sx-TOC-Surf-Circ

9-7/8" hole @ 2328'
7-5/8" csg @ 2328'
w/ 750sx-TOC-*1561-TS

6-3/4" hole @ 3822'
5-1/2" csg @ 3817'
w/ 175sx-TOC-1872'-Calc

TD-3880'

OXY USA Inc. - Current
Bertie Whitmire #3
API No. 30-0235-06013



13-7/8" hole @ 225'
10-3/4" csg @ 225'
w/ 150sx-TOC-Surf-Circ

*1937-Perf @ 1554'sqz 2150sx, Circ to Surf

9-7/8" hole @ 2328'
7-5/8" csg @ 2328'
w/ 750sx-TOC-*1561-TS

6-3/4" hole @ 3822'
5-1/2" csg @ 3817'
w/ 175sx-TOC-1872'-Calc

1985 - CIBP @ 3415'
1976 - CIBP @ 3466'

1974-CIBP @ 3515'

1961-CIBP @ 3675' w/ 5sx

Perfs @ 3436-3438'
Perfs @ 3488-3490'

Perfs @ 3531-3583'

Perfs @ 3760-3800'

TD-3880'