| Submit 3 Copies To Appropriate District Office District I State of New Mexico Minerals and Natural Resources | Form C-103 |
|--|---|
| ZOUTH TO THE TOTAL THE TOTAL TO THE TOTAL TOTAL TO THE TO | May 27, 2004 WELL API NO. |
| 1625 N. French Dr., Hobbs, NM 87240 District II 1301 W. Grand Ave., Artesia, NM 88340 2 4 CONSERVATION DIVISION | 30-025-36395 |
| District III | 5. Indicate Type of Lease |
| District III 1000 Rio Brazos Rd., Aztec, NM 8740BBSOCIP 20 South St. Francis Dr. Santa Fe, NM 87505 District IV | STATE FEE |
| 1220 S. St. Francis Dr., Santa Fe, NM 87505 | 6. State Oil & Gas Lease No. |
| SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.) | 7. Lease Name or Unit Agreement Name: A.L. Christmas NCT A |
| 1. Type of Well: Oil Well Gas Well X Other | 8. Well Number |
| 2. Name of Operator OXY USA Inc. | 9. OGRID Number 16696 |
| 3. Address of Operator | 10. Pool name or Wildcat |
| P.O. Box 50250 Midland, TX 79710-0250 | Jalmat Tansil Taytes 7 RVR |
| 4. Well Location | |
| Unit Letter B: 760 feet from the north line and | 1650 feet from the east line |
| Section 27 Township 22S Range 36E | NMPM County Lea |
| 11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3498' GR | |
| Pit or Below-grade Tank Application or Closure | |
| Pit type Depth to Groundwater Distance from nearest fresh water well Distance from nearest surface water | |
| Pit Liner Thickness: mil Below-Grade Tank: Volumebbls; Construction Material | |
| PERFORM REMEDIAL WORK PLUG AND ABANDON REMEDIAL WORK TEMPORARILY ABANDON CHANGE PLANS COMMENCE DRILLI PULL OR ALTER CASING MULTIPLE CASING TEST AND | SEQUENT REPORT OF: ALTERING CASING |
| COMPLETION CEMENT JOB OTHER: | |
| | |
| 13. Describe proposed or completed operations. (Clearly state all pertinent details, and give of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach or recompletion. TD-3700' PBTD-3638' Perfs-3024-3615' 8-5/8" 32# csg @ 1130' w/ 825sx, 12-1/4" hole, 75-1/2" 15.5# csg @ 3700' W/ 895sx, 7-7/8" hole, 1. RIH & set CIBP @ 2974' spot 25sx cmt on top 2. M&P 35sx cmt @ 1700-1500' WOC-Tag 3. M&P 25sx cmt @ 1180-1080' WOC-Tag 4. M&P 40sx cmt @ 250' to Surface 10# MLF between plugs | wellbore diagram of proposed completion OC-Surf-Circ |
| hereby certify that the information above is true and complete to the best of my knowledge | and belief. I further certify that any pit or below- |
| rade tank has been/will be constructed or closed according to NMOCD guidelines, a general permit [| or an (attached) alternative OCD-approved plan |
| | ory Analyst DATE ((Z.(() |
| Sype or print name David Stewart E-mail address: | david_stewart@oxy.com Telephone No. 432-685-5717 |
| For State Use Only | |
| APPROVED BY TITLE STAFF | NGZ DATE 1-25-2011 |
| Conditions of Approval, if any: THE OIL CONSERVATION DIVISION MUST BENOTIFIED 24 HOURS PRIOR TO THE | |
| BEGINNING OF PLUGGING OPERATIONS. | |

OXY USA Inc. - Proposed A.L. Christmas NCT A #11 API No. 30-025-36395


40sx @ 250'-Surface

12-1/4" hole @ 1130' 8-5/8" csg @ 1130' w/ 825sx-TOC-Surf-Circ

25sx @ 1180-1080' WOC-Tag

35sx @ 1700-1500' WOC-Tag

CIBP @ 2974' w/ 25sx



Perfs @ 3024-3615'

7-7/8" hole @ 3700' 5-1/2" csg @ 3700' w/ 895sx-TOC-Surf-Circ OXY USA Inc. - Current A.L. Christmas NCT A #11 API No. 30-025-36395

PB-36381

