

Jones, Brad A., EMNRD

From:

Lane, Myke [Myke.Lane@Williams.Com]

Sent:

Saturday, August 22, 2009 1:58 PM

To:

Jones, Brad A., EMNRD

Cc:

Powell, Brandon, EMNRD; Meador, Tasha; Basye, Matt

Subject:

Request for Closure Plan Review - Rosa 18

Brad:

We need to take the following below grade tanks out of service due to anticipated drilling of a new collocated well, and we would like to close these existing BGT. We request your review to allow closure.

WELLSITE	API	FMT	SEC	TWN	RNG	
Rosa #018	3003907960	BLANCO MV	22 (H)	31N	06W	* susuated to Attac Office
Rosa #018	3003907960	PICTURE CLIFFS	22 (H)	31N	06W	

Note there are two BGTs for this wellsite. Please contact me if there are any problems or you request additional information. Thanks for your consideration.

Michael K. (Myke) Lane. PE EH&S Team Leader - San Juan Basin Operations 721 S. Main/PO Box 640, Aztec. NM 87410 (505) 634-4219(off); -4205(fax); 330-3198(cell)

"The problems we face cannot be resolved at the same level of thinking as that which gave rise to them!"---shared with me by Brent Hale

This inbound email has been scanned by the MessageLabs Email Security System.

Jones, Brad A., EMNRD

From: Sent: Lane, Myke [Myke.Lane@Williams.Com] Tuesday, September 22, 2009 9:08 AM

To:

Jones, Brad A., EMNRD

Subject:

RE: Request for Closure Plan Review - Rosa 18

Sorry if this is causing confusion.

After your email, I assumed your approval would only be for the PC, and I was to get with Aztec for approval of the MV pit. I must have lost the email, but I do not show your approval for the Rosa Unit #018 – Picture Cliffs pit closure plan. We will schedule the work as soon as we get your approval.

Myke Lane

WPX - San Juan Basin EH&S Team Leader 505/634-4219 (off) 505/330-3198 (mob)

"Every new beginning starts with some other beginning's end!" --- Closing Time by Semisonic

From: Jones, Brad A., EMNRD [mailto:brad.a.jones@state.nm.us]

Sent: Tuesday, September 22, 2009 7:39 AM

To: Lane, Myke

Cc: Powell, Brandon, EMNRD

Subject: RE: Request for Closure Plan Review - Rosa 18

Myke,

Since you submitted the C-144 application/closure plan to the Aztec Office, I recommend that you contact them for approval of that specific application packet. I was under the assumption that it was something submitted to the Santa Fe office under the ASO, since the August 22nd request for "ROSA UNIT #018 - BLANCO MV" was addressed to me. I will process the "ROSA UNIT #018 - PICTURE CLIFFS" application as requested.

Brad

Brad A. Jones

Environmental Engineer
Environmental Bureau
NM Oil Conservation Division
1220 S. St. Francis Drive
Santa Fe, New Mexico 87505

E-mail: <u>brad.a.jones@state.nm.us</u>

Office: (505) 476-3487 Fax: (505) 476-3462

From: Lane, Myke [mailto:Myke.Lane@Williams.Com]

Sent: Monday, September 21, 2009 4:32 PM

To: Jones, Brad A., EMNRD

Subject: RE: Request for Closure Plan Review - Rosa 18

Thanks. I know all about missing emails.

A closure for the MV was submitted to the Aztec Office since this was a Subgrade Tank which included the siting and hydrogeologic packet along with the Closure plan. If I need to send another copy to your office I will do so tomorrow.

Myke Lane

WPX - San Juan Basin EH&S Team Leader 505/634-4219 (off) 505/330-3198 (mob)

"Every new beginning starts with some other beginning's end!" --- Closing Time by Semisonic

From: Jones, Brad A., EMNRD [mailto:brad.a.jones@state.nm.us]

Sent: Monday, September 21, 2009 3:44 PM

To: Lane, Myke

Subject: RE: Request for Closure Plan Review - Rosa 18

Myke,

For some reason I did not receive your August 26th email. As stated in my August 25th email below, there was only one closure plan C-144 submittal that was discovered in our search and it did not identify BLANCO MV or PICTURE CLIFFS. It is identified as "ROSA UNIT #018" only. I will apply it to PICTURE CLIFFS as requested. As for the BLANCO MV BGT, please provide OCD with a separate closure plan C-144 submittal.

Brad

Brad A. Jones

Environmental Engineer
Environmental Bureau
NM Oil Conservation Division
1220 S. St. Francis Drive
Santa Fe, New Mexico 87505
E-mail: brad.a.jones@state.nm.us

Office: (505) 476-3487 *Fax:* (505) 476-3462

From: Lane, Myke [mailto:Myke.Lane@Williams.Com]

Sent: Monday, September 21, 2009 11:31 AM

To: Jones, Brad A., EMNRD

Subject: RE: Request for Closure Plan Review - Rosa 18

Importance: High

Sent August 26th. Please let me know if this is insufficient or you need more information.

Myke Lane

WPX - San Juan Basin EH&S Team Leader 505/634-4219 (off) 505/330-3198 (mob)

"Every new beginning starts with some other beginning's end!" --- Closing Time by Semisonic

From: Jones, Brad A., EMNRD [mailto:brad.a.jones@state.nm.us]

Sent: Monday, September 21, 2009 10:00 AM

To: Lane, Myke

Cc: Powell, Brandon, EMNRD; Meador, Tasha; Basye, Matt Subject: RE: Request for Closure Plan Review - Rosa 18

Myke,

I never received a response to the email below. Please assist the OCD in resolving your request.

Brad

Brad A. Jones

Environmental Engineer Environmental Bureau NM Oil Conservation Division 1220 S. St. Francis Drive Santa Fe. New Mexico 87505 E-mail: brad.a.jones@state.nm.us

Office: (505) 476-3487 Fax: (505) 476-3462

From: Jones, Brad A., EMNRD

Sent: Tuesday, August 25, 2009 11:15 AM

To: 'Lane, Myke '

Cc: Powell, Brandon, EMNRD; Meador, Tasha; Basye, Matt Subject: RE: Request for Closure Plan Review - Rosa 18

Myke,

I could only find one closure plan C-144 submittal. It is only for one BGT and does not identify BLANCO MV or PICTURE CLIFFS. A closure plan C-144 submittal is required for each BGT, otherwise there is no way for OCD to determine how many BGTs are present or require closure. Please identify which BGT that you wish to apply the current submittal and provide OCD with a closure plan C-144 submittal for the other.

Brad

Brad A. Jones

Environmental Engineer Environmental Bureau NM Oil Conservation Division 1220 S. St. Francis Drive Santa Fe, New Mexico 87505 E-mail: brad.a.jones@state.nm.us

Office: (505) 476-3487 Fax: (505) 476-3462

From: Lane, Myke [mailto:Myke.Lane@Williams.Com]

Sent: Saturday, August 22, 2009 1:58 PM

To: Jones, Brad A., EMNRD

Cc: Powell, Brandon, EMNRD; Meador, Tasha; Basye, Matt

Subject: Request for Closure Plan Review - Rosa 18

Brad:

We need to take the following below grade tanks out of service due to anticipated drilling of a new collocated well, and we would like to close these existing BGT. We request your review to allow closure.

WELLSITE	API	FMT	SEC	TWN	RNG	
Rosa #018	3003907960	BLANCO MV	22 (H)	31N	06W	
Rosa #018	3003907960	PICTURE CLIFFS	22 (H)	31N	06W	

Note there are two BGTs for this wellsite. Please contact me if there are any problems or you request additional information. Thanks for your consideration.

Michael K. (Myke) Lane. PE EH&S Team Leader - San Juan Basin Operations 721 S. Main/PO Box 640, Aztec. NM 87410 (505) 634-4219(off); -4205(fax); 330-3198(cell)

"The problems we face cannot be resolved at the same level of thinking as that which gave rise to them!"---shared with me by Brent Hale

This inbound email has been scanned by the MessageLabs Email Security System.

Confidentiality Notice: This e-mail, including all attachments is for the sole use of the intended recipient(s) and may contain confidential and privileged information. Any unauthorized review, use, disclosure or distribution is prohibited unless specifically provided under the New Mexico Inspection of Public Records Act. If you are not the intended recipient, please contact the sender and destroy all copies of this message. -- This email has been scanned by the Sybari - Antigen Email System.

Confidentiality Notice: This e-mail,including all attachments is for the sole use of the intended recipient(s) and may contain confidential and privileged information. Any unauthorized review,use,disclosure or distribution is prohibited unless specifically provided under the New Mexico Inspection of Public Records Act. If you are not the intended recipient, please contact the sender and destroy all copies of this message. -- This email has been scanned by the MessageLabs Email Security System.

This inbound email has been scanned by the MessageLabs Email Security System.	
Confidentiality Notice: This e-mail, including all attachments is for the sole use of the intended recommand confidential and privileged information. Any unauthorized review, use, disclosure or prohibited unless specifically provided under the New Mexico Inspection of Public Records Act. If the intended recipient, please contact the sender and destroy all copies of this message This emission is canned by the Sybari - Antigen Email System.	distribution if you are not
Confidentiality Notice: This e-mail,including all attachments is for the sole use of the intended recomay contain confidential and privileged information. Any unauthorized review, use, disclosure or deprohibited unless specifically provided under the New Mexico Inspection of Public Records Act. In the intended recipient, please contact the sender and destroy all copies of this message This emission is the Message Labs Email Security System.	listribution is If you are not
This inbound email has been scanned by the MessageLabs Email Security System.	
Confidentiality Notice: This e-mail, including all attachments is for the sole use of the intended remay contain confidential and privileged information. Any unauthorized review, use, disclosure or prohibited unless specifically provided under the New Mexico Inspection of Public Records Act. In the intended recipient, please contact the sender and destroy all copies of this message This em scanned by the Sybari - Antigen Email System.	distribution i
Confidentiality Notice: This e-mail, including all attachments is for the sole use of the intended recomay contain confidential and privileged information. Any unauthorized review, use, disclosure or deprohibited unless specifically provided under the New Mexico Inspection of Public Records Act. In the intended recipient, please contact the sender and destroy all copies of this message This emscanned by the MessageLabs Email Security System.	listribution is If you are not
This inbound email has been scanned by the MessageLabs Email Security System.	

District I	State of New Mexico
1625 N. French Dr., Hobbs, NM 88240	Energy Minerals and Natural Resources
District II 1301 W. Grand Avenue, Artesia, NM 88210	Department
1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410	— Oil Conservation Division
1000 Rio Brazos Road, Aztec, NM 87410	1220 South St. Francis Dr.
1220 S. St. Francis Dr., Santa Fe, NM. 87505	
TAN I LU CO (III	

Liner type: Thickness

Alternative Method:

For temporary pits, closed-loop systems, and below-grade tanks, submit to the appropriate NMOCD District Office.

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD

District Office.					
Pit, Closed-Loop System, Below-Grade Tank, or					
Proposed Alternative Method Permit or Closure Plan Application					
Type of action: Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method Modification to an existing permit Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system, below-grade tank, or proposed alternative method					
Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request					
Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.					
Operator: WILLIAMS PRODUCTION COMPANY, LLC OGRID #: 120782					
Address: PO Box 640 Aztec, NM 87410					
Facility or well name:					
API Number: 3003907960 OCD Permit Number:					
Section 22H Township 31N Range 06W County RIO ARRIBA					
Latitude: 36.88841 Longitude 107.44404 NAD: 1983 Surface Owner: FEDERAL					
2. Pit: Subsection F or G of 19.15.17.11 NMAC					
Temporary: Drilling Workover					
☐ Permanent ☐ Emergency ☐ Cavitation ☐ P&A					
☐ Lined ☐ Unlined Liner type: Thicknessmil ☐ LLDPE ☐ HDPE ☐ PVC ☐ Other					
☐ String-Reinforced					
Liner Seams: Welded Factory Other Volume: bbl Dimensions: L x W x D					
3. Closed-loop System: Subsection H of 19.15.17.11 NMAC Type of Operation: P&A Drilling a new well Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent) Drying Pad Above Ground Steel Tanks Haul-off Bins Other Lined Unlined Liner type: Thickness mil LLDPE HDPE PVC Other Liner Seams: Welded Factory Other					
4. ⊠ Below-grade tank: Subsection I of 19.15.17.11 NMAC					
Volume: 120 bbl Type of fluid: PRODUCED WATER					
Tank Construction material: FIBERGLASS TANK w/BANDED 20-mil HDPE SECONDARY LINER					
Secondary containment with leak detection Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off					
☐ Visible sidewalls and liner ☐ Visible sidewalls only ☐ Other					

Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

_mil 🔲 HDPE 🗌 PVC 🔲 Other _

6. Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks)	
Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, it is the straight of the straight o	hospital,
institution or church) Four foot height, four strands of barbed wire evenly spaced between one and four feet	
Alternate. Please specify	
7.	
Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)	
⊠ Screen □ Netting □ Other	
Monthly inspections (If netting or screening is not physically feasible)	
8.	
Signs: Subsection C of 19.15.17.11 NMAC	
12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers	
⊠ Signed in compliance with 19.15.3.103 NMAC	
9. Administrative Approvals and Exceptions:	
Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.	
Please check a box if one or more of the following is requested, if not leave blank:	- CC C
Administrative approval(s): Requests must be submitted to the appropriate division district or the Santa Fe Environmental Bureau consideration of approval.	office for
Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.	
10. Siting Criteria (regarding permitting): 19.15.17.10 NMAC	
Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of accep	
material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of a	
Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to dryi	
above-grade tanks associated with a closed-loop system.	☐ Yes ☐ No
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).	☐ Yes ☐ No
- Topographic map; Visual inspection (certification) of the proposed site	
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes No
(Applies to temporary, emergency, or cavitation pits and below-grade tanks) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ NA
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	☐ Yes ☐ No
(Applies to permanent pits) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	∐ NA
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock	☐ Yes ☐ No
watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance	☐ Yes ☐ No
adopted pursuant to NMSA 1978, Section 3-27-3, as amended.	
- Written confirmation or verification from the municipality; Written approval obtained from the municipality	
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☐ No
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological	☐ Yes ☐ No
Society; Topographic map	
Within a 100-year floodplain FEMA map	☐ Yes ☐ No

Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are
attached. ☐ Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC ☐ Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC ☐ Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC ☐ Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC ☐ Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC ☐ Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC
and 19.15.17.13 NMAC Previously Approved Design (attach copy of design) API Number: or Permit Number:
12.
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.
☐ Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9 ☐ Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC ☐ Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC ☐ Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC ☐ Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Previously Approved Design (attach copy of design) API Number:
☐ Previously Approved Operating and Maintenance Plan API Number:(Applies only to closed-loop system that use
above ground steel tanks or haul-off bins and propose to implement waste removal for closure)
13. Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Climatological Factors Assessment
 □ Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC □ Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC □ Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC □ Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC □ Quality Control/Quality Assurance Construction and Installation Plan
 □ Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC □ Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC □ Nuisance or Hazardous Odors, including H₂S, Prevention Plan □ Emergency Response Plan □ Oil Field Waste Stream Characterization
Monitoring and Inspection Plan
☐ Erosion Control Plan ☐ Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
14. Proceed Classes 10.15.17.12 NIMAC
Proposed Closure: 19.15.17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.
Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System Alternative
Proposed Closure Method: Waste Excavation and Removal Waste Removal (Closed-loop systems only)
On-site Closure Method (Only for temporary pits and closed-loop systems)
☐ In-place Burial ☐ On-site Trench Burial ☐ Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)
15.
Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached. Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC
 ☑ Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC ☑ Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)
 Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

16. Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: (19.15.17.13.D Instructions: Please indentify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings. Use attachment if m facilities are required.	
Disposal Facility Name: Disposal Facility Permit Number:	
Disposal Facility Name: Disposal Facility Permit Number:	
Will any of the proposed closed-loop system operations and associated activities occur on or in areas that will not be used for future serv Yes (If yes, please provide the information below) No	rice and operations?
Required for impacted areas which will not be used for future service and operations: Soil Backfill and Cover Design Specifications based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC	C
Siting Criteria (regarding on-site closure methods only): +9.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable source provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Justif demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC for guidance.	ict office or may be fications and/or
Ground water is less than 50 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes ⊠ No □ NA
Ground water is between 50 and 100 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☒ No ☐ NA
Ground water is more than 100 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No ☑ NA
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ⊠ No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ⊠ No
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site	☐ Yes ⊠ No
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approval obtained from the municipality	☐ Yes ⊠ No
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☒ No
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☒ No
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map	☐ Yes ⊠ No
Within a 100-year floodplain FEMA map	☐ Yes ⊠ No
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan by a check mark in the box, that the documents are attached. Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17.11 NMAC Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.13 NMAC Protocols and Procedures - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC	5.17.11 NMAC

19. Operator Application Certification:	
I hereby certify that the information submitted with this application is true,	accurate and complete to the best of my knowledge and belief.
Name (Print): HOLLY C. PERKINS	Title: EH&S SPECIALIST
Signature: Signature:	Date: 2/13/2009
e-mail address: holly.perkins@williams.com	Telephone:505-634-4209
20. OCD Approval: ☐ Permit Application (inseluding closure plan) ☐ Clos	
OCD Representative Signature:	Approval Date: 9/25/09
Title: Farmundal Engineer	OCD Permit Number:
Closure Report (required within 60 days of closure completion): Subse Instructions: Operators are required to obtain an approved closure plan p The closure report is required to be submitted to the division within 60 day section of the form until an approved closure plan has been obtained and	prior to implementing any closure activities and submitting the closure report. ys of the completion of the closure activities. Please do not complete this
	☐ Closure Completion Date:
22. Closure Method: Waste Excavation and Removal On-Site Closure Method A If different from approved plan, please explain.	Alternative Closure Method Waste Removal (Closed-loop systems only)
23. Closure Report Regarding Waste Removal Closure For Closed-loop Sys	stems That Utilize Above Ground Steel Tanks or Haul-off Bins Only:
	s, drilling fluids and drill cuttings were disposed. Use attachment if more than
Disposal Facility Name:	Disposal Facility Permit Number:
Disposal Facility Name:	
Were the closed-loop system operations and associated activities performed Yes (If yes, please demonstrate compliance to the items below)	on or in areas that will not be used for future service and operations?
Required for impacted areas which will not be used for future service and op Site Reclamation (Photo Documentation) Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique	perations:
24.	
mark in the box, that the documents are attached.	ving items must be attached to the closure report. Please indicate, by a check
Proof of Closure Notice (surface owner and division) Proof of Deed Notice (required for on-site closure)	
☐ Plot Plan (for on-site closures and temporary pits)	
☐ Confirmation Sampling Analytical Results (if applicable) ☐ Waste Material Sampling Analytical Results (required for on-site clos	cura)
☐ Disposal Facility Name and Permit Number	suic)
☐ Soil Backfilling and Cover Installation ☐ Re-vegetation Application Rates and Seeding Technique	
Site Reclamation (Photo Documentation)	,
	NAD: ☐1927 ☐ 1983
25. Operator Closure Certification:	
I hereby certify that the information and attachments submitted with this clo belief. I also certify that the closure complies with all applicable closure req	
Name (Print):	• • • • • • • • • • • • • • • • • • • •
Signature:	
e-mail address:	Telephone:

Williams Production Co., LLC San Juan Basin: New Mexico Assets

Below-Grade Tank Removal Closure Plan

In accordance with Rule 19.15.17.13 NMAC, the following plan describes the general closure requirements of below-grade tanks (BGT) on Williams Production Co, LLC (WPX) locations in the San Juan Basin of New Mexico. This is WPX's standard closure procedure for all BGTs regulated under Rule 19.15.17 NMAC and operated by WPX. For those closures which do not conform to this standard closure plan, a separate well/pit specific closure plan will be developed and utilized.

Closure Conditions and Timing:

· 1

Pursuant to 19.15.17.13 (A) NMAC, WPX will initiate closure of any BGT should any one of these conditions occur:

- The Division requires closure because of imminent danger to fresh water, public health or the environment.
- The integrity of the BGT fails. Notification will be within 48 hours to the Division and closure will be schedule as specified in 19.15.17.12 (A)(5) NMAC.
- WPX chooses to take the BGT out-of-service due to operational needs. Closure
 under these conditions will be closed within 60 days of cessation of the BGT's
 operation.
- BGTs installed prior to June 16, 2008 that do not meet the requirements under 19.15.17.11.1(6) NMAC and WPX chooses not to retrofit or upgrade. Closure under these conditions will be completed within five years (by June 16, 2013).

General Plan Requirements:

- 1. Prior to initiating any BGT Closure except in the case of an emergency, WPX will review County Tax Records for the current surface owner of record. The surface owner of record will be notified of the intent to closure the BGT by certified mail and a copy of this notification will be included in the closure report. In the case of an emergency, the surface owner of record will be notified as soon as practical.
- 2. Notice of Closure will be given to the Aztec District office between 72 hours and one week of the scheduled closure via email or phone. The notification of closure will include the following:
 - a. Operators Name (WPX)
 - b. Well Name and API Number
 - c. Location (USTR)
- 3. All piping will be rerouted to an alternative produced water storage/disposal location (e.g. surface tanks, temporary frac tank, ...). The well will be temporarily shutin until the rerouting is completed.
- 4. All produced water will be removed from the BGT following discharge-pipe rerouting. Produced water will be disposed at one of the following NMOCD approved facilities depending on the proximity of the BGT site: Rosa Unit SWD #1 (Order: SWD-916, API: 30-039-27055), Rosa Unit #94 (Order: SWD-3RP-1003-0, API: 30-039-23035), Jillson Fed. SWD #001 (Order: R10168/R10168A, API: 30-039-25465), Middle Mesa SWD #001 (Order: SWD-350-0, API: 30-045-27004) and/or Basin Disposal (Permit: NM-01-0005).
- 5. Solids and sludges will be shoveled and /or vacuumed out for disposal at Envirotech (Permit Number NM-01-0011).
- 6. WPX will obtain prior approval from NMOCD to dispose, recycle, reuse, or reclaim the BGT and provide documentation of the disposition of the BGT in the closure report. Steel materials will be recycled or reused as approved by the Division. Fiberglass tanks will be empty, cut up or shredded, and EPA cleaned for disposal as solid waste. Liners materials will be cleaned without soils or contaminated material for disposal as

solid waste. Fiberglass tanks and liner materials will meet the conditions of paragraph 1 subsection D of 19.15.9.712 NMAC. Disposal will be at a licensed disposal facility, presently San Juan Regional Landfill operated by Waste Management under NMED Permit SWM-052426.

- 7. Any equipment associated with the BGT that is no longer required for some other purpose, following the closure will be removed from the location.
- 8. Following removal of the tank and any liner material, a five-point composite sample will be taken of the excavation and tested per 19.15.17.13(E)(4) NMAC as identified in Table 1. Grab samples will be collected from any area that is wet, discolored or showing other evidence of a release. Results will be report to the Division following receipt from the lab on Form C-141.

	_				
Table	1 •	Closure	Critoria	tor RCTc	-
TULLIT		CHUSUIT	CHICHGIA	101 00713	

Components	Testing Methods	Closure Limits (mg/Kg)
Benzene	EPA SW-846 Method 8021B or 8260B	0.2
BTEX	EPA SW-846 Method 8021B or 8260B	50
TPH	EPA SW-846 Method 418.1(1)	100
Chlorides	EPA SW-846 Method 300.1(1)	250(2)

⁽¹⁾ Method modified for solid waste.

- 9. If the Division and/or WPX determine there is a release, WPX will comply with 19.15.3.116 NMAC and 19.15.1.19 NMAC.
- 10. Upon completion of the tank removal, the excavation will be backfilled with non-waste earthen material compacted and covered with a minimum of one foot of top soil or background thickness whichever is greater and to existing grade. The surface will be recontoured to match the native grade and prevent ponding.
- 11. For those portions of the former pit area no longer required for production activities, WPX will seed the disturbed areas the first growing season after the pit is covered. Seeding will be accomplished via drilling on the contour whenever practical, or by other Division-approved methods. Vegetative cover will equal 70% of the native perennial vegetative cover (un-impacted) consisting of at least three native plant species, including at least one grass, but not including noxious weeds, and maintained that cover through two successive growing seasons. Repeat seeding or planting will be continued until successful vegetative growth occurs. Note: If a surface owner agreement requires reseeding or other surface restoration that do not meet the revegetation requirements of 19.15.17.13.1 NMAC then WPX will submit the proposed alternative with written documentation that the surface owner agrees to the alternative, for Division approval.
- 12. For those portions of the former pit area required for production activities, reseeding will be done at well abandonment, and following the procedure noted above.

Closure Report:

All closure activities will include proper documentation and will be submitted to OCD within 60 days of the BGT closure on a Closure Report using Division Form C-144. The Report will include the following:

- Proof of Closure Notice (surface owner & NMOCD)
- Backfilling & Cover Installation
- Site Diagram with coordinates
- Available Inspection reports

- Confirmation Sampling Analytical Results
- Disposal Facility Name(s) and Permit Number(s)
- Application Rate & Seeding techniques
- Photo Documentation of Reclamation

⁽²⁾ If background concentration of Chlorides greater than 250 mg/Kg, then higher concentration will be used for closure.