

Submit 3 Copies To Appropriate District
Office
District I
1625 N. French Dr., Hobbs, NM 87240
District II
1301 W. Grand Ave., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103

June 19, 2008

RECEIVED
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505
JAN 04 2011
HOBSOCD

WELL API NO. 30-025-34212 ✓
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name: Eunice Monument South Unit ✓
8. Well Number 640 ✓
9. OGRID Number 005380 ✓
10. Pool name or Wildcat Eunice Monument; Grayburg-San Andres
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3571' GL

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH
PROPOSALS.)

1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other	2. Name of Operator XTO Energy, Inc.
3. Address of Operator 200 N. Loraine, Ste. 800 Midland, TX 79701	4. Well Location Unit Letter <u>F</u> R : 1340 feet from the South line and 2495 feet from the East line Section 5 Township 21S Range 36E NMPM County Lea
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3571' GL	

12. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☐
CASING/CEMENT JOB ☐

OTHER: Add perfs; Acdz & return to production ☒

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

11/29/10 - MIRU WS, ND BOP, ND WH, MI & rack 125jts 2-7/8" prod tbg, tag CIBP @ 3780, circ clean
12/01/10 - RIH & perf 3748-3776' (60 holes), RIH w. 7" pkr & 119jts tbg, set pkr @ 3679', L&T TCH to 350psig, acdz Grayburg perfs w/3500gls 20% 90/10, flush w/30bbbs 2% kcl wtr
12/02/10 - RIH w/2-7/8" swab cups, made 28runs in 7 hrs, rel pkr
12/03/10 - RIH w/6-1/8" bit, 6 4-1/4"DCs & 114jts prod tbg, DO CIBP & chase to PBD @ 3979, circ clean
12/06/10 - RIH w/sonic hammer & 121jts tbg, sonic hammer wash Grayburg OH fr 3801-3910 w/100 bbbs #9 brine wtr & circ to half pit, sonic acdz w/2500gls 20% 90/10, flush w/100bbbs #9 brine wtr
cont'd on next page

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Patty Urias TITLE Regulatory Analyst DATE 12/15/10
Type or print name Patty Urias E-mail address: patty_urias@xtoenergy.com PHONE 432-620-4318

For State Use Only

APPROVED BY [Signature] TITLE PETROLEUM ENGINEER DATE JAN 28 2011
Conditions of Approval (if any):

Eunice Monument South Unit #640
C103 – cont'd

12/07/10 – RIH w/2-7/8" swab cups, made 40 runs in 10 hrs

12/08/10 – POOH w/tbg and LD SH tool, RIH w/119jts 2-7/8" 6.5# J-55 EUE 8rd prod tbg,
7" TAC, 1-1/4" GA, 2.5"x2.00"x24'x4' RXBC, 3/4" RHBC, 7/8" stblz sub, 20 1-1/2"
K-bars, 130 1" D-90 rods & 1-1/2"x26' SMPR, ND BOP, set TAC w/18000 tens,
NU WH, RIH w/insert pmp & rods, SWO, RDMO PU, RWTP

EUNICE MONUMENT SOUTH UNIT #640

