

Submit to appropriate District
Office
District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Ave., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico

Energy, Minerals and Natural Resources

Form C-103
October 13, 2009

RECEIVED
FEB 09 2011
HOBBSDO

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO.	30-025-26785
Indicate Type of Lease	STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No.	VB-846
7. Lease Name or Unit Agreement Name	STATE-GR
8. Well Number	001
9. OGRID Number	190595
10. Pool name or Wildcat	SALADO DRAW; WOLFCAMP (GAS)
11. Elevation (Show whether DR, RKB, RT, GR, etc.)	3267.9

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)	
1. Type of Well: Oil Well <input type="checkbox"/> Gas Well <input type="checkbox"/> Other <input checked="" type="checkbox"/>	
2. Name of Operator	Endeavor Energy Resources, LP
3. Address of Operator	110 N. Marienfeld, Ste 200 Midland, TX 79701
4. Well Location	Unit Letter G : 1980 feet from the NORTH line and 1980 feet from the EAST line Section 17 Township 26S Range 33E NMPM County LEA
11. Elevation (Show whether DR, RKB, RT, GR, etc.)	3267.9

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	P AND A <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	MULTIPLE COMPL <input type="checkbox"/>	CASING/CEMENT JOB <input type="checkbox"/>	
DOWNHOLE COMMINGLE <input type="checkbox"/>			
OTHER: <input type="checkbox"/>		OTHER: Re-Entry of P&A'd wellbore <input checked="" type="checkbox"/>	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

11/11/10 -11/29/10 - Meet w/backhoe and dug out cellar and old cellar boards, down to 16" casing. Top of 16" casing @ 4' below ground level, cont. digging out cellar to 6' from ground level. Knock down brush and back drag location w/backhoe. Punched hole in plate on 16" casing, no pressure, showed gas on monator, stuck wire down through hole and found cement 10" down from top of casing. Cut top off top of 16" casing, made final cut on 10 3/4" casing. Cont. Welding on 10 3/4" x 11" 5000# well head, base plate and cap 16" casing to 10 3/4" casing. Set in 6' x 6' x 6' cellar box. Back fill and pack in dirt around cellar, finish back dragging location. M/U 9 1/2" bit, bit subs, on 4 1/4" drill collar, N/U 11" 5000# x 7 1/16" 5000# spool and stripper head. Start drilling top plug from surface to 158' and fell through hard cement, RIH to 257' circulate hole clean. L/D swivel and RIH w/tubing to tag plug # 2 @ 727', R/U swivel and cont. drilling cement from 727'. Drilling cement @ 852'. Drilling cement @ 918'. Drilling cement @ 1048'. Drilling cement @ 1080'. Circulate hole clean. Cont. drilling cement from 1080' to 1088' and fell through cement, RIH to plug # 3 and tagged plug @ 3003'. Circulate heavy mud out of hole, test casing to 1500 psi OK. Cont. drilling cement from 3003' to 3594' and found 7 5/8" casing top @ 3737'. Circulate bottoms up, pressure test casing to 1500 psi. OK R/D swivel and stripper head. POH w/tubing, drill collars and 9 1/2" bit, break out subs and bit. M/U 6 1/2" bit, 6- 4 1/4" drill collars and RIH w/tubing to top of 7 5/8" casing @ 3737'.

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Jenifer Sorley TITLE Regulatory Analyst DATE 01/27/2011

Type or print name Jenifer Sorley E-mail address: Jenifer@eeronline.com PHONE: (432)262-4014

For State Use Only

APPROVED BY: [Signature] TITLE PETROLEUM ENGINEER DATE FEB 10 2011

Conditions of Approval (if any):

Submit to the appropriate District
Office
District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Ave., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
October 13, 2009

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO.	30-025-26785
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>	
6. State Oil & Gas Lease No.	
7. Lease Name or Unit Agreement Name STATE GR	
8. Well Number	001
9. OGRID Number	190595
10. Pool name or Wildcat	SALADO DRAW; WOLFCAMP (GAS)

2011 FEB 2 8 54

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)	
1. Type of Well: Oil Well <input type="checkbox"/> Gas Well <input type="checkbox"/> Other	
2. Name of Operator Endeavor Energy Resources, LP	
3. Address of Operator 110 N. Marienfeld, Ste 200 Midland, TX 79701	
4. Well Location Unit Letter <u>G</u> : 1980 feet from the <u>NORTH</u> line and 1980 feet from the <u>EAST</u> line Section <u>17</u> Township <u>26S</u> Range <u>33E</u> NMPM County <u>LEA</u>	
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3267.9	

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☐
CASING/CEMENT JOB ☐

OTHER: ☐

OTHER: Re-Entry of P&A'd wellbore ☒

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

11/11/10 -11/29/10 - Started drilling cement @ 3737', we had a hard time getting inside 7 5/8" casing, drilling on metal and slipped inside and cont. drilling cement w/metal junk ahead of bit. Drilling cement and junk metal to 3848' to 3881' and fell through, RIH to 3970' and tagged cement. Cont. drilling cement & junk metal from 3970' to tag tight spot @ 4689', hard to make hole to 4699'. Drilling cement & metal from 4699' to 4924'. R/D swivel & stripper head, POH w/tbg, drill collars & bit, bit was locked down w/big pieces of casing 1"x2". 40% of the teeth were knocked off and bit was flat spotted where it was locked down. Had 1 loose cone. M/U new 6 1/2" skirted bit, 6 - 4 1/4" D.C. and RIH w/tubing to 4920', R/U stripper head & swivel. Cont. drilling junk & cement from 4920' to 4990' and fell through, RIH to tag @ 7437', R/U swivel. Cont. drilling cement from 7437' to 7535' and fell out of cement, circulate bottoms up, had a small gas bubble w/bottoms up. We have 10# brine in hole below cement. Cont. RIH from 7535' to 8912', circulated bottoms up, small gas bubble in returns. Checked pressure 60 psi on tbg, 0 psi csg. Circulate gas off well. Cont. RIH w/tubing from 8912' to top of 5 1/2" casing @ 11,897' Circulate gas off well, R/D stripper head. POH w/tubing, L/D drill collars and 6 1/2" bit. M/U 4 1/2" bit on 2 7/8" tubing and RIH to 10,200'. Checked pressure, 0 psi on tbg and csg. Cont RIH w/4 1/2" bit & tbg from 10,200' to top of 5 1/2" casing @ 11,897'.

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE

TITLE Regulatory Analyst

DATE 01/27/2011

Type or print name Jenifer Sorley

E-mail address: Jenifer@eeronline.com

PHONE: (432)262-4014

For State Use Only

APPROVED BY:

TITLE PETROLEUM ENGINEER

DATE FEB 10 2011

Conditions of Approval (if any):

Submit to appropriate District
Office
District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Ave., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-105
October 13, 2009

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-025-26785
1. Type of Well: Oil Well <input type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/>		5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
2. Name of Operator Endeavor Energy Resources, LP		6. State Oil & Gas Lease No.
3. Address of Operator 110 N. Marienfeld, Ste 200 Midland, TX 79701		7. Lease Name or Unit Agreement Name STATE GR 8 54
4. Well Location Unit Letter <u>G</u> : 1980 feet from the <u>NORTH</u> line and 1980 feet from the <u>EAST</u> line Section <u>17</u> Township <u>26S</u> Range <u>33E</u> NMPM County <u>LEA</u>		8. Well Number 001
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3267.9		9. OGRID Number 190595
		10. Pool name or Wildcat SALADO DRAW; WOLFCAMP (GAS)

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:
PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐

SUBSEQUENT REPORT OF:
REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☐
CASING/CEMENT JOB ☐

OTHER: ☐

OTHER: Re-Entry of P&A'd wellbore ☒

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

11/11/10 - 11/29/10 - Dropped down through top of 5 1/2" casing to tag cement @ 11,897', R/U swivel and stripper head and drill hard cement down to 12,010' bit is sticking in casing. Circulate bottoms up. R/D Swivel and stripper head. POH & L/D 25 jts tubing to pipe racks. Checked pressure: 0 psi tbg and csg. Cont POH & L/D 2 7/8" N-80 work string, break out bit & bit sub, bit was pinched and shanks were worn down. R/D floor and tongs, N/D spool, BOP and spacer spool, N/U capping flange, filled hole w/10# Brine. Shut well in.

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Jenifer Sorley TITLE Regulatory Analyst DATE 01/27/2011

Type or print name Jenifer Sorley E-mail address: Jenifer@eeronline.com PHONE: (432)262-4014
For State Use Only

APPROVED BY: [Signature] TITLE PETROLEUM ENGINEER DATE FEB 10 2011
Conditions of Approval (if any):