1625 N. French Dr., Hobbs, NM 88

State of New Mexico RECEIVE Minerals and Natural Resources

Form C-144 CLEZ July 21, 2008

District II 1301 W. Grand Avenue, Artesia, NM District III 1000 Rio Brazos Road, Aztec, NM 87410 1220 S. St. Francis Dr., Santa Fe, NM 87505

District I

Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For closed-loop systems that only use above ground steel tanks or haul-off bins and propose to implement waste removal for closure, submit to the appropriate NMOCD District Office.

Closed-Loop System Permit or Closure Plan Application

(that only use above ground steel tanks or haul-off bins and propose to implement waste removal for closure)

Type of action: ☐ Permit ☐ Closure

Instructions: Please submit one application (Form C-144 CLEZ) per individual closed-loop system request. For any application request other than for a closed-loop system that only use above ground steel tanks or haul-off bins and propose to implement waste removal for closure, please submit a Form C-144.

Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.

Operator: Yates Petroleum Corporation	OGRID #: <u>025575</u>							
Address: 105 South Fourth Street, Artesia, New Mexico 88210								
Facility or well name: Basilisk BQS State Com #1H								
API Number: 30-025-40054 OCD Permit Number: P1-02889								
U/L or Qtr/Qtr N Section 36 Township 24S Rang	e 32E County: <u>Lea</u>							
Center of Proposed Design: Latitude N 32.167797 Long	itude <u>W 103.463836</u> NAD: □1927 🛛 1983							
Surface Owner: Federal State Private Tribal Trust or Indian Allotment								
2.								
Closed-loop System: Subsection H of 19.15.17.11 NMAC	1:1 · · · · 1 · · · · · · · · · · · · ·							
Operation: Drilling a new well Workover or Drilling (Applies to activities	which require prior approval of a permit or notice of intent) \(\subseteq\) P&A							
3. <u>Signs:</u> Subsection C of 19.15.17.11 NMAC								
12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers								
⊠ Signed in compliance with 19.15.3.103 NMAC								
4.								
Closed-loop Systems Permit Application Attachment Checklist: Subsection B Instructions: Each of the following items must be attached to the application.								
attached.	teuse thatcute, by a check mark in the box, that the abcuments are							
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMA								
Operating and Maintenance Plan - based upon the appropriate requirements Closure Plan (Please complete Box 5) - based upon the appropriate requirements								
Previously Approved Design (attach copy of design) API Number:	ients of Subsection C of 19.13.17.9 MMAC and 19.13.17.13 MMAC							
☐ Previously Approved Design (attach copy of design) API Number: ———————————————————————————————————								
5.								
Waste Removal Closure For Closed-loop Systems That Utilize Above Ground								
Instructions: Please indentify the facility or facilities for the disposal of liquids, facilities are required.	drilling fluids and drill cuttings. Use attachment if more than two							
Disposal Facility Name: Gandy Marley	Disposal Facility Permit Number: NM-01-0019							
Disposal Facility Name: CRI	Disposal Facility Permit Number: R-9166							
Disposal Facility Name: <u>Lea Land Farm</u>	Disposal Facility Permit Number: <u>WM-1-035</u>							
Disposal Facility Name: Sundance Services Inc.	Disposal Facility Permit Number: <u>NM-01-0003</u>							
Will any of the proposed closed-loop system operations and associated activities occur on or in areas that will not be used for future service and operations?								
☐ Yes (If yes, please provide the information below) ☐ No								
Required for impacted areas which will not be used for future service and operations:								
Soil Backfill and Cover Design Specifications based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC								
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC								

The transfer of the state of the state of

6. Operator Application Certification:								
I hereby certify that the information submitted with this application is true, accur	rate and complete to the best of my knowledge and belief.							
Name (Print): Monti Sanders	Title: Land Regulatory Technician							
Signature: M. Madly	Date: <u>2/7/11</u>							
e-mail address:montis@yatespetroleum.com	Telephone: <u>575-748-4244</u>							
7. OCD Approval: Permit Application (including closure plan) Closure Plan (only)								
OCD Representative Signature:	OCD Permit Number: P1-02889							
Title: Geologist	OCD Permit Number: P1-02889							
8. Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed.								
	Closure Completion Date:							
9. Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: Instructions: Please indentify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized.								
Disposal Facility Name:	Disposal Facility Permit Number:							
Disposal Facility Name:	Disposal Facility Permit Number:							
Were the closed-loop system operations and associated activities performed on or in areas that <i>will not</i> be used for future service and operations? Yes (If yes, please demonstrate compliance to the items below) No								
Required for impacted areas which will not be used for future service and operat Site Reclamation (Photo Documentation) Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique	ions:							
Operator Closure Certification: I hereby certify that the information and attachments submitted with this closure belief. I also certify that the closure complies with all applicable closure requirer								
Name (Print):	Title:							
Signature:	Date:							
e-mail address:	Telephone:							

Yates Petroleum Corporation Closed Loop System

Equipment Design Plan

Closed Loop System will consist of:

- 1 double panel shale shaker
- 1 (minimum) Centrifuge, certain wells and flow rates may require 2 centrifuges On certain wells, the Centrifuge will be replaced by a Clackco Settling Tank System
- 1 minimum centrifugal pump to transfer fluids
- 2-500 bbl. FW Tanks
- 1-500 bbl. BW Tank
- 1 half round frac tank 250 bbl. capacity as necessary to catch cement / excess mud returns generated during a cement job.
- 1 Set of rail cars / catch bins

Certain wells will use an ASC Auger Tank

Operation Plan

All equipment will be inspected at least hourly by rig personnel and daily by contractors' personnel.

Any spills / leaks will be reported to YPC, NMOCD, and cleaned up without delay.

Closure Plan

Drilling with Closed Loop System, haul off bins will be taken to Gandy Marley, Lea Land Farm, CRI or Sundance Services Inc.

Co: Yates Petroleum Corporation Units: Feet, °, °/100ft VS Az: 0.00 Tgt TVD: 9220.00

Drillers: 0 Elevation: Tgt Radius: 0.00 Tgt MD: 0.00

Well Name: Basilisk BQS State Com. #1H Northing: Tgt N/S: 4620.00 Tgt Displ.: 0.00

Location: Sect. 36, 24S-32E Easting: Tgt E/W: 0.00 Method: Minimum Curvature

No.	MD CL	Inc.	Azi.	TVD	VS .	+N/S-	+E/W-	BR	WR	DLS Comments
0	0.00 0.00	0.00	0.00	0.00	0.00	0.00	0.00			
1	780.00 780.00	0.00	0.00	780.00	0.00	0.00	0.00	0.00	0.00	0.00 Rustler
2 ~	1120.00 340.00	0.00	0.00	1120.00	0.00	0.00	0.00	0.00	0.00	0.00 Top of Salt
3	4520.00 3400.00	0.00	0.00	4520.00	0.00	0.00	0.00	0.00	0.00	0.00 Base of Salt
4	4800.00 280.00	0.00	0.00	4800.00	0.00	0.00	0.00	0.00	0.00	0.00 Bell Canyon
5	5900.00 1100.00	0.00	0.00	5900.00	0.01	0.01	0.00	0.00	0.00	0.00 Cherry Canyon
6	7450.00 1550.00	0.00	0.00	7450.00	0.01	0.01	0.00	0.00	0.00	0.00 Brushy Canyon
7	8742.54 8742.54	0.00	0.00	8742.54	0.01	0.01	0.00	0.00	0.00	0.00 KOP
8	8800.00 57.46	6.90	0.00	8799.86	3.46	3.46	0.00	12.00	0.00	12.00
9	8900.00 100.00	18.90	0.00	8897.16	25.74	25.74	0.00	12.00	0.00	12.00
10	8903.02 3.02	19.26	0.00	8900.01	26.72	26.72	0.00	11.95	0.00	11.95 Bone Springs
11	9000.00 100.00	30.90	0.00	8987.70	67.76	67.76	0.00	12.00	0.00	12.00
12	9100.00 100.00	42.90	0.00	9067.53	127.68	127.68	0.00	12.00	0.00	12.00
13	9200.00 100.00	54.90	0.00	9133.15	202.90	202.90	0.00	12.00	0.00	12.00
14	9300.00 100.00	66.90	0.00	9181.70	290.11	290.11	0.00	12.00	0.00	12.00
15	9400.00 100.00	78.90	0.00	9211.06	385.52	385.52	0.00	12.00	0.00	12.00
16	9492.53 750.00	90.00	0.00	9220.00	477.47	477.47	0.00	12.00	0.00	12.00 Avalon Shale Target
17	13635.07 4142.54	90.00	0.00	9220.01	4620.01	4620.01	0.00	0.00	0.00	0.00 Lateral TD

