

Submit 3 Copies To Appropriate District
Office
District I
1625 N. French Dr., Hobbs, NM 87240
District II
1301 W. Grand Ave., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM
87505

RECEIVED
JAN 18 2011

State of New Mexico
Energy, Minerals and Natural Resources
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505
HOBBSOCD

Form C-103

June 19, 2008

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-025-08708
1. Type of Well: Oil Well ☐ Gas Well ☐ Other Injection Well ☒		5. Indicate Type of Lease STATE ☒ FEE ☐
2. Name of Operator XTO Energy, Inc.		6. State Oil & Gas Lease No.
3. Address of Operator 200 N. Loraine, Ste. 800 Midland, TX 79701		7. Lease Name or Unit Agreement Name: Eunice Monument South Unit
4. Well Location Unit Letter <u>F</u> : <u>1980</u> feet from the <u>North</u> line and <u>1980</u> feet from the <u>West</u> line Section <u>11</u> Township <u>21S</u> Range <u>36E</u> NMPM County <u>Lea</u>		8. Well Number 307
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3572' GL		9. OGRID Number 005380
		10. Pool name or Wildcat Eunice Monument; Grayburg-San Andres

12. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☐
CASING/CEMENT JOB ☐

OTHER: Sonic Hammer stimulation; RWTI ☒

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

10/2/09 - MIRU WS, ND WH, Nu BOP, rel pkr, PUH 30', pkr stuck, RU pmp trk and circ 3bbls 2% kcl wtr, unable to free pkr, RIH w/1-11/16" chem cutter, cut tbg @ 3570', RD

10/5/09 - RIH w/4-3/4" overshot dressed w/2-3/8" grapple, subs, DCs & WS, tag fish @ 3570', work over & latch onto fish, RIH 5', PUH fish stuck @ 3570', parted 2-3/8" TK70 IPC tbg 3' below grapple POOH & SDON

cont'd on next page

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Patty Urias TITLE Regulatory Analyst DATE 1/12/11

Type or print name Patty Urias E-mail address: patty_urias@xtoenergy.com PHONE 432-620-4318

For State Use Only

APPROVED BY [Signature] TITLE STAFF MGR DATE 2-14-2011

Conditions of Approval (if any):

Eunice Monument South Unit #307
C-103 continued

- 10/16/09 – RIH w/40arm calibration tool – tage out side of csg @ 1965', csg parted @ 1867', unable to get into lower csg
- 10/20/09 – RIH & tag RBP @ 3640', PUH 1 stand, dump 300# sand on RBP, SDON
- 10/21/09 – RIH & tag sd @ 3614' PUH to 3564, circ hole w/9.5# mud, spot 32 sxs "C" cmt w/20% CaCl, PUH to 3000', woc 2hrs, tag plug @ 3290', PUH to 2541", spot 38 sxs "cC" w/2% CaCl, PUH to 1988' & circ hole w/mud
- 10/27/09 – RIH w/ 4 3/4" string mill, tag cmt @ 2274' POOH & LD mill, DO cmt from 2274-3394', PUH & circ hole clean
- 10/28/09 – RIH w/WS & tag cmt @ 3394', DO cmt fr 3394-3565, fell out of cmt, tag sand @ 3625' circ sd off RBP
- 10/29/09 – RU swivel & CO fr 3820-3858' (metal in return), cir w/100bbls 10# brine wtr & 100bbls 10# mud
- 10/30/09 – RIH w/cut lip shoe, 1jt 4" 10.8# L-80 float collar & 87jts 4" liner & set liner @ 3855' w/2800# on slips. Pumped 250 sxs Versachem cmt w/.5% CFR-3 wo defoamer, RD
- 11/2/09 – RIH w/3-3/4" bit, 6 2-3/8" Dcs & 121jts WS tbg, Drill cmt, plug, float collar & cmt fr 3817-3845', TD @ 3845', circ well clean
- 11/3/09 – RIH w/2" csg guns & perf Grayburg 3744-3837' (111 holes), RD & RIH w/inj pkr & 122jts 2-1/16" 4.5# WS tbg
- 11/4/09 – Acdz fr 3844-3837' w/3500gls 20% 90/10 acid, flush w/15bbls FW, RD
- 11/5/09 – MI & rack 121jts, 2-1/6" IPC tbg, ink pkr, on/off tool, prof npl & 114jts IPC tbg, set pkr @ 3717' w/top of perfs 3744' – circ TCA w/70bbls pkr fluid, press TCA to 450psig for 30min w/no loss, pmp out plug, RDMO PU
- 11/12/09 – Test to 540psig for 30 min – MIT CHART ATTACHED

EUNICE MONUMENT SOUTH UNIT #307

ELEV: GL: 3572'



