

Submit 3 Copies To Appropriate District
Office
District I
1625 N. French Dr., Hobbs, NM 87240
District II
1301 W. Grand Ave., Artesia, NM 88201
District III
1000 Rio Brazos Rd., Aztec, NM 87401
District IV
1220 S. St. Francis Dr., Santa Fe, NM
87505

RECEIVED
JAN 18 2011
HOBBSDUC
State of New Mexico
Energy, Minerals and Natural Resources
CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-103
June 19, 2008

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-025-29575 ✓
1. Type of Well: Oil Well ☐ Gas Well ☐ Other <u>Injection</u>		5. Indicate Type of Lease STATE ☒ FEE ☐
2. Name of Operator XTO Energy, Inc.		6. State Oil & Gas Lease No.
3. Address of Operator 200 N. Loraine, Ste. 800 Midland, TX 79701		7. Lease Name or Unit Agreement Name: EUNICE MONUMENT SOUTH UNIT ✓
4. Well Location Unit Letter <u>J</u> : <u>1980'</u> feet from the <u>SOUTH</u> line and <u>2120'</u> feet from the <u>EAST</u> line Section <u>6</u> Township <u>21S</u> Range <u>36E</u> NMPM County <u>LEA</u>		8. Well Number #247 ✓
11. Elevation (Show whether DR, RKB, RT, GR, etc.)		9. OGRID Number 005380 ✓
		10. Pool name or Wildcat Eunice Monument; Grayburg-San Andres ✓

12. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☐
CASING/CEMENT JOB ☐

OTHER: Repair Injector ☒

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

7/1/10 - ND WH, rel pkr, NU BOP, RU scan equip and scan tbg, GB jt 43jts tbg due to pitting, RD
7/2/10 - PU & RIH w/5-1/2" inj pkr & 117jts 2-3/8" 4.7# Tk99 inj tbg, L&T TCA to 430psig for 15min w/no loss, Rel on/off tool, RD
7/6/10 - RU pmp trk, rel pkr, PUH 1 jt, set pkr @ 3619', RIH w/2-3/8" entry guide, 5-1/2"x2-3/8" 14-20# inj pkr, 5-1/2"x2-3/8" 316 SS T-2 on/off tool, w/1.781 F316 prof npl & 116jts 2-3/8" 4.7# TK99 EUE 8rd IPC tbg, test for 30min w/loss of 10psig, RDMO PU, RWTI

MIT CHART ATTACHED

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Patty Urias TITLE Regulatory Analyst DATE 1/5/11

Type or print name Patty Urias E-mail address: patty_urias@xtoenergy.com PHONE 432.620.4318


For State Use Only

APPROVED BY [Signature] TITLE STATE MGR DATE 2-14-2011

Conditions of Approval (if any):

Eunice Monument South Unit #247

ELEV: GL: 3574'
KB: 3587'



**DRILL HORIZONTAL LATERAL OUT OF EXISTING WELLBORE
Tamano (BSSC) Unit #403**

Started Work on 6/22/08

Set CIBP @ 8000'. Dumped 35' cmt on top of CIBP.

Set CIBP @ 7914'.

MIRU Horizontal Drilling Rig (7/03/08)

Set whipstock @ 7914'. Milled window in 5-1/2" csg fr/7904'-7914'.

Drilled curve section fr/7914'-8305' MD

Drilled Horizontal section fr/8305'-9933' MD (TD @ 8135.59' TVD) (7/14/08).

Circ hole clean. RDMO drlg rig.


MIRU PU. RIH w/SN, TAC & tbg. Set SN @ 7850'.

RIH w/pmp & rods.

Hooked up FL & elect.

Put well on pump (8/06/08).

See attached well path survey.



GRAPHIC CONTROLS CORPORATION
BUFFALO, NEW YORK

7-6-10
API
3002529575

Sec. 6
Tow. 215
Range 36E

EMS4 #247 Wier

BR 2221

7-06-2010
TRK # 0142827
DAVIN MACAS
KEY 300B
CHART RECORDER
CALIBRATED 5/13/2010
VCP XTO

REC'D/MIDLAND
JUL 08 2010

RECEIVED
DEC 23 2010
HOBSOCD

REC'D/MIDLAND
DEC 30 2010