

Submit 3 Copies To Appropriate District

State of New Mexico

Form C-103

Office

Energy, Minerals and Natural Resources

May 27, 2004

District I

1625 N. French Dr., Hobbs, NM 87240

District II

1301 W. Grand Ave., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

RECEIVED

OIL CONSERVATION DIVISION

1220 South St. Francis Dr.

HOBBSD

Santa Fe, NM 87505

WELL API NO.

30-025-34143

5. Indicate Type of Lease

STATE ☐ FEE ☒

6. State Oil & Gas Lease No.

7. Lease Name or Unit Agreement Name:

Turner A

8. Well Number

15

9. OGRID Number

192463

10. Pool name or Wildcat

Skaggs Drinkard

### SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well:

Oil Well ☒ Gas Well ☐ Other

2. Name of Operator

OXY USA WTP LP

3. Address of Operator

P.O. Box 50250 Midland, TX 79710-0250

4. Well Location

Unit Letter I: 2160 feet from the south line and 990 feet from the east line

Section 18 Township 20S Range 38E NMPM County Lea

11. Elevation (Show whether DR, RKB, RT, GR, etc.)

3555' GR

Pit or Below-grade Tank Application ☐ or Closure ☐

Pit type \_\_\_\_\_ Depth to Groundwater \_\_\_\_\_ Distance from nearest fresh water well \_\_\_\_\_ Distance from nearest surface water \_\_\_\_\_

Pit Liner Thickness: \_\_\_\_\_ mil Below-Grade Tank: Volume \_\_\_\_\_ bbls; Construction Material \_\_\_\_\_

### 12. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

#### NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒

TEMPORARILY ABANDON ☐ CHANGE PLANS ☐

PULL OR ALTER CASING ☐ MULTIPLE COMPLETION ☐

OTHER: ☐

#### SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐

COMMENCE DRILLING OPNS. ☐ PLUG AND ABANDONMENT ☐

CASING TEST AND CEMENT JOB ☐

OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

See Attachment

The Oil Conservation Division **Must be notified**

**24 hours prior** to the beginning of plugging operations

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☐ , a general permit ☐ or an (attached) alternative OCD-approved plan ☐

SIGNATURE David Stewart TITLE Sr. Regulatory Analyst DATE 2-15-2011

Type or print name David Stewart

E-mail address: david\_stewart@oxy.com

Telephone No. 432-685-5717

For State Use Only

APPROVED BY David Stewart TITLE STATE REG DATE 2-15-2011

Conditions of Approval, if any:

TD-7728'    PBD-6640'    Perfs-6717-6946'    CIBP-6640'

8-5/8" 42# csg @ 1488' w/ 550sx, 11" hole, TOC-Surf-Circ

5-1/2" 15.5# csg @ 7724' w/ 2200sx, DVT @ 6816', 7-7/8" hole, TOC-Surf-Circ

1. RIH & tag CIBP @ 6640' M&P 25sx cmt
2. M&P 25sx cmt @ 5860-5760'
3. M&P 25sx cmt @ 3830-3730'
4. M&P 25sx cmt @ 2700-2600' WOC-Tag
5. M&P 25sx @ 1538-1438' WOC-Tag
6. M&P 50sx @ 300'-Surface  
10# MLF between plugs

OXY USA WTP LP - Proposed  
Turner A #15  
API No. 30-025-34143

50sx @ 300'-Surface

25sx @ 1538-1438'

25sx @ 2700-2600'


25sx @ 3830-3730'

25sx @ 5860-5760'

25sx @ 6640-6340'  
3/06-CIBP @ 6640'  
3/01-CIBP @ 6660'

7/98-CIBP @ 7015'

CIBP @ 7640' w/ 2sx



11" hole @ 1488'  
8-5/8" csg @ 1488'  
w/ 550sx-TOC-Surf-Circ

7-7/8" hole @ 7728'  
5-1/2" csg @ 7724'  
DVT @ 6816'  
1st w/ 450sx-TOC-6811'-Circ  
2nd w/ 1750sx-TOC-Surf-Circ

Perfs @ 6717-6946'

Perfs @ 7020-7623'

Perfs @ 7664-7672'

TD-7728'

OXY USA WTP LP - Current  
Turner A #15  
API No. 30-025-34143

11" hole @ 1488'  
8-5/8" csg @ 1488'  
w/ 550sx-TOC-Surf-Circ

3/06-CIBP @ 6640'  
3/01-CIBP @ 6660'  
  
7/98-CIBP @ 7015'

CIBP @ 7640' w/ 2sx

7-7/8" hole @ 7728'  
5-1/2" csg @ 7724'  
DVT @ 6816'  
1st w/ 450sx-TOC-6811'-Circ  
2nd w/ 1750sx-TOC-Surf-Circ

Perfs @ 6717-6946'

Perfs @ 7020-7623'

Perfs @ 7664-7672'

