

Submit 3 Copies To Appropriate District
Office
District I
1625 N. French Dr., Hobbs, NM 87240
District II
1301 W. Grand Ave., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM
87505

State of New Mexico
Minerals and Natural Resources
RECEIVED
DEC 08 2010
CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505
HOBBSOCD

Form C-103
June 19, 2008

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-025-30320
1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐		5. Indicate Type of Lease STATE ☐ FEE ☒
2. Name of Operator XTO Energy, Inc.		6. State Oil & Gas Lease No.
3. Address of Operator 200 N. Loraine, Ste. 800 Midland, TX 79701		7. Lease Name or Unit Agreement Name: Dauron
4. Well Location Unit Letter <u>G</u> : <u>2214</u> feet from the <u>North</u> line and <u>1980</u> feet from the <u>East</u> line Section <u>1</u> Township <u>21S</u> Range <u>37E</u> NMPM County <u>Lea</u>		8. Well Number 4
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3548' GL		9. OGRID Number 005380
		10. Pool name or Wildcat Wantz; ABO

12. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☐
CASING/CEMENT JOB ☐

OTHER: Add Drinkard & Tubb perfs; isolate ABO ☒

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

6/04/10 - MIRU ND WH, NU BOP, POOH rods, tbq, pmp, RU and set CIBP @ 7140' w/3sxs C cmt on top, RD
6/07/10 - RIH w/4-3/4" bit & 5-1/2" scraper & 220jts 2-7/8" 6.5# J55 EUE 8rd prod tbq, SDON
6/08/10 - POOH w/tbg & LD setting tool, set CIBP @ 7100', RD
6/09/10 - RIH and dump 2sxs C cmt on top of CIBP @7100', install csg saver, RD
6/10/10 - RIH & perf Drinkard 6908-7005' (29 holes). Acdz Drinkard perfs w/3000gls 15% NEFE acid, flush w/45bbls 2% kcl wtr

(cont'd on next page)

DAC-HOB-430

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Patty Urias TITLE Regulatory Analyst DATE 12/6/10
Type or print name Patty Urias E-mail address: patty_urias@xtoenergy.com PHONE 432-620-4318

For State Use Only

APPROVED BY [Signature] TITLE PETROLEUM ENGINEER DATE FEB 21 2011
Conditions of Approval (if any):

DAURON #4
C103 cont'd

- 6/14/10 – RIH w/2-7/8" swab cups, made 5 runs in 1.5hrs, POOH
6/18/10 – Frac Drinkard perfs fr 6908-7005' w/3000gls 15% NEFE acid, 20/40 White Sand & 100000# 20/40 CRC sand, RD
7/06/10 – MI & rack 254jts 2-7/8" 6.5# L80 EUE 8rd WS, RIH w/4-3/4" bit & 217jts 2-7/8" L80 WS, RU pmp truck, POOH & RD
7/07/10 – RIH w/5-1/2" treating pkr & 208jts 2-7/8" 6.5# L80 EUE 8rd WS, set pkr @ 6790', NU tree saver
7/08/10 – Sand frac Drinkard perfs fr 6908-7005' w/66300# 20/40 Super LC white sd & 1108gl FW
7/10/10 – RIH w/2" blade bit & 1-1/4" CT, CO sd fr 600-7104", circ clean
7/12/10 – RIH w/CIBP & 208jts 2-7/8" 6.5# L80 EUE 8rd WS, set CIBP @ 6792', RIH & perf Drinkard & Tubb perfs 6593-6699' (29 holes), RD
7/13/10 – Acdz Tubb & Drinkard perfs from 6593-6699- w/3500gls 15% NEFE acid, flush w/44bbbls FW
7/14/10 – RIH w/swab cups, made 7 runs in 3 hrs
7/15/10 – Frac Tubb & Drinkard perfs fr 6593-6699' w/71165# 20/40 CRC sd & 61106gls slick wtr
7/19/10 – RIH w/5-1/2" CIBP & 198jts 2-7/8" 6.5# L80 EUE 8rd WS, set CIBP @ 6460'
7/20/10 – RIH & perf Blinberry perfs 6012-6283' (28 holes)
7/21/10 – Acdz Blinberry perfs fr 6012-6281" w/5000gls 15% HCL NEFE acid, flush w/45bbbls FW
7/30/10 – Frac Blinberry perfs fr 6012-6283' w/93883# 20/40 CRC sd & 79549gls slick wtr
8/03/10 – CO sd to CIBP @ 6460', start to DO CIBP, circ clean, PUH out of perfs
8/04/10 – DO CIBP, RIH & CO to PBDT @ 7088', circ well clean
8/05/10 – MI & rack 222jts 2-7/8" J55 EUE 8rd prod tbg, start in hole w/prod equip
8/06/10 – RIH w/2-7/8" BPMA, 2-7/8" perf sub, 2-7/8" SN, 24jts 2-7/8" 6.5# J55 EUE 8rd prod tbg, set TAC w/18000# tens, NU WH
8/09/10 – RIH w/2-7/8" swab cups, made 33 runs in 10hrs
8/10/10 – RIH w/2.5"x2"x24'x3' RXBC w/3'sand screen on 10'GA, RHBC, 7/8" stablz sub, 12 1-1/2"K-bars, 250 – 7/8" N-97 rods & 1-1/2"x26' SMPR, SWO & HWO
8/11/10 – Ch'd pump action, RDMO PU, RWTP

