

District I  
1625 N. French Dr., Hobbs, NM 88240

District II  
1301 W. Grand Ave., Artesia, NM 88210

District III  
1000 Rio Brazos Rd. Aztec, NM 87410

District IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy, Minerals and Natural Resources

**RECEIVED**  
**OIL CONSERVATION DIVISION**

FEB 23 2011

**HOBBSOCD**

1220 South St. Francis Dr.  
Santa Fe, NM 87505

|   |
|---|
| WELL API NO.<br><b>30-025-06751</b>   |
| 5. Indicate Type of Lease<br>STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/> |
| 6. State Oil & Gas Lease NO.  |
| 7. Lease Name or Unit Agreement Name<br><b>Turner</b>   |
| 8. Well Number<br><b>9</b>  |
| 9. OGRID Numer<br><b>873</b>  |
| 10. Pool Name<br><b>Santa Rosa</b>  |

**SUNDRY NOTICES AND REPORTS ON WELLS**  
(DON NOT USE THIS FORM FOR PROPOSALS TO DRILL OR DEEPEN OR PLUG BACK TO A DIFFERENT RESERVIOR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

|  |
|--|
| 1. Type of Well: Oil Well <input type="checkbox"/> Gas Well <input type="checkbox"/> Other <input checked="" type="checkbox"/>   |
| 2. Name of Operator<br><b>Apache Corporation</b>   |
| 3. Address of Operator<br><b>303 Veterans Airpark Lane, Ste. 3000, Midland, TX 79705</b>   |
| 4. Well Location<br>Unit Letter <b>K</b> : <b>1980'</b> feet from the <b>S</b> line and <b>1650'</b> feet from the <b>W</b> line<br>Section <b>22</b> Township <b>21S</b> Range <b>37E</b> NMPM County |
| 11. Elevation (Show whether DR, RKB, RT, GR, etc.)<br><b>3423' DF</b>  |

12. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

**NOTICE OF INTENTION TO:**

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒  
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐  
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐  
DOWNHOLE COMMINGLE ☐

OTHER: ☐

**SUBSEQUENT REPORT OF:**

REMEDIAL WORK ☐  
COMMENCE DRILLING OPNS. ☐  
CASING/CEMENT JOB ☐  
ALTERING CASING ☐  
P AND A ☐  
OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work.) SEE RULE 1103. For Multiple Completions: Attach wellbore diagram or proposed completion or recompletion.

**Apache Corporation to P&A this well with the attached procedure.**

The Oil Conservation Division Must be notified  
24 hours prior to the beginning of plugging operations.

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Guinn Burks TITLE Reclamation Foreman DATE 2/21/11

Type or print name Guinn Burks E-mail add. guinn.burks@apachecorp.com PHONE: 432-556-9143

For State Use Only

APPROVED BY: [Signature] TITLE Staff DATE 2-24-2011

Conditions of Approval (if any):



## WELL BORE INFO.

13 3/8" 32# @ 0- 227' w/ 300 sx CIRC

Perf Santa Rosa @ 632' - 652'  
Perf Santa Rosa @ 940' - 1135'  
CIBP @ 1402' w/ 35' cmt

Spot 35 sx cmt from 2866' - 2965' (shoe)  
8 5/8" 32# @ 2913' w/ 2000 sx CIRC

Spot 115 sx cmt from 3300' - 3687'

Cut off 5 1/2' csg @ 3680' & pulled csg

Spot 25 sx cmt 5205' - 5075'  
Perf Paddock 5128' - 5196'

CICR @ 5205' sqzd w/ 45 sx cmt  
Perf Paddock 5212' - 5298'

CICR @ 5310', csg sqz w/250 sx cmt

CIBP @ 5350'

TOC by CBL @ 6418'

CIBP @ 7401' w/1 sx cmt  
5 1/2" 15.5# @ 7725' w/ 500 sx

OH 7725' - 7951'

LEASE NAME

Turner

WELL #

9

API #

30-025-06751

COUNTY

Lea

## PROPOSED PROCEDURE

2. PUH & Perf @ 277' & sqz 100 sx Class "C" cmt from 0' - 277'

1. RIH to 1357' & verify CIBP & cmt. CIRC w/ MLF. POH & pick up pkr & Rih and sqz 190 sx Class "C" cmt from 532' - 1185' WOC/TAG

Perfs @ 5122' - 5123' sqzd w/ 81 sx cmt

Perfs sqzd of @ 5320' - 5321'

Abo 7264' - 7330'

TD 7951'



# WELL BORE INFO.

LEASE NAME

Turner

WELL #

9

API #

30-025-06751

COUNTY

Lea

13 3/8" 32# @ 0- 227' w/ 300 sx CIRC

Perf Santa Rosa @ 632' - 652'

Perf Santa Rosa @ 940' - 1135'

CIBP @ 1402' w/ 35' cmt

Spot 35 sx cmt from 2866' - 2965' (shoe)

8 5/8" 32# @ 2913' w/ 2000 sx CIRC

Spot 115 sx cmt from 3300' - 3687'

Cut off 5 1/2' csg @ 3680' & pulled csg

Spot 25 sx cmt 5205' - 5075'

Perf Paddock 5128' - 5196'

CICR @ 5205' sqzd w/ 45 sx cmt

Perf Paddock 5212' -- 5298'

CICR @ 5310', csg sqz w/250 sx cmt

CIBP @ 5350'


TOC by CBL @ 6418'

CIBP @ 7401' w/1 sx cmt

5 1/2" 15.5# @ 7725' w/ 500 sx

OH 7725' - 7951'

TD 7951'



Perfs @ 5122' - 5123' sqzd w/ 81 sx cmt

Perfs sqzd of @ 5320' - 5321'

Abo 7264' - 7330'