District I State of New Mexico 1625 N. French Dr., Hobbs, NM 88240 District II								Form C-104 Revised June 10, 2003								
District II 1301 W. Grand, Artesia, NM 88210							оз Бори	C. L	٠	Ir	nstructi	ions on b	back			
District III				MAR	03 2011				Sun	omit to A	Appropr	riate D	istrict O: 5 Co:			
	zos Rd., A	Aztec, NN	4 87410 _.	a.105	PROCE	•					\Box	4FNDE	ED REPO	•		
1220 S. St. Fr	anci Dr.,	Santa Fe,	, NM 87	503	BSOCE WARLE	,				c n				/1< 1		
I. R	ry.		VII.	LLO	WABLE A	AND A	UTH	IORIZAT	ION		ΓRAN ogrid					
FULFE!				E LLC	· ·						1414)er			
P.O. BC				J <u></u> .	,								ing Code	-/Effe	ctive Date	
JAL, NI	M 882	52													Skim Oil So	ld
API Number 30-025-		, ,	Pool N		TES-SEVE	EN RIV	'ERS	Pool Code 2S / 96141 /								
Property C	ode		Proper	rty Name					Well Number							
29160		′ _	BRO)WN							0	05				
		Locat														_
UL or Lot	Section			Range	Lot ID	Feet from	m the	North/South		Feet fro	m the		t/West Li	ine	County	
Е	25	25S		36E		1650		NORTH		990		W	EST		LEA	_
		Hole L														_
UL or Lot	Section	Twns	hp	Range	Lot ID	Feet from	m the	North/South	Line	Feet fro	m the	Eas	t/West Li	ine	County	
Lse Code	Produc	ing Meth	hod Code	e Ga	s Connection E	Date C-	129 Per	mit Number	C-129	9 Effectiv	ve Date		C-129	Expi	ration Date	
P		osing														
III. O	il and	Gas 7	rans	porte	rs								<u></u>			_
Transporter		Tran	sporter N	Name an	nd Address		POL			O/G				n and	d Description	
243484		TRA	ANSOI	iL MA	RKETING	INC.	999	99999		О	E-25	5-258	S-36E			
	-,0%															
																_
		***														_
And the second section is a second section of the second section is a second section of the second section is a	andrin in									L. L.						
													,,		-	
11		14					77		1000 1000							
IV. Pi	oduc	ed Wa	ter				12.00									_
POD			POD UI	LSTR Lo	ocation and Desc	cription										
V. W	all Co	mplet	tion D	lata								_				_
V. VV Spud Date	ence	Ready D		ata	TD		PBT	Ď		Perfor	ations			DH	C,MC	
40.2																
Hole Size				Casing	g & Tubing Size	!		Depth Set				Sack	s Cement			
												-				
										_						
																_
VI. W	ell Te	st Dat	a	·						-		L.				
Date New Oil		Gas De	livery Da	ite	Test Date		Test Lei	ngth	Tb	g. Pressu	re		Csg. Pre	ssure		
Choke Size Oil Water			Gas AOF		F	Test Method			_							
	and that	the inforn	nation giv		on Division have is true and con		he	_		ECONS	ERVAT	TONE	IVISION	_		
Signature:	1 _ ((1) To	L/ ,	7				Approved by			~	<u>_</u>				
Delle	re 1	701	"Yel	vez					/		/ 	, , ,				
Printed name: Debbie McKelvey					1	Title: Staff Midd										
Title:								Approval Date:	3-	- 7-	20	!/				_
Agent for	Greg	Fulfer														
Date: Phone: 505-392-3575							····		***************************************				·			
f this is a chan	ge of ope	erator, fill			umber and name	of the pre	vious o	perator								
HIII PITALIA													***************************************		***************************************	
Previous Opera	ıtor's Sig	nature:			Printed 1	Name:			Title	e:			Date	e:		\dashv
					1								· · · · · · · · · · · · · · · · · · ·			

TransOil Marketing, Inc. P.O. Box 6697 Abilene, TX 79608 (325)698-0200

Operators Run Statement

FULFER OIL & CATTLE CO LLC P O BOX 1224 JAL, NM 88252 Account: FUL002

Date: 02/08/2011

Ticket	Date Ta	ank#	Gravity	Barrels	Price	Gross Value
Property: E	BOBCAT (5035)				_
State of	: NEW MEXICO	-	s	tate ID:		
County	7.			Field:		
33379	01/06/2011	1228	37.0	168.70	77.6645	13,102.00
33232	01/08/2011	1228	37.2	167.83	77.6645	13,034.43
34264	01/27/2011	1228	34.8	164.43	77.6645	12,770.37
34658	01/28/2011	1228	35.6	165.84	77.6645	12,879.88
34617	01/31/2011	1228	38.1	167.35	77.6645	12,997.15
#Tickets:5	January 2011	Summary:		834.15		64,783.83
	Net Value:	•	1016	•		64,783.83



Ticket #

33379

4401 Maple Street • P.O. Box 6697 • Abilene, TX 79608

RUN TICKET

Date: 1-6-11 RRC#: N/A Time In: 10 45 Time Out: 1/30									
Operator: FULFUR									
Lease / Loc	ation: BOE	SCAT	-SWO						
Product: C	RUDE OIL	- Observed	Gravity: 36.5 Temp: 56						
BS&W: 4/1074 Tank #: 3 Tank Size: 500									
Guages Ft. In.	Meter Readings	Tank Bottom	Delivery Climas GDW -						
OPEN C	N	OPEN	Station: CHINA 9ROVE, TX						
Sign of	LOSE	CLOSE	Reading:						
Estimated Bl	ols	Net Bbis	Truck / Trailer No.: 60 - 145						
168	<u> </u>		Mileage:						
 Petroleun Gasoline, Flammab condensate, Flammab UN 1993, PG 		and/or Natural Gas Condensate MSDS.							
PACKAGED, N	Marked, Labeled, A	ND ARE IN PRO	LS ARE PROPERLY CLASSIFIED, DESCRIBED, OPER CONDITION FOR TRANSPORTATION IE DEPARTMENT OF TRANSPORTATION.						
Driver:	+ Hay	crem	EMERGENCY CONTACT:						
Shipper:	√	1-325-698-0200							
Seal Off: 0r Seal On: 1-325-260-8996									
Form # 100 **	3	RAM Business Forms • 692-0377							



Ticket # 33232

4401 Maple Street • P.O. Box 6697 • Abilene, TX 79608

RUN TICKET

Date: Tir							
Operator: FIFER							
Lease / Location: Boh ca T	7 7 Tomo: CP						
Product: Observed	I Gravity: 2 / 1emp: 3 d						
BS&W:6 Tank #:3	Tank Size: 500						
Guages Meter Readings Tank Ft. In. Bottom	Delivery Station: China Gross						
U	Meter Reading:						
Estimated Bbls CLOSE CLOSE Net Bbls	Truck / Trailer No.: $20 - 1 < 0$						
168,36	Mileage: // 5 5 2 9						
PRODUCT DESCRIPTION (Check One) 1. Petroleum Crude Oil, 3, UN 1267, PG I 2. Gasoline, 3, UN 1203, PG II 3. Flammable Liquids, toxic n.o.s. (natural gas condensate, sour), 3, UN 1992, PG I, RQ 4. Flammable Liquids, n.o.s. (natural gas condensate), UN 1993, PG I, RQ	EMERGENCY INFO. 1. See U.S. Dept. of Transportation Guide 128 and/or Petroleum Crude 0il MSDS. 2. See U.S. Dept. of Transportation Guide 128 and/or Gasoline MSDS. 3. See U.S. Dept. of Transportation Guide 131 and/or Natural Gas Condensate (Sour) MSDS. 4. See U.S. Dept. of Transportation Guide 128 and/or Natural Gas Condensate MSDS.						
THIS IS TO CERTIFY THAT THE ABOVE-NAMED MATERIALS ARE PROPERLY CLASSIFIED, DESCRIBED, PACKAGED, MARKED, LABELED, AND ARE IN PROPER CONDITION FOR TRANSPORTATION ACCORDING TO THE APPLICABLE REGULATIONS OF THE DEPARTMENT OF TRANSPORTATION.							
Driver: My action	EMERGENCY CONTACT:						
Shipper:	- 1-325-698-0200						
Seal Off:	1-325-260-8996						
Seal On:	RAM Business Forms • 692-0377						



Ticket # 3 4 2 6 4

4401 Maple Street • P.O. Box 6697 • Abilene, TX 79608

	RUN TICKI	ET
vate: 1/27/11 RRC#:	Time	e In: 1100/11 Time Out: 1130/11
Operator: Fulfic		
BS&W: 0,873 Tank	k#:3	Tank Size: 500
Guages Meter Readings Ft. In.	Tank Bottom	Delivery Station: Chin 4 From E
N N N N N N N N N N N N N N N N N N N	OPEN	Meter Reading:
asono 7 //	Net Bbls	Truck / Trailer No.: 35 -//5
Estimated Bbls		Mileage: 440
PRODUCT DESCRIPTION (Control of the control of the	EMERGENCY INFO. 1. See U.S. Dept. of Transportation Guide 128 and/or Petroleum Crude Oil MSDS. 2. See U.S. Dept. of Transportation Guide 128 and/or Gasoline MSDS. 3. See U.S. Dept. of Transportation Guide 131 and/or Natural Gas Condensate (Sour) MSDS. 4. See U.S. Dept. of Transportation Guide 128 and/or Natural Gas Condensate MSDS.	
THIS IS TO CERTIFY THAT THE ABO PACKAGED, MARKED, LABELED ACCORDING TO THE APPLICABLE	OVE-NAMED MATE D, AND ARE IN E REGULATIONS O	RIALS ARE PROPERLY CLASSIFIED, DESCRIBED, PROPER CONDITION FOR TRANSPORTATION F THE DEPARTMENT OF TRANSPORTATION.
Driver:Shipper:Seal Off:	<u> </u>	EMERGENCY CONTACT: 1-325-698-0200 or 1-325-260-8996
Seal On:		RAM Business Forms • 692-03



Ticket # 3 4 6 5 8

4401 Maple Street • P.O. Box 6697 • Abilene, TX 79608

RUN TICKET

Time In:Time Out:		KOM HOWE	Time Out:
Deparator: BOBCAT SWD Description Delivery Station: CHIBA CFOLD	pate: 1-28-/ARC#:	Time	In:Time Out:
Product: CPUPY Observed Gravity: 35 Temp: 50 Guages Meter Readings Tank Bottom Ft. In. Guages Meter Readings Tank Bottom Ft. In. Guages Product: CPUPY OPEN Guages Meter Readings Tank Bottom Ft. In. Guages Product CLOSE Guages Meter Readings Tank Bottom Product Description (Check One) 1. □ Petroleum Crude 0il, 3, UN 1267, PG I 2. □ Gasoline, 3, UN 1203, PG II 3. □ Flammable Liquids, toxic n.o.s. (natural gas condensate, sour), 3, UN 1992, PG I, RQ 4. □ Flammable Liquids, n.o.s. (natural gas condensate), 3, UN 1993, PG I, RQ THIS IS TO CERTIFY THAT THE ABOVE-NAMED MATERIALS ARE PROPERLY CLASSIFIED, DESCRIBED, ACCORDING TO THE APPLICABLE REGULATIONS OF THE DEPARTMENT OF TRANSPORTATION. Seal Off: Seal Off: Samples Subject of Transportation Guide 128 and/or Natural Gas Condensate MSDs. FMERGENCY CONTACT: 1-325-698-0200 of 1-325-260-8996	FUIFU	P	
Guages Meter Readings Tank Bottom Station: CHINA CROVE	1 A A A A	A7 5U	75 Temp: 52
Guages Meter Readings Tank Bottom Station: CHINA CROVE	Product: CRUDE	Observed (Gravity: coo
Guages Meter Readings Tank Bottom Station: CHIMA CROVE Stati	89&W: Tank	د#: <u>5</u>	Tank Size:
PRODUCT DESCRIPTION (Check One) 1. Petroleum Crude 0il, 3, UN 1267, PG I 2. Gasoline, 3, UN 1203, PG II 3. Flammable Liquids, toxic n.o.s. (natural gas condensate, sour), 3, UN 1992, PG I, RQ 4. Flammable Liquids, n.o.s. (natural gas condensate), 3, UN 1993, PG I, RQ THIS IS TO CERTIFY THAT THE ABOVE-NAMED MATERIALS ARE PROPERLY CLASSIFIED, DESCRIBED, PACKAGED, MARKED, LABELED, AND ARE IN PROPER CONDITION FOR TRANSPORTATION. Driver: Shipper: Seal Off: Driver: Seal Off: OPEN Meter Reading: Truck / Trailer No.: 40/170 EMERGENCY INFO. 1. See U.S. Dept. of Transportation Guide 128 and/or Ratural Gas Condensate (Sour) MSDS. 2. See U.S. Dept. of Transportation Guide 128 and/or Natural Gas Condensate MSDS. THIS IS TO CERTIFY THAT THE ABOVE-NAMED MATERIALS ARE PROPERLY CLASSIFIED, DESCRIBED, PACKAGED, MARKED, LABELED, AND ARE IN PROPER CONDITION FOR TRANSPORTATION. Driver: Shipper: Seal Off: 1-325-698-0200 1-325-260-8996	Guages Meter Readings	Tank	
Estimated Bbls PRODUCT DESCRIPTION (Check One) 1. Petroleum Crude 0il, 3, UN 1267, PG I 2. Gasoline, 3, UN 1203, PG II 3. Flammable Liquids, toxic n.o.s. (natural gas condensate, sour), 3, UN 1992, PG I, RQ 4. Flammable Liquids, n.o.s. (natural gas condensate), 3, UN 1993, PG I, RQ THIS IS TO CERTIFY THAT THE ABOVE-NAMED MATERIALS ARE PROPERLY CLASSIFIED, DESCRIBED, PACKAGED, MARKED, LABELED, AND ARE IN PROPER CONDITION FOR TRANSPORTATION. ACCORDING TO THE APPLICABLE REGULATIONS OF THE DEPARTMENT OF TRANSPORTATION. Seal Off: Seal Off: Seal Off:		OPEN	Meter
PRODUCT DESCRIPTION (Check One) 1. Petroleum Crude Oil, 3, UN 1267, PG I 2. Gasoline, 3, UN 1203, PG II 3. Flammable Liquids, toxic n.o.s. (natural gas condensate, sour), 3, UN 1992, PG I, RQ 4. Flammable Liquids, n.o.s. (natural gas condensate), 3, UN 1993, PG I, RQ THIS IS TO CERTIFY THAT THE ABOVE-NAMED MATERIALS ARE PROPERLY CLASSIFIED, DESCRIBED, PACKAGED, MARKED, LABELED, AND ARE IN PROPER CONDITION FOR TRANSPORTATION. ACCORDING TO THE APPLICABLE REGULATIONS OF THE DEPARTMENT OF TRANSPORTATION. Seal Off: Seal Off: Seal Off: Check One) I Mileage: 2 96670 EMERGENCY INFO. 1. See U.S. Dept. of Transportation Guide 128 and/or Rasoline MSDS. 2. See U.S. Dept. of Transportation Guide 131 and/or Natural Gas Condensate (Sour) MSDS. 4. See U.S. Dept. of Transportation Guide 131 and/or Natural Gas Condensate (Sour) MSDS. 4. See U.S. Dept. of Transportation Guide 132 and/or Natural Gas Condensate MSDS. THIS IS TO CERTIFY THAT THE ABOVE-NAMED MATERIALS ARE PROPERLY CLASSIFIED, DESCRIBED, PACKAGED, MARKED, LABELED, AND ARE IN PROPER CONDITION FOR TRANSPORTATION. ACCORDING TO THE APPLICABLE REGULATIONS OF THE DEPARTMENT OF TRANSPORTATION. CHECK ONE)		CLOSE	
PRODUCT DESCRIPTION (Check One) 1. Petroleum Crude Oil, 3, UN 1267, PG I 2. Gasoline, 3, UN 1203, PG II 3. Flammable Liquids, toxic n.o.s. (natural gas condensate, sour), 3, UN 1992, PG I, RQ 4. Flammable Liquids, n.o.s. (natural gas condensate), 3, UN 1993, PG I, RQ THIS IS TO CERTIFY THAT THE ABOVE-NAMED MATERIALS ARE PROPERLY CLASSIFIED, DESCRIBED, PACKAGED, MARKED, LABELED, AND ARE IN PROPER CONDITION FOR TRANSPORTATION. ACCORDING TO THE APPLICABLE REGULATIONS OF THE DEPARTMENT OF TRANSPORTATION. Shipper: Seal Off: Seal Off: Seal Off: Seal Off: EMERGENCY INFO. 1. See U.S. Dept. of Transportation Guide 128 and/or Ratural Gas Condensate (Sour) MSDS. 3. See U.S. Dept. of Transportation Guide 131 and/or Natural Gas Condensate (Sour) MSDS. 4. See U.S. Dept. of Transportation Guide 128 and/or Natural Gas Condensate (Sour) MSDS. 4. See U.S. Dept. of Transportation Guide 128 and/or Natural Gas Condensate (Sour) MSDS. 4. See U.S. Dept. of Transportation Guide 128 and/or Natural Gas Condensate (Sour) MSDS. 4. See U.S. Dept. of Transportation Guide 128 and/or Natural Gas Condensate (Sour) MSDS. 4. See U.S. Dept. of Transportation Guide 128 and/or Natural Gas Condensate (Sour) MSDS. 4. See U.S. Dept. of Transportation Guide 128 and/or Natural Gas Condensate (Sour) MSDS. 4. See U.S. Dept. of Transportation Guide 128 and/or Natural Gas Condensate (Sour) MSDS. 4. See U.S. Dept. of Transportation Guide 128 and/or Natural Gas Condensate (Sour) MSDS. 5. See U.S. Dept. of Transportation Guide 128 and/or Natural Gas Condensate (Sour) MSDS. 5. See U.S. Dept. of Transportation Guide 128 and/or Natural Gas Condensate (Sour) MSDS. 6. See U.S. Dept. of Transportation Guide 128 and/or Natural Gas Condensate (Sour) MSDS. 7. See U.S. Dept. of Transportation Guide 128 and/or Natural Gas Condensate (Sour) MSDS. 8. See U.S. Dept. of Transportation Guide 128 and/or Natural Gas Condensate (Sour) MSDS. 9. See U.S. Dept. of Transportation Guide 128 and/or Natural Gas Condensate (Sour) MSDS. 1. See U.S. Dept. of T		Net Bbls	Truck / Trailer No.:
PRODUCT DESCRIPTION (Check One) 1. Petroleum Crude Oil, 3, UN 1267, PG I 2. Gasoline, 3, UN 1203, PG II 3. Flammable Liquids, toxic n.o.s. (natural gas condensate, sour), 3, UN 1992, PG I, RQ 4. Flammable Liquids, n.o.s. (natural gas condensate), 3, UN 1993, PG I, RQ THIS IS TO CERTIFY THAT THE ABOVE-NAMED MATERIALS ARE PROPERLY CLASSIFIED, DESCRIBED, PACKAGED, MARKED, LABELED, AND ARE IN PROPER CONDITION FOR TRANSPORTATION ACCORDING TO THE APPLICABLE REGULATIONS OF THE DEPARTMENT OF TRANSPORTATION. Shipper: Shipper: Seal Off: Seal Off: 1. See U.S. Dept. of Transportation Guide 128 and/or Petroleum Crude Oil MSDS. 2. See U.S. Dept. of Transportation Guide 128 and/or Retural Gasoline MSDS. 3. See U.S. Dept. of Transportation Guide 128 and/or Natural Gasoline MSDS. 4. See U.S. Dept. of Transportation Guide 128 and/or Natural Gasoline MSDS. 5. See U.S. Dept. of Transportation Guide 128 and/or Returned Gasoline MSDS. 5. See U.S. Dept. of Transportation Guide 128 and/or Returned Gasoline MSDS. 5. See U.S. Dept. of Transportation Guide 128 and/or Returned Gasoline MSDS. 5. See U.S. Dept. of Transportation Guide 128 and/or Returned Gasoline MSDS. 5. See U.S. Dept. of Transportation Guide 128 and/or Returned Gasoline MSDS. 5. See U.S. Dept. of Transportation Guide 128 and/or Returned Gasoline MSDS. 5. See U.S. Dept. of Transportation Guide 128 and/or Returned Gasoline MSDS. 5. See U.S. Dept. of Transportation Guide 128 and/or Returned Gasoline MSDS. 5. See U.S. Dept. of Transportation Guide 128 and/or Returned Gasoline MSDS. 5. See U.S. Dept. of Transportation Guide 128 and/or Returned Gasoline MSDS. 5. See U.S. Dept. of Transportation Guide 128 and/or Returned Gasoline MSDS. 5. See U.S. Dept. of Transportation Guide 128 and/or Returned Gasoline MSDS. 5. See U.S. Dept. of Transportation Guide 128 and/or Returned Gasoline MSDS. 6. See U.S. Dept. of Transportation Guide 128 and/or Returned Gasoline MSDS. 7. See U.S. Dept. of Transportation Guide 128 and/or Returned Gasoline MSDS. 7. See U.S.	167		
PACKAGED, MARKED, LABELLED, AND ARCORDING TO THE APPLICABLE REGULATIONS OF THE DEPARTMENT OF TRANSPORTATION. Driver:	 Petroleum Crude Oil, 3, UN 1267 Gasoline, 3, UN 1203, PG II Flammable Liquids, toxic n.o.s. condensate, sour), 3, UN 1992, PG Flammable Liquids, n.o.s. (naturn 1993, PG I, RQ 	 See U.S. Dept. of Transportation Guide 128 and/or Petroleum Crude Oil MSDS. See U.S. Dept. of Transportation Guide 128 and/or Gasoline MSDS. See U.S. Dept. of Transportation Guide 131 and/or Natural Gas Condensate (Sour) MSDS. See U.S. Dept. of Transportation Guide 128 and/or Natural Gas Condensate MSDS. 	
Driver:	THIS IS TO CERTIFY THAT THE AB PACKAGED, MARKED, LABELE ACCORDING TO THE APPLICABL	OVE-NAMED MATE D, AND ARE IN E REGULATIONS C	ERIALS ARE PROPERLY CLASSIFIED, DESCRIBED, PROPER CONDITION FOR TRANSPORTATION FOR THE DEPARTMENT OF TRANSPORTATION.
Seal Off:	- 0 - 1 P	odely	EMERGENCY CONTACT:
Seal Oil.			1 01
			RAM Business Forms • 692-037



Ticket # 34617

4401 Maple Street • P.O. Box 6697 • Abilene, TX 79608

	RUN TICKI	ET						
Date: /- 3/_ RRC#:	Time	ne In: 755 Time Out: 819						
Operator: FIFER		,						
Product: Color School Observed Gravity: 37,5 Temp: 50								
Product: Colore	Observed	Gravity: 37,3 temp. 26						
BS&W: 5 Tank	<#:	Tank Size: 500						
Guages Meter Readings Ft. In.	Tank Bottom	Delivery Station: ChunA Clauc						
	OPEN	Meter						
8 3/3 O DEN 78.83	CLOSE	Reading:						
Estimated Bbls	Net Bbis	Truck / Trailer No.: 20-15()						
Estimated Bus		143056 Mileage: 143094						
PRODUCT DESCRIPTION (C) 1. Petroleum Crude Oil, 3, UN 1267, 2. Gasoline, 3, UN 1203, PG II 3. Flammable Liquids, toxic n.o.s. (condensate, sour), 3, UN 1992, PG II 4. Flammable Liquids, n.o.s. (nature UN 1993, PG I, RQ)	EMERGENCY INFO. 1. See U.S. Dept. of Transportation Guide 128 and/or Petroleum Crude Oil MSDS. 2. See U.S. Dept. of Transportation Guide 128 and/or Gasoline MSDS. 3. See U.S. Dept. of Transportation Guide 131 and/or Natural Gas Condensate (Sour) MSDS. 4. See U.S. Dept. of Transportation Guide 128 and/or Natural Gas Condensate MSDS.							
THIS IS TO CERTIFY THAT THE ABOVE-NAMED MATERIALS ARE PROPERLY CLASSIFIED, DESCRIBED, PACKAGED, MARKED, LABELED, AND ARE IN PROPER CONDITION FOR TRANSPORTATION ACCORDING TO THE APPLICABLE REGULATIONS OF THE DEPARTMENT OF TRANSPORTATION.								
Driver: Li Killo	EMERGENCY CONTACT: 1-325-698-0200							
Shipper:) Or							
Seal On:	*							