

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

FORM APPROVED  
OMB NO. 1004-0135  
Expires: November 30, 2000

**SUNDRY NOTICES AND REPORTS ON WELLS**

*Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.*

**RECEIVED**

**DEC 09 2010**

**HOBSUCD**

**SUBMIT IN TRIPLICATE - Other instructions on reverse side**

1. Type of Well

☒ Oil Well ☐ Gas Well ☐ Other

2. Name of Operator

Occidental Permian Ltd.

3a. Address

P.O. Box 50250, Midland, TX 79710-0250

3b. Phone No. (include area code)

915-685-5717

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

2130 FNL 750 FEL SENE(H) Sec 15 T24S R37E

5. Lease Serial No.

NM0321613

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.  
South Mattix Unit Federal

8. Well Name and No.

46

9. API Well No.

30-025-35123

10. Field and Pool, or Exploratory Area  
Fowler Drinkard

11. County or Parish, State

Lea

NM

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

☒ Notice of Intent

☐ Subsequent Report

☐ Final Abandonment Notice

TYPE OF ACTION

☐ Acidize

☐ Deepen

☐ Production (Start/Resume)

☐ Water Shut-Off

☐ Alter Casing

☐ Fracture Treat

☐ Reclamation

☒ Well Integrity

☐ Casing Repair

☐ New Construction

☐ Recomplete

☐ Other

☐ Change Plans

☐ Plug and Abandon

☒ Temporarily Abandon

☐ Convert to Injection

☐ Plug Back

☐ Water Disposal

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the final site is ready for final inspection.)

Occidental Permian Ltd. respectfully requests to temporarily abandon this well for possible future completion in the Tubb, Abo and/or Blinebry.

TD-6500' PBDT-6452' Perfs-6182-6292'

1. RIH & POOH w/ rods, pump and tbq, RIH and set CIBP @ +/- 6132'

2. Notify BLM/NMOC of casing integrity test 24hrs in advance.

3. RU pump truck, circulate well with treated water, pressure test casing to 500 psi for 30 min and TA well.

14. I hereby certify that the foregoing is true and correct

Name (Printed/Typed)

David Stewart

Title

Sr. Regulatory Analyst

Date

12/7/10

**THIS SPACE FOR FEDERAL OR STATE OFFICE USE**

Approved by

**MAR 07 2011**

Title

Date

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office

Title 18 U.S.C. Section 1001, and Title 43 U.S.C. Section 1212, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

**DO NOT REPRODUCE THIS FORM**

Occidental Permian Ltd. - Current  
South Mattix Unit Federal #46  
API No. 30-025-35123


11" hole @ 1100'  
8-5/8" csg @ 1100'  
w/ 500sx-TOC-Surf-Circ

2-7/8" tbg @ 6422' w/ TAC @ 6097'

7-7/8" hole @ 6500'  
5-1/2" csg @ 6500'  
DVT @ 3491'  
1st w/ 500sx-TOC-3486'-Circ  
2nd w/ 1000sx-TOC-Surf-Circ


Perfs @ 6182-6292'

PBTD-6452'



✓ Occidental Permian Ltd. - Proposed  
South Mattix Unit Federal #46  
API No. 30-025-35123

11" hole @ 1100'  
8-5/8" csg @ 1100'  
w/ 500sx-TOC-Surf-Circ



7-7/8" hole @ 6500'  
5-1/2" csg @ 6500'  
DVT @ 3491'  
1st w/ 500sx-TOC-3486'-Circ  
2nd w/ 1000sx-TOC-Surf-Circ

**CIBP @ 6132'**

Perfs @ 6182-6292'

PBTD-6452'

TD-6500'