

Submit 3 Copies To Appropriate District
Office
District I
1625 N. French Dr., Hobbs, NM 87240
District II
1301 W. Grand Ave., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
May 27, 2004

RECEIVED

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

MAR 10 2011
HOBBSUCD

WELL API NO. 30-025-11036
5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name: Myers Langlie Mattix Unit
8. Well Number 137
9. OGRID Number 192463
10. Pool name or Wildcat Langlie Mattix 7Rvr Qn-GB

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well <input type="checkbox"/> Gas Well <input type="checkbox"/> Other Injection <input checked="" type="checkbox"/>	7. Lease Name or Unit Agreement Name: Myers Langlie Mattix Unit
2. Name of Operator OXY USA WTP Limited Partnership	8. Well Number 137
3. Address of Operator P.O. Box 50250 Midland, TX 79710-0250	9. OGRID Number 192463
4. Well Location Unit Letter <u>D</u> : <u>660</u> feet from the <u>north</u> line and <u>626</u> feet from the <u>west</u> line Section <u>6</u> Township <u>24S</u> Range <u>37E</u> NMPM County <u>Lea</u>	10. Pool name or Wildcat Langlie Mattix 7Rvr Qn-GB
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3312'	
Pit or Below-grade Tank Application <input type="checkbox"/> or Closure <input type="checkbox"/> Pit type _____ Depth to Groundwater _____ Distance from nearest fresh water well _____ Distance from nearest surface water _____ Pit Liner Thickness: _____ mil Below-Grade Tank: Volume _____ bbls; Construction Material _____	

12. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPLETION ☐
OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ PLUG AND ABANDONMENT ☐
CASING TEST AND CEMENT JOB ☐
OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Attach wellbore diagram of proposed completion or recompletion.

See Attachment

The Oil Conservation Division Must be notified
24 hours prior to the beginning of plugging operations.

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☐ , a general permit ☐ or an (attached) alternative OCD-approved plan ☐

SIGNATURE David Stewart TITLE Sr. Regulatory Analyst DATE 3/9/11

Type or print name David Stewart

E-mail address:

Telephone No. 432-685-5717

For State Use Only

APPROVED BY [Signature] TITLE Staff Mgr DATE 3-14-2011


Conditions of Approval, if any:

TD-3588' PBTD-3374' OH-3454-3588' CIBP-3374'

13-3/8" 40# csg @ 325' w/ 300sx, 17-1/2" hole, TOC-Surf-Circ
9-5/8" 36# csg @ 1188' w/ 500sx, 12-1/4" hole, TOC-Surf-Circ
7" 20# csg @ 3454' w/ 400sx, 8-3/4" hole, TOC-*1308'-TS
*Perf @ 1298', sqz 250sx cmt, circ to surf

1. RIH & tag CIBP @ 3374' M&P 25sx cmt to 3274'
2. M&P 30sx cmt @ 2940-2840'
3. M&P 30sx cmt @ 2170-2070' WOC-Tag
4. M&P 55sx cmt @ 1348-1138' WOC-Tag
5. M&P 100sx cmt @ 375'-Surface
Circ 10# MLF between plugs

OXY USA WTP LP - Current
Myers Langlie Mattix Unit #137
API No. 30-025-11036



17-1/2" hole @ 325'
13-3/8" csg @ 325'
w/ 300sx-TOC-Surf-Circ

12-1/4" hole @ 1188'
9-5/8" csg @ 1188'
w/ 500sx-TOC-Surf-Circ

*5/60-Perf @ 1298', sqz 250sx cmt, circ to surf

8-3/4" hole @ 3454'
7" csg @ 3454'
w/ 400sx-TOC-*1308'-TS

5/07-CIBP @ 3374'

OH @ 3454-3588'

TD-3588'

OXY USA WTP LP - Proposed
Myers Langlie Mattix Unit #137
API No. 30-025-11036

100sx @ 375'-Surface


55sx @ 1348-1138' WOC-Tag

30sx @ 2170-2070' WOC-Tag

30sx @ 2940-2840'

25sx @ 3374-3274'

5/07-CIBP @ 3374'



17-1/2" hole @ 325'
13-3/8" csg @ 325'
w/ 300sx-TOC-Surf-Circ

12-1/4" hole @ 1188'
9-5/8" csg @ 1188'
w/ 500sx-TOC-Surf-Circ

*5/60-Perf @ 1298', sqz 250sx cmt, circ to surf

8-3/4" hole @ 3454'
7" csg @ 3454'
w/ 400sx-TOC-*1308'-TS

OH @ 3454-3588'

TD-3588'