Bistrict I 1625 N. French Dr., Hobbs, NM 88240	ew Mexico Form C-144 CLE2
District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road Aztec, NM 87410 MAR 2 5 2011 Oil Conserva-	ation Division ground steel tanks or haul-off bins and propose
District IV HOBBSOCO 1220 South	St. Francis Dr. <i>to implement waste removal for closure</i> , submit to the appropriate NMOCD District Office.NM 87505
	t or Closure Plan Application
	ns and propose to implement waste removal for closure)
I ype of action: Instructions: Please submit one application (Form C-144 CLEZ) per individu	Permit Closure
closed-loop system that only use above ground steel tanks or haul-off bins and Please be advised that approval of this request does not relieve the operator of liabi	propose to implement waste removal for closure, please submit a Form C-144.
Ι.	
Operator: <u>Resaca Operating Company</u>	
Address: <u>1331 Lamar St. Ste. 1450, Houston, TX 77010</u>	
Facility or well name: <u>Cooper Jal Unit #139</u>	
API Number: <u>30-025-09661</u> OCI	
U/L or Qtr/QtrB Section25 Township24S_	
Center of Proposed Design: Latitude L	ongitude NAD: 1927 1983
Surface Owner: 🗌 Federal 🔲 State 🖾 Private 🗔 Tribal Trust or Indian All	
Signs: Subsection C of 19.15.17.11 NMAC □ 12"x 24", 2" lettering, providing Operator's name, site location, and emer ☑ Signed in compliance with 19.15.3.103 NMAC 4. Closed-loop Systems Permit Application Attachment Checklist: Subsect Instructions: Each of the following items must be attached to the application attached. ☑ Design Plan - based upon the appropriate requirements of 19.15.17.11 ☑ Operating and Maintenance Plan - based upon the appropriate requirements ☑ Closure Plan (Please complete Box 5) - based upon the appropriate requirements ☑ Previously Approved Design (attach copy of design) API Number:	ion B of 19.15.17.9 NMAC on. Please indicate, by a check mark in the box, that the documents are NMAC nents of 19.15.17.12 NMAC
Previously Approved Operating and Maintenance Plan API Number:	
5. <u>Waste Removal Closure For Closed-loop Systems That Utilize Above Gra</u> Instructions: Please indentify the facility or facilities for the disposal of liq facilities are required.	
Disposal Facility Name: <u>Sundance Service Inc.</u>	Disposal Facility Permit Number: <u>NM-01-0003</u>
Disposal Facility Name: CRI	
	ties occur on or in areas that will not be used for future service and operations?
Required for impacted areas which will not be used for future service and ope Soil Backfill and Cover Design Specifications based upon the appro Re-vegetation Plan - based upon the appropriate requirements of Subse Site Reclamation Plan - based upon the appropriate requirements of Su	priate requirements of Subsection H of 19.15.17.13 NMAC ction I of 19.15.17.13 NMAC
6. Operator Application Certification: I hereby certify that the information submitted with this application is true, and	ccurate and complete to the best of my knowledge and belief
Name (Print): <u>Melanie Reyes</u>	
mal	Date: <u>3/24/2011</u>
e-mail address: <u>melanie.reyes@resacaexploitation.com</u>	Telephone: (432) 580-8500
- man addressmenane.rejestadaexplotation.com	i elephone <u>1521500-0500</u>

OCD Representative Signature:	sure plan) Closure Plan (only) Approval Date 3-28-2011
Title:	$\frac{2}{2} \qquad \qquad$
8. Closure Report (required within 60 days of closure constructions: Operators are required to obtain an appr The closure report is required to be submitted to the div	
	Closure Completion Date:
-	Disposal Facility Permit Number: Disposal Facility Permit Number:
	For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: For where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more that
	activities performed on or in areas that <i>will not</i> be used for future service and operations?
Yes (If yes, please demonstrate compliance to the	
	titems below) No future service and operations:
Required for impacted areas which will not be used for f Site Reclamation (Photo Documentation) Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Tec Operator Closure Certification: I hereby certify that the information and attachments sub-	titems below) No future service and operations:
Required for impacted areas which will not be used for f Site Reclamation (Photo Documentation) Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Tec Operator Closure Certification: I hereby certify that the information and attachments sub belief. I also certify that the closure complies with all applied to the second seco	items below)
Required for impacted areas which will not be used for f Site Reclamation (Photo Documentation) Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Tec 10. Operator Closure Certification: I hereby certify that the information and attachments sub-	items below) [] No future service and operations: chnique control operation operat

EXHIBIT No. 1

For Section 4 of FORM C-144 CLEZ

NEW DRILLING WELL

Closed-loop Systems Application Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC

Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC

- 1. The drill site will be properly constructed as a 180' x 200' x 9" level caliche pad. At the time the drill site is leveled, the scraped soil will be stockpiled for later use. The drill site will contain no pit. The drill pad will also contain a 6' x 6' x 6' wellbore cellar at the well location.
- 2. Prior to the commencement of drilling operations a sign compliant with 19.15.3.103 NMAC will be properly posted.
- 3. A 'Claco closed loop drilling fluid system' in conjunction with (2) two 250 bbl steel rig pits with shale shaker and a 500 bbl emergency tank will be rigged prior to the commencement of drilling operations. No permanent, temporary emergency or in-ground pit will be constructed. All drilling operations requiring the manipulation of drilling fluids will be conducted with the 'Claco closed loop drilling fluid system.' No drying pads will be constructed. See the attached flow sketch labeled 'Claco Closed-Loop Flow Diagram.'
- 4. At the completion of drilling operations and removal of all equipment, the area will be secured and prepared for production operations.

Operating and Maintenance Plan – based the appropriate requirements of 9.15.17.12 NMAC

- 1. All drilling fluids and cuttings will be contained in the steel rig pits, Claco closed loop drilling fluid system, emergency 500 bbl tank or roll-off disposal bins. No in-ground pits of any kind will be used.
- 2. Only materials normally required for oil field drilling operations will be allowed at the drill site.
- 3. The roll-off bins will be lined with the appropriate PE liner. After the cuttings have been transported to the disposal site and removed, the roll-off bins will be flushed with fresh water at the disposal site and re-lined before being returned to service.
- 4. All drill cuttings will be transported to the Sundance Services, Inc., Parabo Disposal Facility in Eunice, NM or other appropriate disposal sites for disposal. All fluids will either be transported to and used at the next Torch drill site or disposed of at an appropriate disposal facility.

- 5. Rig hands and on-site supervisors (tool pusher and consultant) will regularly inspect for proper operation of the closed loop system and collection of and disposal of drill cuttings and fluids.
- 6. All fluid holding equipment is regularly inspected and maintained. Any leaks detected will be dealt with in accordance with Paragraph (5) of Subsection A of 19.15.17.12 NMAC.

Closure Plan – based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC

6 A

As stated in the attached design and operating and maintenance plans, the proposed closed loop system is self-contained. No temporary, permanent in-ground pits of any type or drying pads will be used; therefore there is no on-site closure. All solids will be contained, transported to an appropriate disposal site and disposed of. All fluids will be collected from the closed loop system and disposed of at an appropriate disposal site or moved to the next drill site for further service. All drilling and closed loop system equipment will be removed from the drill site.

The proper closure reporting requirements from Subsection K of 19.15.17.13 NMAC will be met and reported to the NMOCD.

CLACO CLOSED-LOOP FLOW DIAGRAM

Ň

3



.