

District I
1625 N. French, Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-025-07503
5. Indicate Type Of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>
6. State Oil & Gas Lease No.

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

1a. Type of Well: OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> DRY <input type="checkbox"/> OTHER _____		7. Lease Name or Unit Agreement Name North Hobbs G/SA Unit	
b. Type of Completion: NEW WELL <input type="checkbox"/> WORK OVER <input type="checkbox"/> DEEPEN <input type="checkbox"/> PLUG BACK <input type="checkbox"/> DIFF. RESVR. <input type="checkbox"/> OTHER Conversion			
2. Name of Operator Occidental Permian Limited Partnership		8. Well No. 211	
3. Address of Operator P.O. Box 4294, Houston, TX 77210-4294		9. Pool name or Wildcat Hobbs; Grayburg - San Andres	
4. Well Location Unit Letter C : 440 Feet From The North Line and 2310 Feet From The West Line Section 31 Township 18-S Range 38-E NMPM Lea County			
10. Date Spudded	11. Date T.D. Reached	12. Date Compl. (Ready to Prod.) 10/14/03	13. Elevations (DF & RKB, RT, GR, etc.) 3642' GR
14. Elev. Casinghead			
15. Total Depth 4300'	16. Plug Back T.D. 4238'	17. If Multiple Compl. How Many Zones?	18. Intervals Drilled By Rotary Tools Cable Tools
19. Producing Interval(s), of this completion - Top, Bottom, Name 4162' - 4196'; 4210' - 4238' Grayburg - San Andres			20. Was Directional Survey Made
21. Type Electric and Other Logs Run			22. Was Well Cored

23. CASING RECORD (Report all strings set in well)					
CASING SIZE	WEIGHT LB./FT.	DEPTH SET	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
12-1/2	50	266	16	185 sx.	
9-5/8	36	2750	13-3/4	400 sx.	
7	24	3973	8-3/4	450 sx.	
5	13	4210	6-1/4	350 sx.	

24. LINER RECORD				25. TUBING RECORD			
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	SIZE	DEPTH SET	PACKER SET
					2-7/8	4028'	
26. Perforation record (interval, size, and number) 4162' - 4196' (perfs) 4210' - 4238' (open hole)				27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC. DEPTH INTERVAL 4162' - 4238' AMOUNT AND KIND MATERIAL USED 3500 gal. 15% NEFE, HCL			

28. PRODUCTION							
Date First Production 10/15/03		Production Method (Flowing, gas lift, pumping - Size and type pump) Pumping, ESP - Reda					
Date of Test 1/3/04	Hours Tested 24	Choke Size N/A	Prod'n For Test Period	Oil - Bbl. 107	Gas - MCF 205	Water - Bbl. 1450	Gas - Oil Ratio 1916
Flow Tubing Press. 50	Casing Pressure 35	Calculated 24-Hour Rate	Oil - Bbl. 107	Gas - MCF 205	Water - Bbl. 1450	Oil Gravity - API -(Corr.) 35	

29. Disposition of Gas (Sold, used for fuel, vented, etc.) Gas is reinjected at NHU Satellite 31 Recompression Facility	Test Witnessed By T. Summers
---	--

30. List Attachments Form C-104			
31. I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief			
Signature Mark Stephens	Printed Name Mark Stephens	Title Reg. Comp. Analyst	Date 1/29/04
E-mail address Mark.Stephens@oxy.com			

NOTE: Unable to test well until January '04 due to problems with automation equipment

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, Items 25 through 29 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico		Northeastern New Mexico	
T. Anhy	T. Canyon	T. Ojo Alamo	T. Penn. "B"
T. Salt	T. Strawn	T. Kirtland-Fruitland	T. Penn. "C"
B. Salt	T. Atoka	T. Pictured Cliffs	T. Penn. "D"
T. Yates	T. Miss	T. Cliff House	T. Leadville
T. 7 Rivers	T. Devonian	T. Menefee	T. Madison
T. Queen	T. Silurian	T. Point Lookout	T. Elbert
T. Grayburg	T. Montoya	T. Mancos	T. McCracken
T. San Andres	T. Simpson	T. Gallup	T. Ignacio Otzte
T. Glorieta	T. McKee	Base Greenhorn	T. Granite
T. Paddock	T. Ellenburger	T. Dakota	T.
T. Blinebry	T. Gr. Wash	T. Morrison	T.
T. Tubb	T. Delaware Sand	T. Todilto	T.
T. Drinkard	T. Bone Springs	T. Entrada	T.
T. Abo	T.	T. Wingate	T.
T. Wolfcamp		T. Chinle	T.
T. Penn	T.	T. Permian	T.
T. Cisco (Bough C)	T.	T. Penn "A"	T.

OIL OR GAS SANDS OR ZONES

No. 1, from _____ to _____

No. 3, from ----- to -----

No. 2, from ----- to -----

No. 4, from ----- to -----

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from _____ to _____ feet _____

No. 2, from _____ to _____ feet _____

No. 3. from ----- to ----- feet -----

LITHOLOGY RECORD (Attach additional sheet if necessary)

From	To	Thickness in Feet	Lithology

From	To	Thickness in Feet	Lithology