

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Ave., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

RECEIVED
APR 05 2011
HOBBSUCD

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

| |
|---|
| WELL API NO. 30-025-37086 |
| 5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/> |
| 6. State Oil & Gas Lease No. VO-5459 |
| 7. Lease Name or Unit Agreement Name Indigo BHC State Com |
| 8. Well Number 4 |
| 9. OGRID Number 025575 |
| 10. Pool name or Wildcat Wildcat; Abo |

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☐ Gas Well ☒ Other P&A ☐

2. Name of Operator
Yates Petroleum Corporation

3. Address of Operator
105 South Fourth Street, Artesia, NM 88210

4. Well Location
Unit Letter D : 660 feet from the North line and 660 feet from the West line
Section 5 Township 12S Range 35E NMPM Lea County

11. Elevation (Show whether DR, RKB, RT, GR, etc.)
4162GR

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☒
CASING/CEMENT JOB ☐

OTHER: ☐

OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

3/22/11 – ND wellhead. NU BOP. Dug out cellar.
3/23/11 – Set 5-1/2" CIBP @ 9118'. Tagged CIBP.
3/24/11 – Loaded and tested casing to 500 psi. Spotted 25 sx "H" neat cement on CIBP. Calculated TOC to be 8892'.
Spotted 25 sx "C" neat cement @ 6110'. Calculated TOC to be 5857'. Perforated 4 holes @ 4402'. Pressured to 500 psi.
Spotted 25 sx "C" neat cement @ 4459'. WOC.
3/25/11 – Tagged plug @ 4211'. Perforated 4 holes @ 1900'. Pressured casing to 600 psi. Spotted 25 sx "C" neat cement @ 1950'. Calculated TOC to be 1697'. WOC.
3/28/11 – Tagged plug @ 1700'. Perforated 4 holes @ 471'. Circulated out 9-5/8" X 5-1/2". Pumped 147 sx "C" neat cement down 5-1/2". Circulated out 9-5/8" to surface. ND BOP.
3/31/11 – Dug out cellar, cut off wellhead, and installed dry hole marker. Filled cellar, cut anchors, and cleaned location.
WELL IS PLUGGED AND ABANDONED.

Spud Date:

Rig Release Date:

Approved for plugging of well bore only.
Liability under bond is retained pending receipt
of C-103 (Subsequent Report of Well Plugging)
which may be found at OCD Web Page under
Forms, www.emnrd.state.nm.us/oed.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Craig Aton TITLE Regulatory Compliance Technician DATE April 1, 2011

Type or print name Craig Aton E-mail address: caton@yatespetroleum.com PHONE: 575-748-4385

For State Use Only

APPROVED BY: [Signature] TITLE STATE MGR DATE 4-6-2011

Conditions of Approval (if any):

<