Form C-144 CLEZ

For closed-loop systems that only use above ground steel tanks or haul-off bins and propose to implement waste removal for closure, submit to the appropriate NMOCD District Office.

Page 1 of 2

Closed-Loop System Permit or Closure Plan Application

(that only use above ground steel tanks or haul-off hins and propose to implement waste removal for closure)

Type of action: 🛛 Permit 🗌 Closure

Instructions: Please submit one application (Form C-144 CLEZ) per individual closed-loop system request. For any application request other than for a closed-loop system that only use above ground steel tanks or haul-off bins and propose to implement waste removal for closure, please submit a Form C-144.

Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.

L. Description Constitute Community	00000 //. 022949	
Operator: Resaca Operating Company	OURID #:	
Address: <u>1331 Lamar St. Ste. 1450, Houston, TX 77010</u>		
Facility or well name: <u>Cooper Jal Unit #140</u>		
	it Number: <u>Pending</u> P1-03076	
U/L or Qtr/Qtr <u>A</u> Section <u>25</u> Township <u>24S</u>		
Center of Proposed Design: Latitude Longitu	teNAD: []1927 [] 1983	
Surface Owner: 🔲 Federal 🔲 State 🖾 Private 🛄 Tribal Trust or Indian Allotment		
 2. Subsection H of 19.15.17.11 NMAC Operation: Drilling a new well Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent) P&A Above Ground Steel Tanks or Haul-off Bins 		
3. Simular Subsection C of 10.15.17.11 MAAC		
Signs: Subsection C of 19.15.17.11 NMAC 12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers		
Signed in compliance with 19.15.3.103 NMAC		
4.		
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.		
5. Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: (19.15.17.13.D NMAC) Instructions: Please indentify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings. Use attachment if more than two facilities are required.		
	Disposal Facility Permit Number: <u>NM-01-0003</u>	
Disposal Facility Name:CRI	Disposal Facility Permit Number: <u>NM-01-0006</u>	
Will any of the proposed closed-loop system operations and associated activities occur on or in areas that <i>will not</i> be used for future service and operations?		
Required for impacted areas which will not be used for future service and operations: Soil Backfill and Cover Design Specifications based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Revegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC		
6. Operator Application Certification:	·	
1 hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief.		
Name (Print): Melanic Reyes	Title: Engineer Assistant	
Signature:	Date: 3/17/2011	
e-mail address:melanie.reyes@resacaexploitation.com	Telephone: (432) 580-8500	

Oil Conservation Division

7. OCD Approval: Permit Application (including) clusure plan) Closure Plan (only)		
OCD Representative Signature:	Approval Date: <u> </u>	
Title:SPACAMOR	Approval Date: <u>4-11-2011</u> OCD Permit Number: <u>P1-03076</u>	
8. Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed.		
l		
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: Instructions: Please indentify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized.		
Disposal Facility Name:	Disposal Facility Permit Number:	
Disposal Facility Name:	Disposal Facility Permit Number:	
Were the closed-loop system operations and associated activities performed on or in areas that <i>will not</i> be used for future service and operations? Yes (If yes, please demonstrate compliance to the items below)		
Required for impacted areas which will not be used for future service and operations: Site Reclamation (Photo Documentation) Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique		
10.		
Operator Closure Certification: I hereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.		
Name (Print):	Title:	
Signature:	Date:	
e-mail address:	Telephone:	

EXHIBIT No. 1

For Section 4 of FORM C-144 CLEZ

NEW DRILLING WELL

Closed-loop Systems Application Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC

Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC

- The drill site will be properly constructed as a 180' x 200' x 9" level caliche pad. At the time the drill site is leveled, the scraped soil will be stockpiled for later use. The drill site will contain no pit. The drill pad will also contain a 6' x 6' x 6' wellbore cellar at the well location.
- 2. Prior to the commencement of drilling operations a sign compliant with 19.15.3.103 NMAC will be properly posted.
- 3. A 'Claco closed loop drilling fluid system' in conjunction with (2) two 250 bbl steel rig pits with shale shaker and a 500 bbl emergency tank will be rigged prior to the commencement of drilling operations. No permanent, temporary emergency or in-ground pit will be constructed. All drilling operations requiring the manipulation of drilling fluids will be conducted with the 'Claco closed loop drilling fluid system.' No drying pads will be constructed. See the attached flow sketch labeled 'Claco Closed-Loop Flow Diagram.'
- 4. At the completion of drilling operations and removal of all equipment, the area will be secured and prepared for production operations.

Operating and Maintenance Plan – based the appropriate requirements of 9.15.17.12 NMAC

- 1. All drilling fluids and cuttings will be contained in the steel rig pits, Claco closed loop drilling fluid system, emergency 500 bbl tank or roll-off disposal bins. No in-ground pits of any kind will be used.
- 2. Only materials normally required for oil field drilling operations will be allowed at the drill site.
- 3. The roll-off bins will be lined with the appropriate PE liner. After the cuttings have been transported to the disposal site and removed, the roll-off bins will be flushed with fresh water at the disposal site and re-lined before being returned to service.
- All drill cuttings will be transported to the Sundance Services, Inc., Parabo Disposal Facility in Eunice, NM or other appropriate disposal sites for disposal. All fluids will either be transported to and used at the next Torch drill site or disposed of at an appropriate disposal facility.

- 5. Rig hands and on-site supervisors (tool pusher and consultant) will regularly inspect for proper operation of the closed loop system and collection of and disposal of drill cuttings and fluids.
- 6. All fluid holding equipment is regularly inspected and maintained. Any leaks detected will be dealt with in accordance with Paragraph (5) of Subsection A of 19.15.17.12 NMAC.

Closure Plan – based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC

As stated in the attached design and operating and maintenance plans, the proposed closed loop system is self-contained. No temporary, permanent in-ground pits of any type or drying pads will be used; therefore there is no on-site closure. All solids will be contained, transported to an appropriate disposal site and disposed of. All fluids will be collected from the closed loop system and disposed of at an appropriate disposal site or moved to the next drill site for further service. All drilling and closed loop system equipment will be removed from the drill site.

The proper closure reporting requirements from Subsection K of 19.15.17.13 NMAC will be met and reported to the NMOCD.

£

CLACO CLOSED-LOOP FLOW DIAGRAM



.