

Submit 1 Copy To Appropriate District
Office
District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Ave., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
October 13, 2009

RECEIVED

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

APR 04 2011

HOBBSUCD

WELL API NO.
30-025-28659

5. Indicate Type of Lease

STATE ☒ FEE ☐

6. State Oil & Gas Lease No.
V-732-2

7. Lease Name or Unit Agreement Name
NM DL STATE

8. Well Number #6

9. OGRID Number 270329

10. Pool name or Wildcat
CRUZ, DELAWARE

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐

2. Name of Operator
ENDURANCE RESOURCES LLC

3. Address of Operator
PO BOX 1466 ARTESIA, NM 88211

4. Well Location

P Unit Letter 660 feet from the SOUTH line and 660 feet from the EAST line

Section 18 Township 23S Range 33E NMPM County LEA

11. Elevation (Show whether DR, RKB, RT, GR, etc.)

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☐
CASING/CEMENT JOB ☐

OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Set CIBP @ 5090' → CAP W/35' cmt

Spot 100' cmt t/Delaware 5060'

Circulate heavy mud → spot 25 sx cmt @ 3085' → spot 25 sx cmt @ 1285' (TS)

Circulate cmt from 630' to surface 8 5/8" CSNG shoe 680

Perf & SQ cmt @ 730' - Circ to surface - Cut off WH - Install Dry hole marker

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE

TITLE Geologist

DATE 04/01/2011

Type or print name Randall L Harris E-mail address: rharrisnm@yahoo.com

PHONE: 575-308-0722

For State Use Only

APPROVED BY


TITLE STATE MGR

DATE 4-12-2011

Conditions of Approval (if any):

NEW MEXICO DL STATE #6

PROPOSED



NEW MEXICO DL STATE #6

CURRENT

680' $8\frac{5}{8}$ "
CMT CIRE

T/DELAWARE
5076

5120-5122

5112" 5275"
CMT CIRE