

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

OCD-HOBBS

FORM APPROVED OMB NO. 1004-0135 Expires: November 30, 2000

APR 15 (3) SUNDRY NOTICES AND REPORTS ON WELLS HOBBSO abandoned well. Use Form 3160-3 (APD) for such proposals. SUBMIT IN TRIPLICATE - Other instructions on reverse side					S. Lease Serial No. 891038170 - NMLC057420 6. If Indian, Allottee or Tribe Name			
					7. If Unit or CA/Agreement, Name and/or No. Myers Langlie Mattix Unit			
1. Type of Well X Oil Well Gas Well Other 2. Name of Operator				8. Well Name an	nd No.			
OXY USA WTP Limited Partnership		19246		9. API Well No.				
3a. Address		3b. Phone No. (include ar	ea code)	30-025-25987				
P.O. Box 50250, Midland, TX 79710-0250 4. Location of Well (Footage, Sec., T., R., M., or Survey Description)		432-685-5717			ol, or Exploratory Area			
1880 FSL 2080 FEL NWSE(J) Sec 29 T23S R37E				Langile Matt	tix 7Rvr Qn-GB			
1000 101 2000 121 11102(0) 000 23	1200 NO/E	7. No. C		11. County or Pa	urish, State			
			•	Lea	NM			
12. CHECK APPROPRIATE	BOX(ES) TO INE	DICATE NATURE OF I	NOTICE, REPO	ORT, OR OTHE	R DATA			
TYPE OF SUBMISSION		TYI	PE OF ACTION					
Notice of Intent	Acidize	Deepen		(Start/Resume)	Water Shut-Off			
X Subsequent Report	Alter Casing Casing Repair	Fracture Treat New Construction	Reclamatio Recomplet	-	Well Integrity Other			
Final Abandonment Notice	Change Plans	X Plug and Abandon	Temporaril	y Abandon				
	Convert to Injection	on Plug Back	Water Disp	osal				
13. Describe Proposed or Completed Operation (clearly If the proposal is to deepen directionally or recomp Attach the Bond under which the work will be per following completion of the involved operations. I testing has been completed. Final Abandonment N determined that the final site is ready for final inspection.	lete horizontally, give s formed or provide the I f the operation results in Notices shall be filed on	ubsurface locations and mea Bond No. on file with BLM/ n a multiple completion or re	sured and true ver BIA. Required su ecompletion in a n	tical depths of all perbects o	ertinent markers and zones. hall be filed within 30 days			
3/29/11 MIRU, attempt to PO 3/30/11 POOH w/ rods, NDV 3/31/11 RIH w/ CIBP & set @ Spot 25sx CI C cmt	VH, NUBOP, Rel 3347', circ hole	TAC POOH w/ tbg & w/ 50bbl 10# MLF	rods.					
		2% CaCl2, POOH, W	/OC					

RECLAMATION DUE 9.28-11

4/1/11

Accepted as to plugging of the well bore. Liability under bond is retained until Surface restoration is completed.

14. I hereby certify that the foregoing is true and correct Name (Printed/Typed) David Stewart	Title	Sr. Regulatör	ý (Anallyst JULI 11	D FOR RE(CORD	=			
THIS SPACE FOR FEDERAL OR STATE OFFICE USE									
Approved by	Title		AF	'R Date 2011		_			
Conditions of approval, if any, are attached. Approval of this notice does not warran certify that the applicant holds legal or equitable title to those rights in the subject lewhich would entitle the applicant to conduct operations thereof it is a subject to the applicant to conduct operations thereof it is a subject to the applicant to conduct operations thereof it is a subject to the applicant to conduct operations thereof it is a subject to the applicant to conduct operations thereof it is a subject to the applicant to conduct operations thereof it is a subject to the applicant to conduct operations thereof it is a subject to the applicant to conduct operations thereof it is a subject to the applicant to conduct operations thereof it is a subject to the applicant to conduct operations the applicant to conduct operations the applicant to the applicant to the applicant to conduct operations the applicant to the applic	t or Office	;	RUFALLO	E LAND MANAGEM	J IENIT	_			
Title 18 U.S.C. Section 1001, and Title 43 U.S.C. Section 1212, makes it a crime for a States any false, fictitious or fraudulent statements or representations as to any matter	ny person k within its ju	nowingly and willfully				d			

RIH & tag cmt @ 2655', PUH to 2571', spot 25sx CI C cmt, POOH, WOC

RIH & tag cmt @ 991', PUH to 571', pump 60sx Cl C cmt to surface

POOH, NDBOP, top off csg, RDMO

RIH & tag cmt @ 2344', PUH to 1238', spot 25sx CI C cmt w/ 2% CaCl2, POOH, WOC