

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Ave., Artesia, NM 88210
District III
1000 Rio Brazos Rd. Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources
RECEIVED
OIL CONSERVATION DIVISION
APR 15 2011
HOBBSOCD
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-025-05799
5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>
6. State Oil & Gas Lease NO.
7. Lease Name or Unit Agreement Name North Monument G/SA unit Blk 17
8. Well Number 14
9. OGRID Numer 873
10. Pool Name Eunice Monument;G/SA
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3,557' GR

SUNDRY NOTICES AND REPORTS ON WELLS
(DON NOT USE THIS FORM FOR PROPOSALS TO DRILL OR DEEPEN OR PLUG BACK TO A DIFFERENT RESERVIOR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well <input type="checkbox"/> Gas Well <input type="checkbox"/> Other <input checked="" type="checkbox"/>
2. Name of Operator Apache Corporation
3. Address of Operator 303 Veterans Airpark Lane, Ste. 3000, Midland, TX 79705
4. Well Location Unit Letter N : 330 feet from the S line and 2310 feet from th W line Section 33 Township 19S Range 37E NMPM County Lea
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3,557' GR

12. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input checked="" type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	MULTIPLE COMPL <input type="checkbox"/>
DOWNHOLE COMMINGLE <input type="checkbox"/>	
OTHER: <input type="checkbox"/>	

SUBSEQUENT REPORT OF:

REMEDIAL WORK <input type="checkbox"/>
COMMENCE DRILLING OPNS. <input type="checkbox"/>
CASING/CEMENT JOB <input type="checkbox"/>
ALTERING CASING <input type="checkbox"/>
P AND A <input type="checkbox"/>
OTHER: <input type="checkbox"/>

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work.) SEE RULE 1103. For Multiple Completions: Attach wellbore diagram or proposed completion or recompletion.

Apache Corporation proposes to P&A the above mentioned well by the attached procedure.

The Oil Conservation Division Must be notified
24 hours prior to the beginning of plugging operations.

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE	<u><i>Guinn Burks</i></u>	TITLE	<u>Reclamation Foreman</u>	DATE	<u>4/13/11</u>
Type or print name	<u>Guinn Burks</u>	E-mail add.	<u>guinn.burks@apachecorp.com</u>	PHONE:	<u>432-556-9143</u>
For State Use Only	<u><i>[Signature]</i></u>	TITLE	<u>STAFF MGR</u>	DATE	<u>4-19-2011</u>
APPROVED BY:					
Conditions of Approval (if any):					



WELL BORE INFO.

LEASE NAME

NMGSAU BLK 17

WELL #

14

API #

30-025-05799

COUNTY

Lea

12 1/2" csg @ 161'
w/ 150 sx to surf

Csg lk @ 2091'-2123' sqzd w/25 sx
Did not drill out

8 5/8" csg @ 2557'
w/500 sx cmt cal TOC 103'


TOC 3083'

CIBP @ 3412' w/15' cmt
Eumont gas perms @ 3506'-3600' sqzd
Grayburg perms @ 3682' - 3736'

6 5/8" csg @ 3759'
w/100 sx cal TOC @ 3083'

5 7/8" OH 3759' - 3910'

TD @ 3910'





WELL BORE INFO.

12 1/2" csg @ 161'
w/ 150 sx to surf

Csg lk @ 2091'-2123' sqzd w/25 sx
Did not drill out

8 5/8" csg @ 2557'
w/500 sx cmt cal TOC 103'


TOC 3083'

CIBP @ 3412' w/15' cmt
Eumont gas perms @ 3506'-3600' sqzd
Grayburg perms @ 3682' - 3736'

6 5/8" csg @ 3759'
w/100 sx cal TOC @ 3083'

5 7/8" OH 3759' - 3910'

TD @ 3910'



LEASE NAME

NMGSAU BLK 17

WELL #

14

API #

30-025-05799

COUNTY

Lea

PROPOSED PROCEDURE

5. PUH & perf @ 211' & sqz 130 sx Class "C" cmt from 211' to surf, CIRC all strings of csg to surf. (Shoe & Water Board)

4. PUH & perf @ 1430' & sqz 50 sx Class "C" cmt from 1430'-1330' (Top of Salt) *WOC - TAG*

1. MIRU, RIH w/ bit & drill out cmt plug @ 2019' - 2123', CIRC the hole clean & TIH & tag CIBP @ 3397'

3. PUH & perf @ 2607' & sqz 50 sx Class "C" cmt from 2607'-2425' WOC/TAG (Shoe & Base of Salt)

2. CIRC hole clean & CIRC w/ MLF & spot 25 sx Class "C" cmt on top of CIBP @ 3397'