Submit 3 Copies To Appropriate District		Otata of No.	u Maviaa					-orm C- June 19,	
Office	REA Energy	State of Nev	W Metural Do	securece [	WELL AP	I NO.		June 19,	2008
<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240	RECEIVE	winerais and	Natural Re	sources	***************************************		E 05007		
District II	APR 15 2011	NCEDVA	TION DIV	/ISION			5-05807		
1301 W. Grand Ave., Artesia, NM 88210	APR 15 701	JNSEKVA	I ION DIV	/ISION	5. Indicate	Type of Le	ease		
Disrtict III	HORDON 1	220 South St	Eropois D	·		STATE	FEI	E 🗹	
1000 Rio Brazos Rd. Aztec, NM 87410 Poistrict IV	HOBBSOCD 12	اد Santa Fe, N	. FIAIICIS D IM 87505	''· [	6. State O	il & Gas Le	ase NO.		$\dashv$
1220 S. St. Francis Dr., Santa Fe, NM 87		Santa Fe, IV	IIVI 67303		o. otato o				
		TO ONLINE			7 1	1	·	Non-	
	TICES AND REPOR					Name or Ur	ŭ		
(DON NOT USE THIS FORM FOR P DIFFERENT RESERVIOR. USE "AF	ROPOSALS TO DRILL	L OR DEEPEN RMIT" (EORM (	1 OK PLUG C-101\ FOE	SHICH	North	Monumer	nt G/SA Ur	nit Blk 1	7
PROPOSALS.)	FLICATION FOR FLI	XIVIII (I OIXIVI )	C-101/1 OI		8. Well Nu	ımber			
·	Well Other	•					2	•	
2. Name of Operator	VVCII O(TICI				9. OGRID	Numer			
•	Apache Corporatio	n					373		
3. Address of Operator					10. Pool N			VO.4	/
	ark Lane, Ste. 3000	, Midland, Tን	K 79705		E	unice Mo	nument G	i/SA	
4. Well Location	: 990	fact from the	N	line and	1650	feet from the	E	line	
Unit Letter B Section 33	: <b>990</b> Township	feet from the 19S R	Range	line and 37E	NMPM	ieet iioin tii	County	Le	а
Section	11. Elevation (Sho				1400			in, I'm	4. T
			4' RKB	, ,					<b>4</b> 1
		<b>T</b> I P	N-1 F	Nation Daw		D-t-			
12. C	heck Appropriate Bo	x To Indicate	Nature of	Notice, Rep I	ort, or Oti	ner Data			
NOTICE (	OF INTENTION TO:				SUBSEQ	UENT RE	PORT OF	•	
PERFORM REMEDIAL WORK	☐ PLUG AND		기	REMEDIAL \				-	
TEMPORARILY ABANDON	CHANGE PL	_		COMMENCE		G OPNS.	Ħ		
PULL OR ALTER CASING	MULTIPLE (	=		CASING/CE	MENT JOE	3			
DOWNHOLE COMMINGLE				ALTERING (	CASING				
		-		P AND A			Ц		
OTHER:				OTHER:		_4 :	<u> </u>		
13. Describe proposed or comple	eted operations. (Clea	irly state all per	rtinent detai	ils, and give p	pertinent d	ates, includ	ing estimati	ea aate d	)Ţ
starting any proposed work.) SEE	KULE 1103. FORMUNI	pie Compietior	is. Allacii v	velibore diagi	iaiii oi pio	poseu com	JIELIOIT OF TE	completi	OH.
Apache Corpora	ntion proposes to P	&A the abov	e mention	ned well by	the attac	hed proce	edure.		
•				•		•			
		,							
		The O	il Conserv	ation Division	on Must b	e notified	rations		
		24 hoi	urs prior to	the beginn	ing oi più	gging ope	iations.		
0 154									
Spud Date:		-	-	I			J		
I hereby certify that the information above	e is true and complete to	the hest of my ki	nowledge and	d belief					• •
Thereby definy that the mornation above				a 001101.					
SIGNATURE	unu Burks	TITLE	Reclar	mation Fore	eman	DATE	4/	14/11	
Type or print name	Guinn Burks	E-mail add.	guinn.burk	s@apached	corp.com	PHONE:	432-5	56-9143	3
For State Use Only	$\mathcal{L}$					=			
APPROVED BY:	K-	THI F	Cons	4 mm	· -	DATE	4-1	9_ ;	701
Conditions of Approval (if any):	for succession	_	N/1797	11156		- 5/(12		1-6	<u>~/</u> /
Conditions of Approval (II arry).	' //								
2	U								

Ammahue
WELL BORE INFO.

LEASE NAME	North Monument G/SA Unit Blk 17
WELL#	2
API#	30-025-05807
COUNTY	Lea


_	 _	_		
				•
				•
				,

8 5/8" @ 215'2 w/150 sx cmt to surf

872'-904' sqzd csg. leak w/ 26 sx cmt.

5 1/2" @ 3498' w/1200 sx CIRC to surf CIBP @ 3595' w/no cmt

Perfs @ 3692'-3796' 4 1/2" Liner @ 3385'-3880' w/75 sx CIRC to TOL



PBTD 3595' TD 3880'

Appenalme	
ES .	

LEASE NAME	North Monument G/SA Unit Blk 17
WELL#	2
API#	30-025-05807
COUNTY	Lea


## PROPOSED PROCEDURE

WELL BORE INFO. 8 5/8" @ 215' 4. PUH, spot 30 sx Class "C" cmt form 265' to surf (Shoe & Water Board) w/150 sx cmt to surf 872'-904' sqzd csg. leak w/ 26 sx cmt. 3. PUH, spot 25 sx Class "C" cmt form 1500'-1250' (Top

> 2. PUH, spot 25 sx Class "C" cmt from 2740'-2490' (Base of Salt & Yates)

5 1/2" @ 3498' w/1200 sx CIRC to surf CIBP @ 3595' w/no cmt

Perfs @ 3692'-3796' 4 1/2" Liner @ 3385'-3880' w/75 sx CIRC to TOL



PBTD 3595' TD 3880'