

District I  
1625 N. French Dr., Hobbs, NM 88240  
District II  
1301 W. Grand Ave., Artesia, NM 88210  
District III  
1000 Rio Brazos Rd. Aztec, NM 87410  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy, Minerals and Natural Resources

RECEIVED

OIL CONSERVATION DIVISION

APR 19 2011

HOBBSOCD

1220 South St. Francis Dr.  
Santa Fe, NM 87505

WELL API NO. <b>30-025-06371</b>
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease NO. <b>B0-1732</b>
7. Lease Name or Unit Agreement Name <b>State Section 2</b>
8. Well Number <b>5</b>
9. OGRID Numer <b>873</b>
10. Pool Name <b>Wantz; Abo</b>
11. Elevation (Show whether DR, RKB, RT, GR, etc.) <b>3483' DF</b>

SUNDRY NOTICES AND REPORTS ON WELLS  
(DON NOT USE THIS FORM FOR PROPOSALS TO DRILL OR DEEPEN OR PLUG BACK TO A DIFFERENT RESERVIOR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/>
2. Name of Operator <b>Apache Corporation</b>
3. Address of Operator <b>303 Veterans Airpark Lane, Ste. 3000, Midland, TX 79705</b>
4. Well Location Unit Letter <b>T</b> : <b>1880</b> feet from the <b>S</b> line and <b>560</b> feet from th <b>W</b> line Section <b>2</b> Township <b>21S</b> Range <b>37E</b> NMPM County <b>Lea</b>
11. Elevation (Show whether DR, RKB, RT, GR, etc.) <b>3483' DF</b>

12. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input checked="" type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	MULTIPLE COMPL <input type="checkbox"/>
DOWNHOLE COMMINGLE <input type="checkbox"/>	
OTHER: <input type="checkbox"/>	

SUBSEQUENT REPORT OF:

REMEDIAL WORK <input type="checkbox"/>
COMMENCE DRILLING OPNS. <input type="checkbox"/>
CASING/CEMENT JOB <input type="checkbox"/>
ALTERING CASING <input type="checkbox"/>
P AND A <input type="checkbox"/>
OTHER: <input type="checkbox"/>

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work.) SEE RULE 1103. For Multiple Completions: Attach wellbore diagram or proposed completion or recompletion.

Apache Corporation proposes to P&A the above mentioned well by the attached procedure.

The Oil Conservation Division Must be notified  
24 hours prior to the beginning of plugging operations.

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Guinn Burks TITLE Reclamation Foreman DATE 4/15/11

Type or print name Guinn Burks E-mail add. guinn.burks@apachecorp.com PHONE: 432-556-9143

For State Use Only

APPROVED BY: [Signature] TITLE STATE DGR DATE 4-19-2011

Conditions of Approval (if any):



# WELL BORE INFO.

LEASE NAME  
WELL #  
API #  
COUNTY

State Section 2

5

30-025-06371

Lea

# PROPOSED PROCEDURE

13 3/8" 32.4# @ 224'  
w/250 sx to surf

4. PUH & perf @ 274' & sqz 80 sx Class "C" cmt from 274' to surf, CIRC 5 1/2" x 8 5/8" to surf. (Shoe & Water Board)

3. PUH & perf @ 1500' & sqz 50 sx Class "C" cmt from 1500'-1400' (Top of Salt) *WOC - TAG*

8 5/8" 32# # 3142'  
w/2000 sx to surf

2. PUH & perf @ 3192' & sqz 175 sx Class "C" cmt from 3192'-2600' WOC/TAG (Shoe & Base of Salt)

Csg. Leak @ 4937-4969'  
pumped 50 sx cmt. & tagged @ 4388'.  
pressure tested w/ 500#.

1. MIRU, RIH w/ tbg & tag cmt plug @ 4388' & CIRC w/ MLF

CIBP @ 6900' w/ 35' cmt. (1986)  
Perfs @ 7097'-7243'

CICR @ 7475' sqzd 200 sx  
Perfs @ 7534'-7655'  
Perfs @ 7739'-7759'

CICR @ 7800' sqzd 200 sx  
Ellenburger perfs sqzd (82) Unkn depth

5 1/2" 15.5# @ 7810'  
w/500 sx TOC @ 4550'

PBTD @ 4388'  
TD @ 7956'



LEASE NAME  
WELL #  
API #  
COUNTY

State Section 2

5

30-025-06371

Lea

WELL BORE INFO.

13 3/8" 32.4# @ 224'  
w/250 sx to surf

8 5/8" 32# # 3142'  
w/2000 sx to surf

Csg. Leak @ 4937-4969'  
pumped 50 sx cmt. & tagged @ 4388'.  
pressure tested w/ 500#.

CIBP @ 6900' w/ 35' cmt. (1986)  
Perfs @ 7097'-7243'

CICR @ 7475' sqzd 200 sx  
Perfs @ 7534'-7655'  
Perfs @ 7739'-7759'

CICR @ 7800' sqzd 200 sx  
Ellenburger perfs sqzd (82) Unkn depth

5 1/2" 15.5# @ 7810'  
w/500 sx TOC @ 4550'

PBTD @ 4388'  
TD @ 7956'

